

**Valid Codes & Descriptions for
ANNOTATED INFORMATION in 2009 PDP Analytical Results**

| Annotate Code | Annotated Information |
|---------------|---|
| Q | Residue at below quantifiable level (BQL) |
| QV | Residue at <BQL> with presumptive violation - No Tolerance |
| QX | Residue at <BQL> with presumptive violation - Exceeds Tolerance |
| V | Residue with a presumptive violation - No Tolerance |
| X | Residue with a presumptive violation - Exceeds Tolerance |

**Valid Codes & Descriptions for
COMMODITY MARKETING CLAIM on 2009 PDP Samples**

| Claim Code | Commodity Marketing Claim |
|------------|---------------------------|
| NC | No Claim |
| OT | Other |
| PD | No Pesticides Detected |
| PO | Organic |
| PP | Pesticide Free |

**Valid Codes & Descriptions for
COMMODITIES Sampled/Analyzed by PDP in 2009
(Fresh Product Unless Otherwise Noted)**

| Commodity Code | Commodity Name | # of Samples Analyzed |
|----------------|------------------------|-----------------------|
| AP | Apples | 744 |
| AS | Asparagus | 744 |
| BA | Beef Adipose | 292 |
| BM | Beef Muscle | 292 |
| CB | Sweet Corn, Fresh | 668 |
| CL | Cilantro | 184 |
| CS | Sweet Corn, Frozen | 75 |
| CU | Cucumbers | 744 |
| FC | Fish, Catfish | 543 |
| GO | Green Onions | 558 |
| GR | Grapes | 744 |
| KB | Kidney Beans, Canned | 186 |
| LT | Lettuce, Organic | 387 |
| NB | Pinto Beans, Canned | 372 |
| OG | Oranges | 744 |
| PE | Pears | 743 |
| PO | Potatoes | 744 |
| RI | Rice | 435 |
| SP | Spinach | 744 |
| ST | Strawberries | 744 |
| SW | Sweet Potatoes | 739 |
| TP | Tomato Paste | 742 |
| WG | Water, Groundwater | 278 |
| WR | Water, Finished | 306 |
| WU | Water, Untreated | 306 |
| ZB | Garbanzo Beans, Canned | 186 |

**Valid Codes & Descriptions for
COMMODITY TYPE in 2009 PDP Samples**

| Commod Type Code | Commodity Type |
|---------------------|--------------------|
| CA | Canned |
| FP | Fresh-Cut/Packaged |
| FR | Fresh |
| FZ | Frozen |
| GJ | Glass Jar |
| GR | Grain, Raw |

**Valid Codes & Descriptions for
Concentration/LOD Unit-of-Measure Code**

| Concen/LOD Unit Code | Concen/LOD Unit Description |
|-------------------------|-----------------------------|
| B | Parts-per-Billion (ppb) |
| M | Parts-per-Million (ppm) |
| T | Parts-per-Trillion (ppt) |

**Valid Codes & Descriptions for
CONFIRMATION METHOD in 2009 PDP Analytical Results**

| ConfMethod Code | Confirmation Method |
|--------------------|--|
| C | GC or LC Alternate Column |
| CD | GC or LC Alt. Column and Alt. Detector |
| D | GC or LC Alternate Detector |
| GF | GC/TOF-Gas Chrom. w/Time of Flight MS |
| GI | GC/MS/MS - ion trap |
| GN | GC/MSD with Negative Chemical Ionization |
| LL | LC/MS/MS - ion trap |
| LU | LC-MS/MS - triple quadrapole |
| M | GC/MS - single quadropole |
| MO | Quant. & Confirm. by GC/MS only |

**Valid Codes & Descriptions for
COUNTRIES Where PDP 2009 Samples Originated**

| Country Code | Country Name |
|--------------|---------------------------|
| 150 | Argentina |
| 160 | Australia |
| 220 | Brazil |
| 260 | Canada |
| 275 | Chile |
| 280 | China |
| 281 | Taiwan |
| 295 | Costa Rica |
| 320 | Dominican Republic |
| 325 | Ecuador |
| 415 | Guatemala |
| 430 | Honduras |
| 455 | India |
| 480 | Italy |
| 595 | Mexico |
| 660 | New Zealand |
| 720 | Peru |
| 801 | South Africa |
| 830 | Spain |
| 875 | Thailand |
| 922 | Egypt |
| 945 | Vietnam |
| M06 | Mexico / USA |
| MA6 | Canada / USA |
| MF3 | China / Taiwan |
| MG7 | Argentina / Uruguay / USA |
| UNK | Unknown |

**Valid Codes & Descriptions for
DETERMINATIVE METHOD in 2009 PDP Analytical Results**

| Determin Code | Determinative Method |
|------------------|--|
| 02 | GC/FPD - Flame Photometric Detector in Phosphorus Mode |
| 05 | GC/ELCD - Electrolytic Conductivity Detector in Halogen Mode |
| 07 | GC/MS - Gas Chrom w/Mass Spec - single quadrupole |
| 51 | LC/MS - Liquid Chrom w/ Mass Spec - single quadrupole |
| 52 | LC/MS/MS - Liquid Chrom w/ Tandem Mass Spec - triple quad |
| 60 | GC/XSD - Halogen Specific Detector |
| 64 | Second LC/MS/MS |
| 65 | GC/Micro ECD - Micro Electronic Capture Detector |
| 66 | GC/PFPD - Pulsed Flame Photometric Detector |
| 72 | GC/MSD w/Negative Chemical Ionization (NCI) |
| 73 | GC/MS/MS - Gas Chrom w/Tandem Mass Spec - ion trap |
| 76 | GC/TOF - Gas Chrom w/ Time of Flight Mass Spec |

**Valid Codes & Descriptions for
COLLECTION/DISTRIBUTION FACILITY TYPE in 2009 PDP Samples**

| DistType Code | Collection Facility Type |
|------------------|--------------------------|
| A | Agricultural Well |
| C | School/Daycare Well |
| D | Distribution Center |
| H | Wholesale |
| L | Wholesale and Retail |
| O | Other Market Type |
| P | Processing Plant |
| R | Retail |
| T | Terminal Market |
| V | Private Residence Well |
| W | Water Facility - Surface |

**Valid Codes & Descriptions for
EXTRACTION METHOD in 2009 PDP Analytical Results**

| Extract Code | Extraction Method |
|--------------|---|
| 015 | Modified Luke Extraction Method without Cleanup for Multi-Residues & Carbamates |
| 803 | GIPSA Modified Method for Extraction of Multi-Residues in Grains |
| 805 | MDA Modified QuEChERS Method |
| 806 | NYS Modified SPE Method (F&V) |
| 811 | Montana SPE Extraction Method for Polar Pesticides (Water) |
| 812 | Montana Liquid/Liquid Extraction Method for Non-Polar Pesticides |
| 817 | FL Aminopropyl SPE Extraction Method |
| 818 | NSL Animal Tissue Extraction Method |
| 819 | EPA Extraction Method |
| 900 | Liquid/Liquid Extraction Method |
| 901 | NYS Modification of USGS Method 2001/2002 (SPE/GC) |
| 902 | NYS Modification of USGS Method 9060 (SPE/LC) |
| 999 | OTHER Multi-Residue Methods |

**Valid Codes & Descriptions for
PDP Participating LABORATORIES in 2009**

| Lab Code | Lab Agency Name | Lab City/State |
|----------|---|---------------------|
| CA1 | California Department of Food & Agriculture | Sacramento, CA |
| CO1 | Colorado Department of Agriculture | Denver, CO |
| FL1 | Florida Dept of Agriculture & Consumer Services | Tallahassee, FL |
| MI1 | Michigan Department of Agriculture | East Lansing, MI |
| MN1 | Minnesota Department of Agriculture | St. Paul, MN |
| MT1 | Montana Department of Agriculture | Bozeman, MT |
| NY1 | New York Department of Agriculture and Markets | Albany, NY |
| OH1 | Ohio Department of Agriculture | Reynoldsburg, OH |
| TX1 | Texas Department of Agriculture | College Station, TX |
| US2 | USDA, AMS, National Science Laboratory | Gastonia, NC |
| US3 | USDA, GIPSA, Technical Services Division | Kansas City, MO |
| US5 | US EPA, OPP, Analytical Chemistry Laboratory | Ft. Meade, MD |
| WA1 | Washington State Department of Agriculture | Yakima, WA |

**Valid Codes & Descriptions for
MEAN RESULT in 2009 PDP Analytical Results
(O, A, and R indicated Positive Detections)**

| Mean Code | Mean Result Finding |
|-----------|---|
| A | Detect: Avg of Original & Re-extract |
| ND | Non-Detect: Validated, well-recovered |
| NP | Non-Detect: Marginal Performing Analyte |
| O | Detect: Original Extraction Value |
| R | Detect - Re-extraction Analysis Value |

**Valid Codes & Descriptions for
Sample ORIGIN Code**

| Origin Code | Origin of Sample |
|----------------|------------------|
| 1 | Domestic (U.S.) |
| 2 | Imported |
| 3 | Unknown origin |

**Valid Codes & Descriptions for
Compounds (PESTICIDES) Analyzed by PDP in 2009**

| Pest Code | Pesticide Name | Test Class | # of Analysis Results |
|-----------|------------------------|------------|-----------------------|
| 001 | Aldrin | A | 12,281 |
| 002 | Allethrin | O | 8,905 |
| 006 | BHC (alpha + beta) | A | 387 |
| 011 | Captan | A | 4,309 |
| 015 | Chlorobenzilate | A | 543 |
| 020 | Rotenone | I | 387 |
| 024 | Diazinon | C | 11,886 |
| 026 | 2,4-D | G | 1,957 |
| 028 | Dieldrin | A | 12,062 |
| 031 | Dinoseb | F | 611 |
| 032 | Diuron | A | 8,087 |
| 034 | Endrin | A | 11,164 |
| 035 | EPN | C | 2,852 |
| 042 | Azinphos methyl | C | 11,771 |
| 044 | Heptachlor | A | 12,300 |
| 046 | Monuron | A | 237 |
| 050 | Lindane (BHC gamma) | A | 10,565 |
| 052 | Malathion | C | 13,243 |
| 055 | Methoxychlor Total | A | 3,100 |
| 057 | Parathion methyl | C | 8,405 |
| 058 | MGK-264 | F | 4,939 |
| 061 | Neburon | A | 889 |
| 065 | Parathion ethyl | C | 7,722 |
| 069 | Mevinphos Total | C | 8,013 |
| 070 | Piperonyl butoxide | I | 12,172 |
| 075 | Pyrethrins | A | 2,195 |
| 083 | O-Phenylphenol | I | 3,838 |
| 090 | Toxaphene | A | 543 |
| 102 | Carbaryl | E | 13,186 |
| 105 | Fenchlorphos (Ronnell) | A | 2,309 |
| 107 | Ethion | C | 6,803 |
| 108 | Tetradifon | A | 7,410 |
| 114 | Chlorpropham | E | 7,859 |
| 117 | Disulfoton | C | 7,506 |
| 124 | Coumaphos | C | 6,524 |
| 125 | Diphenylamine (DPA) | F | 8,034 |
| 126 | Folpet | A | 1,810 |
| 129 | Linuron | A | 8,271 |
| 134 | DCPA | A | 9,525 |
| 143 | Heptachlor epoxide | A | 10,602 |
| 144 | Dicloran | A | 9,282 |
| 147 | Tecnazene | A | 2,032 |
| 148 | Phorate | C | 8,674 |
| 149 | Simazine | R | 8,830 |

| Pest Code | Pesticide Name | Test Class | # of Analysis Results |
|-----------|-------------------------|------------|-----------------------|
| 151 | Trifluralin | A | 11,006 |
| 152 | Terbacil | A | 5,213 |
| 153 | Bromacil | U | 4,248 |
| 155 | Dicamba | G | 1,442 |
| 156 | Ametryn | R | 4,440 |
| 157 | Thiabendazole | B | 7,830 |
| 158 | Nitrofen | A | 543 |
| 159 | Methomyl | E | 12,964 |
| 160 | Chlorpyrifos | C | 12,869 |
| 161 | Pebulate | P | 238 |
| 162 | Propoxur | E | 1,059 |
| 163 | Fonofos | C | 6,149 |
| 164 | Chlorothalonil | A | 4,876 |
| 165 | Phosmet | C | 11,021 |
| 166 | Phosalone | C | 8,312 |
| 167 | Aldicarb | E | 8,733 |
| 168 | Aldicarb sulfone | E | 8,398 |
| 169 | Aldicarb sulfoxide | E | 7,990 |
| 170 | Methamidophos | C | 8,932 |
| 171 | Dimethoate | C | 11,329 |
| 172 | Chlordane trans | A | 11,179 |
| 173 | Chlordane cis | A | 11,223 |
| 175 | Ethoprop | C | 7,930 |
| 176 | Tetrachlorvinphos | C | 5,858 |
| 177 | Fenthion | C | 6,304 |
| 178 | Omethoate | C | 9,710 |
| 180 | Carbofuran | E | 12,281 |
| 181 | Metribuzin | F | 7,803 |
| 189 | Phorate sulfone | C | 6,683 |
| 190 | Phorate sulfoxide | C | 6,659 |
| 191 | Benfluralin | A | 1,365 |
| 192 | Benomyl | B | 534 |
| 195 | Methiocarb | E | 5,064 |
| 197 | Methidathion | C | 9,169 |
| 200 | EPTC | P | 5,727 |
| 201 | Vernolate | P | 1,063 |
| 202 | Carbophenothion | C | 5,484 |
| 203 | Phosphamidon | C | 5,337 |
| 204 | Acephate | C | 9,163 |
| 205 | Terbufos | C | 6,532 |
| 206 | Nonachlor trans | A | 1,127 |
| 207 | Nonachlor cis | A | 1,127 |
| 208 | Malathion oxygen analog | C | 11,163 |
| 209 | Dicrotophos | C | 508 |
| 210 | Carboxin | F | 3,242 |
| 216 | Disulfoton sulfone | C | 8,333 |
| 217 | DEF (Tribufos) | C | 2,893 |

| Pest Code | Pesticide Name | Test Class | # of Analysis Results |
|-----------|---------------------------|------------|-----------------------|
| 219 | Oxydemeton methyl | C | 2,753 |
| 222 | Permethrin cis | O | 8,778 |
| 223 | Permethrin trans | O | 8,744 |
| 224 | Profenofos | C | 3,568 |
| 227 | Alachlor | A | 2,551 |
| 228 | Cyanazine | R | 890 |
| 229 | Flucythrinate | O | 543 |
| 230 | Pendimethalin | F | 10,764 |
| 232 | Cycloate | P | 611 |
| 233 | Amitraz | F | 656 |
| 235 | Chlorpyrifos methyl | C | 1,800 |
| 236 | Fenamiphos | C | 8,099 |
| 237 | Phosmet oxygen analog | C | 1,455 |
| 243 | Fensulfothion | C | 2,309 |
| 245 | Oxydemeton methyl sulfone | C | 6,470 |
| 249 | Prometryn | R | 5,009 |
| 250 | Thionazin | C | 2,309 |
| 253 | Dicofol o,p' | A | 2,801 |
| 254 | Dicofol p,p' | A | 9,104 |
| 255 | Cyromazine | F | 1,092 |
| 258 | Isofenphos | C | 3,131 |
| 264 | Propiconazole | L | 6,738 |
| 267 | Crotoxyphos | C | 2,309 |
| 271 | Fenarimol | A | 8,303 |
| 275 | Methoxychlor p,p' | A | 3,870 |
| 276 | Methoxychlor olefin | A | 1,939 |
| 280 | Fluchloralin | A | 543 |
| 283 | Metolachlor | A | 12,026 |
| 292 | Fluazifop butyl | G | 3,434 |
| 297 | Fluvalinate | O | 8,790 |
| 299 | Diclofop methyl | G | 543 |
| 303 | Naled | C | 1,129 |
| 304 | Quintozone (PCNB) | A | 8,720 |
| 305 | Atrazine | R | 4,177 |
| 310 | Propham | E | 3,089 |
| 311 | Sulfotep | C | 238 |
| 312 | 2,4,5-T | G | 611 |
| 317 | 2,4-DB | G | 889 |
| 318 | MCPA | G | 1,957 |
| 321 | Hexachlorobenzene (HCB) | A | 7,793 |
| 324 | Dichlobenil | T | 6,121 |
| 329 | Picloram | G | 889 |
| 330 | Diphenamid | F | 3,632 |
| 333 | Propazine | R | 1,433 |
| 338 | Dichlorvos (DDVP) | C | 9,658 |
| 341 | Propanil | A | 1,909 |
| 343 | Monocrotophos | C | 4,357 |

| Pest Code | Pesticide Name | Test Class | # of Analysis Results |
|-----------|---|------------|-----------------------|
| 349 | Oxychlorthane | A | 2,577 |
| 351 | Pentachloroaniline (PCA) | A | 6,344 |
| 352 | Mirex | I | 543 |
| 370 | Parathion oxygen analog | C | 4,173 |
| 377 | Phenthoate | I | 2,048 |
| 382 | 1-Naphthol | E | 4,359 |
| 387 | Pentachlorobenzene (PCB) | A | 7,942 |
| 388 | Pentachlorophenyl methyl sulfide | A | 4,344 |
| 391 | Fenitrothion | C | 5,674 |
| 395 | Diazinon oxygen analog | C | 10,108 |
| 512 | 3-Hydroxycarbofuran | E | 11,848 |
| 529 | Vinclozolin | A | 7,346 |
| 537 | Oxamyl | E | 9,048 |
| 539 | Permethrin Total | O | 4,205 |
| 540 | Pronamide | A | 9,425 |
| 546 | Fenvalerate | O | 2,309 |
| 547 | Azinphos ethyl | C | 2,309 |
| 556 | Resmethrin | O | 6,110 |
| 558 | Demeton-S | C | 2,309 |
| 562 | Pirimiphos methyl | C | 6,943 |
| 580 | Pirimicarb | E | 3,645 |
| 593 | Procymidone | A | 1,068 |
| 594 | Napropamide | F | 8,997 |
| 596 | Norflurazon | A | 9,222 |
| 597 | Cypermethrin | O | 12,502 |
| 604 | Imazalil | N | 6,768 |
| 607 | Metalaxyl | F | 12,011 |
| 608 | Triadimefon | L | 7,483 |
| 609 | Sulprofos | C | 3,175 |
| 611 | Thiophanate methyl | E | 742 |
| 612 | Deltamethrin (includes parent Tralomethrin) | O | 11,059 |
| 614 | Coumaphos oxygen analog | C | 2,048 |
| 620 | MCPB | G | 889 |
| 621 | Tri Allate | P | 2,496 |
| 623 | Propargite | I | 8,138 |
| 624 | Tetrahydrophthalimide (THPI) | A | 6,632 |
| 625 | Oxadiazon | A | 1,365 |
| 626 | Iprodione | A | 8,293 |
| 636 | Propetamphos | C | 11,006 |
| 638 | Triadimenol | L | 4,249 |
| 648 | Fenitrothion oxygen analog | C | 238 |
| 649 | Tolyfluanid | A | 1,744 |
| 651 | Diflubenzuron | A | 6,733 |
| 658 | Bendiocarb | E | 8,410 |
| 666 | Carbendazim (MBC) | B | 5,147 |
| 667 | Crufomate | C | 2,309 |
| 668 | Chloroxuron | A | 543 |

| Pest Code | Pesticide Name | Test Class | # of Analysis Results |
|-----------|--------------------------------|------------|-----------------------|
| 675 | Propachlor | A | 2,017 |
| 679 | Myclobutanil | L | 11,774 |
| 691 | Fenthion-O analog | C | 238 |
| 699 | Clofentezine | A | 4,178 |
| 701 | Fluometuron | A | 889 |
| 706 | Disulfoton sulfoxide | C | 2,344 |
| 708 | Demeton-O | C | 2,309 |
| 713 | Oxyfluorfen | A | 6,190 |
| 714 | Esfenvalerate | O | 4,554 |
| 717 | Chlorimuron ethyl | K | 873 |
| 719 | Clomazone | A | 8,040 |
| 720 | Norflurazon desmethyl | A | 8,157 |
| 721 | Ethalfuralin | A | 7,852 |
| 722 | Etridiazole | A | 2,850 |
| 723 | Formetanate hydrochloride | E | 5,185 |
| 726 | Thiobencarb | P | 6,570 |
| 728 | Bifenox | A | 543 |
| 729 | Bromoxynil | G | 237 |
| 731 | Triclopyr | G | 1,679 |
| 736 | Fluridone | A | 8,088 |
| 737 | Oryzalin | F | 1,597 |
| 745 | Fenamiphos sulfone | C | 7,556 |
| 746 | Fenamiphos sulfoxide | C | 7,556 |
| 749 | Temephos | C | 543 |
| 750 | Quizalofop ethyl | G | 584 |
| 753 | Imazamethabenz methyl | J | 889 |
| 755 | Tralomethrin | O | 1,484 |
| 758 | Bentazon | F | 619 |
| 769 | Azinphos methyl oxygen analog | C | 6,383 |
| 772 | Chlorpyrifos oxygen analog | C | 6,974 |
| 775 | Dinitramine | A | 543 |
| 777 | Fenoxaprop ethyl | G | 1,542 |
| 778 | Molinate | P | 238 |
| 779 | Parathion methyl oxygen analog | C | 6,584 |
| 780 | Tebuthiuron | F | 2,016 |
| 781 | Cyfluthrin | O | 12,482 |
| 783 | Butylate | P | 917 |
| 784 | Desethyl-desisopropyl atrazine | R | 278 |
| 785 | Desisopropyl atrazine | R | 890 |
| 786 | Desmedipham | E | 1,889 |
| 791 | Phenmedipham | E | 2,852 |
| 793 | TCMTB | F | 969 |
| 796 | Tridiphane | A | 1,127 |
| 806 | Butachlor | A | 612 |
| 807 | Acetochlor | A | 2,382 |
| 808 | Fenpropathrin | O | 12,471 |
| 811 | Fenoxycarb | E | 543 |

| Pest Code | Pesticide Name | Test Class | # of Analysis Results |
|-----------|-----------------------|------------|-----------------------|
| 814 | Prodiamine | A | 543 |
| 834 | Flumetralin | A | 543 |
| 840 | Fenuron | F | 237 |
| 848 | Phenothrin | O | 10,808 |
| 850 | Bitertanol | L | 1,597 |
| 858 | Ethiofencarb | E | 2,761 |
| 877 | Cymoxanil | F | 742 |
| 900 | Endosulfan I | A | 12,469 |
| 901 | Endosulfan II | A | 12,165 |
| 902 | Endosulfan sulfate | A | 11,942 |
| 903 | BHC alpha | A | 11,488 |
| 904 | BHC beta | A | 3,110 |
| 905 | BHC delta | A | 543 |
| 906 | DDT p,p' | A | 9,749 |
| 907 | DDT o,p' | A | 2,048 |
| 908 | DDD p,p' | A | 11,589 |
| 909 | DDD o,p' | A | 3,518 |
| 910 | DDE p,p' | A | 10,625 |
| 911 | DDE o,p' | A | 1,127 |
| 928 | Phorate oxygen analog | C | 6,237 |
| 930 | Bifenthrin | O | 12,086 |
| 942 | Prometon | R | 890 |
| 943 | Thiodicarb | E | 2,416 |
| 945 | Ethofumesate | C | 1,127 |
| 946 | Isopropalin | A | 543 |
| 947 | Tetramethrin | O | 10,133 |
| 952 | Chloramben | A | 237 |
| 954 | Hexaconazole | L | 4,210 |
| 960 | Butralin | A | 543 |
| 963 | Terbufos sulfone | C | 4,891 |
| 964 | Desethyl atrazine | R | 890 |
| 967 | Imidacloprid | A | 11,154 |
| A05 | Benoxacor | A | 7,966 |
| A15 | Chlorethoxyfos | C | 4,454 |
| A22 | Cyproconazole | L | 374 |
| A25 | Dichlorprop | G | 1,679 |
| A30 | Fenbuconazole | L | 8,033 |
| A38 | Lactofen | A | 543 |
| A42 | Mecoprop (MCP) | G | 1,068 |
| A46 | Oxadixyl | F | 5,420 |
| A47 | Oxamyl oxime | E | 6,139 |
| A58 | Tebuconazole | L | 6,076 |
| A59 | Tebupirimfos | C | 1,059 |
| A60 | Terbufos-O analog | C | 772 |
| A61 | Triflumizole | L | 5,698 |
| A82 | Fipronil | A | 1,779 |
| AAK | Chlorfenvinphos total | C | 5,315 |

| Pest Code | Pesticide Name | Test Class | # of Analysis Results |
|-----------|---------------------------------------|------------|-----------------------|
| AAU | Flumetsulam | A | 611 |
| AAV | Flumiclorac pentyl | A | 543 |
| AAX | Ethion mono oxon | C | 4,357 |
| AAZ | Sulfentrazone | I | 3,355 |
| ABZ | Chlorpyrifos methyl O-analog | C | 435 |
| ABB | Spinosad | I | 2,923 |
| ABC | Spinosad A | I | 5,367 |
| ABD | Spinosad D | I | 5,389 |
| ABF | Pymetrozine | F | 2,219 |
| ABG | Tebufozide | F | 8,518 |
| ABH | Propiconazole I | L | 2,309 |
| ABI | Propiconazole II | L | 2,309 |
| ABN | Acetochlor ethanesulfonic acid (ESA) | A | 889 |
| ABO | Acetochlor oxanilic acid (OA) | A | 889 |
| ABP | Alachlor ethanesulfonic acid (ESA) | A | 889 |
| ABQ | Alachlor oxanilic acid (OA) | A | 889 |
| ABR | Bensulfuron methyl | K | 889 |
| ABV | DCPA monoacid | A | 237 |
| ACA | Imazamox | J | 889 |
| ACB | Imazapyr | J | 889 |
| ACC | Imazaquin | J | 889 |
| ACD | Imazethapyr | J | 889 |
| ACE | Methidathion oxygen analog | C | 4,635 |
| ACG | Metolachlor ethanesulfonic acid (ESA) | A | 889 |
| ACH | Metolachlor oxanilic acid (OA) | A | 889 |
| ACI | Metsulfuron methyl | K | 873 |
| ACM | Nicosulfuron | K | 1,423 |
| ACP | Sulfometuron methyl | K | 889 |
| ACR | Tebupirimfos oxygen analog | C | 238 |
| ACT | Siduron | F | 889 |
| ACV | Methoprene | I | 1,810 |
| ACZ | Imazapic | J | 889 |
| ADC | Prallethrin | O | 10,482 |
| ADD | Dimethenamid | F | 4,424 |
| ADE | Esfenvalerate+Fenvalerate Total | O | 7,601 |
| ADG | Indoxacarb | I | 9,574 |
| ADH | Cyphenothrin | O | 8,360 |
| ADJ | Fluroxypyr 1-methylheptyl ester | G | 1,105 |
| ADK | Imiprothrin | O | 7,035 |
| ADL | MGK-326 (dipropyl isocinchomeronate) | F | 543 |
| ADP | Triasulfuron | K | 652 |
| ADR | Triticonazole | L | 2,346 |
| ADU | Bromuconazole 46 | L | 374 |
| ADV | Bromuconazole 47 | L | 374 |
| AEB | Dimethenamid/Dimethenamid P | F | 374 |
| AEC | Hydroprene | I | 3,098 |
| AED | Hydroxy atrazine | R | 652 |

| Pest Code | Pesticide Name | Test Class | # of Analysis Results |
|-----------|---|------------|-----------------------|
| AEE | Imazamethabenz acid | J | 652 |
| AEF | Thifensulfuron | K | 652 |
| AEH | Halosulfuron methyl | K | 980 |
| AEJ | Resmethrin-c | O | 2,514 |
| AEK | Resmethrin-t | O | 3,936 |
| AEL | Cyhalothrin, Total (Cyhalothrin-L + R157836 epimer) | O | 8,707 |
| AEM | Cyhalothrin, Lambda | O | 3,793 |
| AEN | Cyhalothrin, Lambda epimer R157836 | O | 3,793 |
| AEP | Clothianidin | F | 9,574 |
| AER | Clethodim | I | 2,552 |
| AES | Methoxyfenozide | I | 10,255 |
| AEV | Sethoxydim | I | 1,629 |
| AEW | Famoxadone | F | 5,246 |
| AEY | Dimethenamid oxanilic acid (OA) | F | 652 |
| AEZ | Flufenacet oxanilic acid (OA) | A | 652 |
| AFA | Propachlor oxanilic acid (OA) | A | 652 |
| AFB | Dimethenamid ethanesulfonic acid (ESA) | F | 278 |
| AFC | Heptachlor epoxide cis | A | 1,484 |
| AFD | Heptachlor epoxide trans | A | 1,484 |
| AFF | Flumioxazin | A | 742 |
| AFK | Halosulfuron | K | 278 |
| AFO | Dinotefuran | A | 8,450 |
| AFS | Fenpyroximate | F | 4,465 |
| AFU | Propamocarb hydrochloride | E | 1,151 |
| AFW | Spiromesifen Total (parent + enol metabolite) | I | 2,307 |
| AFX | Novaluron | A | 1,735 |
| AFY | Diflufenzopyr | K | 534 |
| AGA | Cyazofamid | A | 1,810 |
| AGE | Iprovalicarb | E | 1,810 |
| AGF | Mepanipirim | V | 742 |
| AGG | Flonicamid | A | 6,574 |
| AGH | Emamectin benzoate | D | 2,878 |
| AGJ | Fluoxastrobin | F | 4,830 |
| AGL | Isoxadifen ethyl | F | 435 |
| AGP | Benthiavalicarb isopropyl | E | 1,068 |
| AGR | 2,4-dimethylphenyl formamide (2,4-DMPF) | F | 1,127 |
| AGT | Spiromesifen | I | 4,446 |
| AGW | Chlorantraniliprole | I | 1,810 |
| AGX | Mandipropamide | N | 2,770 |
| AGY | Spinetoram | I | 2,521 |
| AGZ | Carbophenothion methyl | C | 2,309 |
| AHB | Azadirachtin A | X | 387 |
| AHC | Azadirachtin B | X | 387 |
| AHD | Pyrethrum (natural pyrethrins) | X | 387 |
| AHE | Salannin | X | 387 |
| AHF | Imidacloprid urea | A | 1,602 |
| AHG | Flufenoxuron | I | 584 |

| Pest Code | Pesticide Name | Test Class | # of Analysis Results |
|-----------|------------------------|------------|-----------------------|
| AHM | Spirotetramat | I | 742 |
| AHN | Disulfoton oxon | C | 782 |
| B10 | Hexythiazox | A | 4,703 |
| B13 | Chlorfenapyr | A | 5,963 |
| B15 | Isoxaflutole | A | 543 |
| B16 | Pyrimethanil | V | 8,811 |
| B20 | Bromuconazole | L | 543 |
| B21 | Carfentrazone ethyl | A | 11,294 |
| B22 | Cyprodinil | V | 5,517 |
| B23 | Fludioxonil | A | 10,848 |
| B24 | Pyriproxyfen | F | 10,145 |
| B26 | Tefluthrin | O | 9,646 |
| B28 | 5-Hydroxythiabendazole | B | 2,309 |
| B30 | Flufenacet | A | 534 |
| B32 | Forchlorfenuron | A | 742 |
| B41 | Fenhexamid | I | 4,784 |
| B42 | Kresoxim-methyl | I | 3,604 |
| B43 | Thiamethoxam | A | 11,384 |
| B44 | Zoxamide | A | 742 |
| B46 | Clopyralid | G | 1,797 |
| B48 | Azoxystrobin | F | 11,204 |
| B51 | Acibenzolar S methyl | F | 2,123 |
| B52 | Buprofezin | F | 9,397 |
| B53 | Epoxiconazole | L | 917 |
| B56 | Pyridaben | A | 7,318 |
| B57 | Quinoxifen | I | 4,697 |
| B58 | Difenoconazole | L | 7,773 |
| B59 | Cyhalofop butyl | G | 395 |
| B61 | Pyraclostrobin | F | 10,919 |
| B63 | Flutolanil | A | 2,066 |
| B64 | Fenamidone | A | 7,350 |
| B68 | Thiacloprid | A | 8,594 |
| B70 | Tolclofos methyl | A | 543 |
| B72 | Tetraconazole | L | 1,432 |
| B73 | Fenazaquin | I | 742 |
| B75 | Boscalid | A | 11,156 |
| B77 | Dimethomorph | W | 8,413 |
| B79 | Trifloxystrobin | F | 11,407 |
| B80 | Acetamiprid | A | 10,321 |
| B82 | Bifenazate | F | 4,504 |
| B84 | Etoxazole | F | 2,353 |
| B85 | Spirodiclofen | I | 3,247 |

**Valid Codes & Descriptions for
QUANTITATION METHOD in 2009 PDP Analytical Results**

| Quantitate Code | Quantitation Method |
|--------------------|-----------------------------|
| E | Estimate |
| P | Marginal Performing Analyte |

**Valid Codes & Descriptions for
All 50 STATES (plus Washington D.C. and Puerto Rico)**

| State Code | State |
|------------|-----------------|
| AK | Alaska |
| AL | Alabama |
| AR | Arkansas |
| AZ | Arizona |
| CA | California |
| CH | Check Sample |
| CK | Check Sample |
| CO | Colorado |
| CT | Connecticut |
| DC | Washington D.C. |
| DE | Delaware |
| FL | Florida |
| GA | Georgia |
| HI | Hawaii |
| IA | Iowa |
| ID | Idaho |
| IL | Illinois |
| IN | Indiana |
| KS | Kansas |
| KY | Kentucky |
| LA | Louisiana |
| MA | Massachusetts |
| MD | Maryland |
| ME | Maine |
| MI | Michigan |
| MN | Minnesota |
| MO | Missouri |
| MS | Mississippi |
| MT | Montana |
| NC | North Carolina |
| ND | North Dakota |
| NE | Nebraska |
| NH | New Hampshire |
| NJ | New Jersey |
| NM | New Mexico |
| NV | Nevada |
| NY | New York |
| OH | Ohio |
| OK | Oklahoma |
| OR | Oregon |
| PA | Pennsylvania |
| PR | Puerto Rico |

| State Code | State |
|---------------|---|
| RI | Rhode Island |
| SC | South Carolina |
| SD | South Dakota |
| TN | Tennessee |
| TX | Texas |
| US | United States (exact State not available) |
| UT | Utah |
| VA | Virginia |
| VT | Vermont |
| WA | Washington |
| WI | Wisconsin |
| WV | West Virginia |
| WY | Wyoming |

**Valid Codes & Descriptions for
TEST (COMPOUND) CLASS in 2009 PDP Analytical Results**

| Test Class Code | Test (Compound) Class |
|--------------------|--------------------------|
| A | Halogenated |
| B | Benzimidazole |
| C | Organophosphorus |
| D | Avermectin |
| E | Carbamate |
| F | Organonitrogen |
| G | 2,4-D / Acid Herbicides |
| I | Other Compounds |
| J | Imidazolinone |
| K | Sulfonyl Urea Herbicides |
| L | Conazoles / Triazoles |
| N | Imidazoles |
| O | Pyrethroids |
| P | Thiocarbamates |
| R | Triazines |
| T | Nitrile |
| U | Uracil |
| V | Pyrimidone |
| W | Morpholine |
| X | Natural Pesticides |

**EPA Tolerance Levels for
Commodity/Pesticide Pairs Analyzed by PDP in 2009**

Tolerance Level Code: NT = No Tolerance Established

NA = Not Applicable

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| AP | 001 | 0.03 | M | AL | Action Level |
| AP | 002 | NT | M | | |
| AP | 011 | 25.0 | M | | |
| AP | 024 | 0.50 | M | | |
| AP | 028 | 0.03 | M | AL | Action Level |
| AP | 032 | 0.1 | M | | |
| AP | 034 | NT | M | | |
| AP | 035 | NT | M | | |
| AP | 042 | 1.5 | M | | |
| AP | 044 | 0.01 | M | AL | Action Level |
| AP | 050 | NT | M | | |
| AP | 052 | 8 | M | | |
| AP | 055 | NT | M | | |
| AP | 057 | NT | M | | |
| AP | 058 | 10 | M | | |
| AP | 065 | NT | M | | |
| AP | 069 | NT | M | | |
| AP | 070 | 8 | M | | |
| AP | 083 | 25 | M | | |
| AP | 102 | 12 | M | | |
| AP | 105 | NT | M | | |
| AP | 107 | NT | M | | |
| AP | 108 | NT | M | | |
| AP | 114 | NT | M | | |
| AP | 117 | NT | M | | |
| AP | 124 | NT | M | | |
| AP | 125 | 10.0 | M | | |
| AP | 129 | NT | M | | |
| AP | 134 | NT | M | | |
| AP | 143 | 0.01 | M | AL | Action Level |
| AP | 144 | NT | M | | |
| AP | 147 | NT | M | | |
| AP | 148 | NT | M | | |
| AP | 149 | 0.20 | M | | |
| AP | 151 | NT | M | | |
| AP | 152 | 0.3 | M | | |
| AP | 153 | NT | M | | |
| AP | 156 | NT | M | | |
| AP | 157 | 5.0 | M | | |
| AP | 159 | 1 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| AP | 160 | 0.1 | M | | FHE Tolerance |
| AP | 163 | NT | M | | |
| AP | 164 | NT | M | | |
| AP | 165 | 10 | M | | |
| AP | 166 | 10.0 | M | | |
| AP | 167 | NT | M | | |
| AP | 168 | NT | M | | |
| AP | 169 | NT | M | | |
| AP | 170 | 0.02 | M | | |
| AP | 171 | NT | M | | |
| AP | 172 | 0.1 | M | AL | Action Level |
| AP | 173 | 0.1 | M | AL | Action Level |
| AP | 175 | NT | M | | |
| AP | 176 | NT | M | | |
| AP | 177 | NT | M | | |
| AP | 178 | NT | M | | |
| AP | 180 | NT | M | | |
| AP | 181 | NT | M | | |
| AP | 189 | NT | M | | |
| AP | 190 | NT | M | | |
| AP | 195 | NT | M | | |
| AP | 197 | 0.05 | M | | |
| AP | 200 | 0.1 | M | | |
| AP | 202 | NT | M | | |
| AP | 203 | 1.0 | M | | |
| AP | 204 | 0.02 | M | | |
| AP | 205 | NT | M | | |
| AP | 208 | 8 | M | | |
| AP | 209 | NT | M | | |
| AP | 210 | NT | M | | |
| AP | 216 | NT | M | | |
| AP | 217 | NT | M | | |
| AP | 222 | 0.05 | M | | |
| AP | 223 | 0.05 | M | | |
| AP | 224 | NT | M | | |
| AP | 230 | 0.10 | M | | |
| AP | 236 | 0.25 | M | | Interim Tolerance |
| AP | 243 | NT | M | | |
| AP | 245 | NT | M | | |
| AP | 249 | NT | M | | |
| AP | 250 | NT | M | | |
| AP | 253 | 10.0 | M | | |
| AP | 254 | 10.0 | M | | |
| AP | 258 | NT | M | | |
| AP | 264 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| AP | 267 | NT | M | | |
| AP | 271 | 0.1 | M | | |
| AP | 275 | NT | M | | |
| AP | 276 | NT | M | | |
| AP | 283 | NT | M | | |
| AP | 292 | NT | M | | |
| AP | 297 | NT | M | | |
| AP | 304 | NT | M | | |
| AP | 305 | NT | M | | |
| AP | 310 | NT | M | | |
| AP | 321 | NT | M | | |
| AP | 324 | 0.5 | M | | |
| AP | 330 | NT | M | | |
| AP | 338 | 0.5 | M | | S/convert to Naled |
| AP | 343 | NT | M | | |
| AP | 349 | 0.1 | M | AL | Action Level |
| AP | 351 | NT | M | | |
| AP | 370 | NT | M | | |
| AP | 377 | NT | M | | |
| AP | 382 | 12 | M | | |
| AP | 387 | NT | M | | |
| AP | 388 | NT | M | | |
| AP | 391 | NT | M | | |
| AP | 395 | 0.50 | M | | |
| AP | 512 | NT | M | | |
| AP | 529 | NT | M | | |
| AP | 537 | 2 | M | | |
| AP | 540 | 0.1 | M | | |
| AP | 546 | 2.0 | M | | |
| AP | 547 | NT | M | | |
| AP | 558 | NT | M | | |
| AP | 562 | NT | M | | |
| AP | 580 | NT | M | | |
| AP | 594 | 0.1 | M | | Interim Tolerance |
| AP | 596 | 0.1 | M | | |
| AP | 597 | 2 | M | | |
| AP | 604 | NT | M | | |
| AP | 607 | 0.2 | M | | |
| AP | 608 | 1.0 | M | | Interim Tolerance |
| AP | 609 | NT | M | | |
| AP | 612 | 0.2 | M | | |
| AP | 614 | NT | M | | |
| AP | 623 | NT | M | | |
| AP | 624 | 25.0 | M | | |
| AP | 626 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| AP | 636 | 0.1 | M | | |
| AP | 638 | 1.0 | M | | Interim Tolerance |
| AP | 651 | NT | M | | |
| AP | 658 | NT | M | | |
| AP | 666 | 7.0 | M | | Interim Tolerance |
| AP | 667 | NT | M | | |
| AP | 679 | 0.5 | M | | |
| AP | 699 | 0.5 | M | | |
| AP | 708 | NT | M | | |
| AP | 713 | 0.05 | M | | |
| AP | 714 | 2.0 | M | | |
| AP | 719 | NT | M | | |
| AP | 720 | 0.1 | M | | |
| AP | 721 | NT | M | | |
| AP | 723 | 0.50 | M | | |
| AP | 726 | NT | M | | |
| AP | 736 | 0.1 | M | | |
| AP | 745 | 0.25 | M | | Interim Tolerance |
| AP | 746 | 0.25 | M | | Interim Tolerance |
| AP | 769 | 1.5 | M | | |
| AP | 772 | 0.1 | M | | FHE Tolerance |
| AP | 779 | NT | M | | |
| AP | 781 | 0.5 | M | | |
| AP | 786 | NT | M | | |
| AP | 791 | NT | M | | |
| AP | 808 | 5.0 | M | | |
| AP | 848 | NT | M | | |
| AP | 858 | NT | M | | |
| AP | 900 | 1.0 | M | | |
| AP | 901 | 1.0 | M | | |
| AP | 902 | 1.0 | M | | |
| AP | 903 | 0.05 | M | AL | Action Level |
| AP | 906 | 0.1 | M | AL | Action Level |
| AP | 907 | 0.1 | M | AL | Action Level |
| AP | 908 | 0.1 | M | AL | Action Level |
| AP | 909 | 0.1 | M | AL | Action Level |
| AP | 910 | 0.1 | M | AL | Action Level |
| AP | 928 | NT | M | | |
| AP | 930 | 0.05 | M | | |
| AP | 943 | NT | M | | |
| AP | 947 | NT | M | | |
| AP | 954 | NT | M | | |
| AP | 963 | NT | M | | |
| AP | 967 | 0.5 | M | | |
| AP | A05 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------|
| AP | A15 | NT | M | | |
| AP | A30 | 0.4 | M | | |
| AP | A46 | NT | M | | |
| AP | A47 | 2 | M | | |
| AP | A58 | 0.05 | M | | |
| AP | A61 | 0.5 | M | | |
| AP | AAK | NT | M | | |
| AP | AAX | NT | M | | |
| AP | AAY | NT | M | | |
| AP | ABB | 0.20 | M | | |
| AP | ABC | 0.20 | M | | |
| AP | ABD | 0.20 | M | | |
| AP | ABG | 1.0 | M | | |
| AP | ABH | NT | M | | |
| AP | ABI | NT | M | | |
| AP | ACE | 0.05 | M | | |
| AP | ACV | NT | M | | |
| AP | ADC | 1.0 | M | | |
| AP | ADD | NT | M | | |
| AP | ADE | 2.0 | M | | |
| AP | ADG | 1.0 | M | | |
| AP | ADH | NT | M | | |
| AP | ADK | NT | M | | |
| AP | AEC | 0.2 | M | | |
| AP | AEJ | 3.0 | M | | |
| AP | AEK | 3.0 | M | | |
| AP | AEL | 0.30 | M | | |
| AP | AEM | 0.30 | M | | |
| AP | AEN | 0.30 | M | | |
| AP | AEP | 1.0 | M | | |
| AP | AER | NT | M | | |
| AP | AES | 1.5 | M | | |
| AP | AEW | NT | M | | |
| AP | AFO | NT | M | | |
| AP | AFS | 0.40 | M | | |
| AP | AFW | NT | M | | |
| AP | AGG | 0.20 | M | | |
| AP | AGH | 0.025 | M | | |
| AP | AGJ | NT | M | | |
| AP | AGT | NT | M | | |
| AP | AGW | 0.30 | M | | |
| AP | AGX | NT | M | | |
| AP | AGY | 0.20 | M | | |
| AP | AGZ | NT | M | | |
| AP | B10 | 0.25 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| AP | B13 | 0.01 | M | | |
| AP | B16 | 14 | M | | |
| AP | B21 | 0.10 | M | | |
| AP | B22 | 0.1 | M | | |
| AP | B23 | 5.0 | M | | |
| AP | B24 | 0.2 | M | | |
| AP | B26 | NT | M | | |
| AP | B28 | 5.0 | M | | |
| AP | B41 | NT | M | | |
| AP | B42 | 0.5 | M | | |
| AP | B43 | 0.2 | M | | |
| AP | B48 | NT | M | | |
| AP | B51 | NT | M | | |
| AP | B52 | 4.0 | M | | |
| AP | B56 | 0.5 | M | | |
| AP | B57 | NT | M | | |
| AP | B58 | 1.0 | M | | |
| AP | B61 | 1.5 | M | | |
| AP | B64 | NT | M | | |
| AP | B68 | 0.3 | M | | |
| AP | B75 | 3.0 | M | | |
| AP | B77 | NT | M | | |
| AP | B79 | 0.5 | M | | |
| AP | B80 | 1.0 | M | | |
| AP | B82 | 0.75 | M | | |
| AP | B84 | 0.20 | M | | |
| AS | 001 | 0.03 | M | AL | Action Level |
| AS | 002 | NT | M | | |
| AS | 024 | NT | M | | |
| AS | 028 | 0.03 | M | AL | Action Level |
| AS | 032 | 7 | M | | |
| AS | 034 | 0.05 | M | AL | Action Level |
| AS | 035 | NT | M | | |
| AS | 042 | NT | M | | |
| AS | 044 | 0.05 | M | AL | Action Level |
| AS | 050 | NT | M | | |
| AS | 052 | 8 | M | | |
| AS | 057 | NT | M | | |
| AS | 058 | 10 | M | | |
| AS | 065 | NT | M | | |
| AS | 069 | NT | M | | |
| AS | 070 | 10 | M | | |
| AS | 102 | 15 | M | | |
| AS | 105 | NT | M | | |
| AS | 107 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| AS | 108 | NT | M | | |
| AS | 114 | NT | M | | |
| AS | 117 | 0.1 | M | | Regional Tolerance |
| AS | 124 | NT | M | | |
| AS | 125 | NT | M | | |
| AS | 129 | 7.0 | M | | |
| AS | 134 | NT | M | | Indirect/Inadvertent |
| AS | 143 | 0.05 | M | AL | Action Level |
| AS | 144 | NT | M | | |
| AS | 148 | 0.05 | M | | |
| AS | 149 | NT | M | | |
| AS | 151 | 0.05 | M | | |
| AS | 152 | 0.4 | M | | |
| AS | 153 | NT | M | | |
| AS | 156 | NT | M | | |
| AS | 157 | NT | M | | |
| AS | 159 | 2 | M | | |
| AS | 160 | 5.0 | M | | Regional Tolerance |
| AS | 163 | NT | M | | |
| AS | 165 | NT | M | | |
| AS | 166 | NT | M | | |
| AS | 167 | NT | M | | |
| AS | 168 | NT | M | | |
| AS | 169 | NT | M | | |
| AS | 170 | 0.02 | M | | |
| AS | 171 | 0.15 | M | | Regional Tolerance |
| AS | 172 | 0.1 | M | AL | Action Level |
| AS | 173 | 0.1 | M | AL | Action Level |
| AS | 175 | NT | M | | |
| AS | 176 | NT | M | | |
| AS | 177 | NT | M | | |
| AS | 178 | 0.15 | M | | Regional Tolerance |
| AS | 180 | NT | M | | |
| AS | 181 | 0.1 | M | | |
| AS | 189 | NT | M | | |
| AS | 190 | NT | M | | |
| AS | 195 | NT | M | | |
| AS | 197 | NT | M | | |
| AS | 202 | NT | M | | |
| AS | 203 | NT | M | | |
| AS | 204 | 0.02 | M | | |
| AS | 205 | NT | M | | |
| AS | 208 | 8 | M | | |
| AS | 210 | NT | M | | |
| AS | 216 | 0.1 | M | | Regional Tolerance |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| AS | 217 | NT | M | | |
| AS | 222 | 2.0 | M | | |
| AS | 223 | 2.0 | M | | |
| AS | 230 | 0.15 | M | | |
| AS | 236 | 0.02 | M | | Regional Tolerance |
| AS | 237 | NT | M | | |
| AS | 243 | NT | M | | |
| AS | 245 | NT | M | | |
| AS | 249 | NT | M | | |
| AS | 250 | NT | M | | |
| AS | 254 | NT | M | | |
| AS | 258 | NT | M | | |
| AS | 267 | NT | M | | |
| AS | 271 | NT | M | | |
| AS | 275 | NT | M | | |
| AS | 283 | 0.10 | M | | |
| AS | 297 | NT | M | | |
| AS | 304 | NT | M | | Interim Tolerance |
| AS | 310 | NT | M | | |
| AS | 321 | NT | M | | |
| AS | 324 | NT | M | | |
| AS | 338 | 0.5 | M | | S/convert to Naled |
| AS | 343 | NT | M | | |
| AS | 370 | NT | M | | |
| AS | 382 | 15 | M | | |
| AS | 387 | NT | M | | Interim Tolerance |
| AS | 391 | NT | M | | |
| AS | 395 | NT | M | | |
| AS | 512 | NT | M | | |
| AS | 529 | NT | M | | Interim Tolerance |
| AS | 537 | NT | M | | |
| AS | 539 | 2.0 | M | | |
| AS | 540 | NT | M | | |
| AS | 546 | 0.05 | M | | |
| AS | 547 | NT | M | | |
| AS | 558 | NT | M | | |
| AS | 562 | NT | M | | |
| AS | 594 | 0.1 | M | | |
| AS | 596 | 0.05 | M | | |
| AS | 597 | 0.05 | M | | |
| AS | 604 | NT | M | | |
| AS | 607 | 7.0 | M | | |
| AS | 608 | NT | M | | |
| AS | 612 | 0.05 | M | | |
| AS | 623 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| AS | 624 | NT | M | | |
| AS | 626 | NT | M | | |
| AS | 636 | 0.1 | M | | |
| AS | 638 | NT | M | | |
| AS | 651 | NT | M | | |
| AS | 658 | NT | M | | |
| AS | 667 | NT | M | | |
| AS | 679 | 0.02 | M | | |
| AS | 699 | NT | M | | |
| AS | 706 | 0.1 | M | | Regional Tolerance |
| AS | 708 | NT | M | | |
| AS | 713 | NT | M | | |
| AS | 714 | 0.05 | M | | |
| AS | 719 | NT | M | | |
| AS | 720 | 0.05 | M | | |
| AS | 721 | NT | M | | |
| AS | 723 | NT | M | | |
| AS | 726 | NT | M | | |
| AS | 736 | NT | M | | |
| AS | 745 | 0.02 | M | | Regional Tolerance |
| AS | 746 | 0.02 | M | | Regional Tolerance |
| AS | 769 | NT | M | | |
| AS | 772 | 5.0 | M | | Regional Tolerance |
| AS | 779 | NT | M | | |
| AS | 781 | 0.05 | M | | |
| AS | 786 | NT | M | | |
| AS | 791 | NT | M | | |
| AS | 808 | NT | M | | |
| AS | 848 | NT | M | | |
| AS | 900 | NT | M | | |
| AS | 901 | NT | M | | |
| AS | 902 | NT | M | | |
| AS | 903 | 0.05 | M | AL | Action Level |
| AS | 906 | 0.5 | M | AL | Action Level |
| AS | 908 | 0.5 | M | AL | Action Level |
| AS | 910 | 0.5 | M | AL | Action Level |
| AS | 928 | NT | M | | |
| AS | 930 | 0.05 | M | | |
| AS | 943 | NT | M | | |
| AS | 947 | NT | M | | |
| AS | 954 | NT | M | | |
| AS | 963 | NT | M | | |
| AS | 967 | NT | M | | |
| AS | A05 | 0.01 | M | | |
| AS | A15 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------|
| AS | A30 | NT | M | | |
| AS | A46 | NT | M | | |
| AS | A47 | NT | M | | |
| AS | A58 | 0.05 | M | | |
| AS | A61 | NT | M | | |
| AS | AAK | NT | M | | |
| AS | AAX | NT | M | | |
| AS | AAY | 0.15 | M | | |
| AS | ABC | 0.2 | M | | |
| AS | ABD | 0.2 | M | | |
| AS | ABG | NT | M | | |
| AS | ABH | NT | M | | |
| AS | ABI | NT | M | | |
| AS | ACE | NT | M | | |
| AS | ADC | 1.0 | M | | |
| AS | ADE | 0.05 | M | | |
| AS | ADG | NT | M | | |
| AS | ADH | NT | M | | |
| AS | ADK | NT | M | | |
| AS | AEC | 0.2 | M | | |
| AS | AEK | 3.0 | M | | |
| AS | AEL | 0.01 | M | | |
| AS | AEM | 0.01 | M | | |
| AS | AEN | 0.01 | M | | |
| AS | AEP | NT | M | | |
| AS | AES | NT | M | | |
| AS | AEW | NT | M | | |
| AS | AFO | NT | M | | |
| AS | AGG | NT | M | | |
| AS | AGT | NT | M | | |
| AS | AGZ | NT | M | | |
| AS | B10 | NT | M | | |
| AS | B13 | 0.01 | M | | |
| AS | B16 | NT | M | | |
| AS | B21 | NT | M | | |
| AS | B22 | NT | M | | |
| AS | B23 | NT | M | | |
| AS | B24 | 0.10 | M | | |
| AS | B26 | NT | M | | |
| AS | B28 | NT | M | | |
| AS | B43 | NT | M | | |
| AS | B48 | 0.04 | M | | |
| AS | B52 | NT | M | | |
| AS | B56 | NT | M | | |
| AS | B57 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| AS | B58 | NT | M | | |
| AS | B61 | NT | M | | |
| AS | B64 | NT | M | | |
| AS | B68 | NT | M | | |
| AS | B75 | NT | M | | |
| AS | B77 | NT | M | | |
| AS | B79 | 0.07 | M | | |
| AS | B80 | NT | M | | |
| AS | B82 | NT | M | | |
| BA | 001 | NT | B | | |
| BA | 002 | NT | B | | |
| BA | 011 | 150 | B | | |
| BA | 024 | 500 | B | | |
| BA | 028 | NT | B | | |
| BA | 032 | 1000 | B | | |
| BA | 034 | NT | B | | |
| BA | 042 | NT | B | | |
| BA | 044 | NT | B | | |
| BA | 050 | 7000 | B | | Interim Tolerance |
| BA | 052 | 4000 | B | | |
| BA | 057 | NT | B | | |
| BA | 058 | 300 | B | | |
| BA | 065 | NT | B | | |
| BA | 070 | 100 | B | | |
| BA | 075 | 1000 | B | | |
| BA | 102 | NT | B | | |
| BA | 107 | 200 | B | | Interim Tolerance |
| BA | 114 | 200 | B | | |
| BA | 124 | 1000 | B | | |
| BA | 125 | 10 | B | | |
| BA | 129 | 200 | B | | |
| BA | 143 | NT | B | | |
| BA | 148 | NT | B | | |
| BA | 149 | NT | B | | |
| BA | 151 | NT | B | | |
| BA | 159 | NT | B | | |
| BA | 160 | 300 | B | | |
| BA | 164 | 100 | B | | |
| BA | 165 | 200 | B | | |
| BA | 166 | NT | B | | |
| BA | 167 | NT | B | | |
| BA | 168 | NT | B | | |
| BA | 169 | NT | B | | |
| BA | 171 | NT | B | | |
| BA | 172 | NT | B | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| BA | 173 | NT | B | | |
| BA | 176 | 200 | B | | Interim Tolerance |
| BA | 177 | 100 | B | | Interim Tolerance |
| BA | 180 | NT | B | | |
| BA | 181 | 700 | B | | |
| BA | 191 | NT | B | | |
| BA | 195 | NT | B | | |
| BA | 197 | NT | B | | |
| BA | 202 | NT | B | | |
| BA | 204 | 100 | B | | |
| BA | 206 | NT | B | | |
| BA | 207 | NT | B | | |
| BA | 210 | 50 | B | | |
| BA | 217 | NT | B | | |
| BA | 224 | 50 | B | | |
| BA | 227 | 20 | B | | |
| BA | 235 | 500 | B | | |
| BA | 254 | 50000 | B | | |
| BA | 258 | NT | B | | |
| BA | 271 | 10 | B | | |
| BA | 283 | 40 | B | | |
| BA | 292 | 50 | B | | |
| BA | 297 | NT | B | | |
| BA | 304 | NT | B | | |
| BA | 305 | 20 | B | | |
| BA | 321 | NT | B | | |
| BA | 338 | 20 | B | | S/convert to Naled |
| BA | 341 | 100 | B | | |
| BA | 351 | NT | B | | |
| BA | 382 | 500 | B | | |
| BA | 387 | NT | B | | |
| BA | 391 | NT | B | | |
| BA | 512 | NT | B | | |
| BA | 529 | 50 | B | | Interim Tolerance |
| BA | 539 | 1500 | B | | |
| BA | 540 | 200 | B | | |
| BA | 556 | 3000 | B | | |
| BA | 596 | 100 | B | | |
| BA | 597 | 1000 | B | | |
| BA | 607 | 400 | B | | |
| BA | 608 | NT | B | | |
| BA | 609 | NT | B | | |
| BA | 612 | 50 | B | | |
| BA | 623 | 100 | B | | |
| BA | 624 | 150 | B | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| BA | 625 | NT | B | | |
| BA | 626 | 500 | B | | |
| BA | 651 | 50 | B | | |
| BA | 675 | 50 | B | | |
| BA | 679 | 50 | B | | |
| BA | 699 | 50 | B | | |
| BA | 713 | 10 | B | | |
| BA | 721 | NT | B | | |
| BA | 722 | NT | B | | |
| BA | 726 | 200 | B | | |
| BA | 750 | 50 | B | | |
| BA | 777 | 50 | B | | |
| BA | 780 | 1000 | B | | |
| BA | 781 | 2000 | B | | |
| BA | 796 | NT | B | | |
| BA | 808 | 1000 | B | | |
| BA | 848 | NT | B | | |
| BA | 900 | 13000 | B | | |
| BA | 901 | 13000 | B | | |
| BA | 902 | 13000 | B | | |
| BA | 903 | NT | B | | |
| BA | 906 | 5000 | B | AL | Action Level |
| BA | 908 | 5000 | B | AL | Action Level |
| BA | 909 | 5000 | B | AL | Action Level |
| BA | 910 | 5000 | B | AL | Action Level |
| BA | 911 | 5000 | B | AL | Action Level |
| BA | 930 | 1000 | B | | |
| BA | 945 | 50 | B | | |
| BA | 947 | NT | B | | |
| BA | 967 | 300 | B | | |
| BA | A82 | 400 | B | | |
| BA | AAK | NT | B | | |
| BA | ABG | 100 | B | | |
| BA | ADC | 1000 | B | | |
| BA | ADE | 1500 | B | | |
| BA | ADG | 1500 | B | | |
| BA | ADH | NT | B | | |
| BA | ADJ | 100 | B | | |
| BA | ADK | NT | B | | |
| BA | AEL | 3000 | B | | |
| BA | AEP | NT | B | | |
| BA | AES | 500 | B | | |
| BA | AEW | 20 | B | | |
| BA | AFO | 50 | B | | |
| BA | AFS | 30 | B | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| BA | AFX | 11000 | B | | |
| BA | AGG | 30 | B | | |
| BA | AGJ | 100 | B | | |
| BA | AGR | NT | B | | |
| BA | AGT | 100 | B | | |
| BA | AHG | 4500 | B | | |
| BA | B10 | 20 | B | | |
| BA | B21 | 100 | B | | |
| BA | B26 | NT | B | | |
| BA | B43 | NT | B | | |
| BA | B48 | 30 | B | | |
| BA | B56 | 50 | B | | |
| BA | B61 | 100 | B | | |
| BA | B63 | 100 | B | | |
| BA | B64 | 100 | B | | |
| BA | B68 | 20 | B | | |
| BA | B75 | 300 | B | | |
| BA | B79 | 50 | B | | |
| BA | B80 | 100 | B | | |
| BA | B82 | 100 | B | | |
| BA | B85 | 20 | B | | |
| BM | 001 | NT | B | | |
| BM | 002 | NT | B | | |
| BM | 011 | 200 | B | | |
| BM | 024 | NT | B | | |
| BM | 028 | NT | B | | |
| BM | 032 | 1000 | B | | |
| BM | 034 | NT | B | | |
| BM | 042 | NT | B | | |
| BM | 044 | NT | B | | |
| BM | 050 | NT | B | | |
| BM | 052 | 4000 | B | | |
| BM | 057 | NT | B | | |
| BM | 058 | NT | B | | |
| BM | 065 | NT | B | | |
| BM | 070 | 100 | B | | |
| BM | 075 | 50 | B | | |
| BM | 102 | NT | B | | |
| BM | 107 | 200 | B | | Interim Tolerance |
| BM | 114 | 60 | B | | |
| BM | 124 | 1000 | B | | |
| BM | 125 | 10 | B | | |
| BM | 129 | 100 | B | | |
| BM | 143 | NT | B | | |
| BM | 148 | NT | B | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| BM | 149 | 30 | B | | |
| BM | 151 | NT | B | | |
| BM | 159 | NT | B | | |
| BM | 160 | 50 | B | | |
| BM | 164 | 30 | B | | |
| BM | 165 | 200 | B | | |
| BM | 166 | NT | B | | |
| BM | 167 | NT | B | | |
| BM | 168 | NT | B | | |
| BM | 169 | NT | B | | |
| BM | 171 | NT | B | | |
| BM | 172 | NT | B | | |
| BM | 173 | NT | B | | |
| BM | 176 | 2000 | B | | Interim Tolerance |
| BM | 177 | 100 | B | | Interim Tolerance |
| BM | 180 | NT | B | | |
| BM | 181 | 700 | B | | |
| BM | 191 | NT | B | | |
| BM | 195 | NT | B | | |
| BM | 197 | NT | B | | |
| BM | 202 | NT | B | | |
| BM | 204 | 100 | B | | |
| BM | 206 | NT | B | | |
| BM | 207 | NT | B | | |
| BM | 210 | 50 | B | | |
| BM | 217 | NT | B | | |
| BM | 224 | 50 | B | | |
| BM | 227 | 20 | B | | |
| BM | 235 | 500 | B | | |
| BM | 254 | 3000 | B | | |
| BM | 258 | NT | B | | |
| BM | 271 | 10 | B | | |
| BM | 283 | 40 | B | | |
| BM | 292 | 50 | B | | |
| BM | 297 | NT | B | | |
| BM | 304 | NT | B | | |
| BM | 305 | 20 | B | | |
| BM | 321 | NT | B | | |
| BM | 338 | 20 | B | | S/convert to Naled |
| BM | 341 | 50 | B | | |
| BM | 351 | NT | B | | |
| BM | 382 | 1000 | B | | |
| BM | 387 | NT | B | | |
| BM | 391 | NT | B | | |
| BM | 512 | NT | B | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| BM | 529 | 50 | B | | Interim Tolerance |
| BM | 539 | 100 | B | | |
| BM | 540 | 20 | B | | |
| BM | 556 | 3000 | B | | |
| BM | 596 | 100 | B | | |
| BM | 597 | 200 | B | | |
| BM | 607 | 50 | B | | |
| BM | 608 | NT | B | | |
| BM | 609 | NT | B | | |
| BM | 612 | 20 | B | | |
| BM | 623 | 100 | B | | |
| BM | 624 | 200 | B | | |
| BM | 625 | NT | B | | |
| BM | 626 | 500 | B | | |
| BM | 651 | 50 | B | | |
| BM | 675 | 20 | B | | |
| BM | 679 | 100 | B | | |
| BM | 699 | 50 | B | | |
| BM | 713 | 10 | B | | |
| BM | 721 | NT | B | | |
| BM | 722 | NT | B | | |
| BM | 726 | 200 | B | | |
| BM | 750 | 20 | B | | |
| BM | 777 | 50 | B | | |
| BM | 780 | 1000 | B | | |
| BM | 781 | 100 | B | | |
| BM | 796 | NT | B | | |
| BM | 808 | 100 | B | | |
| BM | 848 | NT | B | | |
| BM | 900 | 2000 | B | | |
| BM | 901 | 2000 | B | | |
| BM | 902 | 2000 | B | | |
| BM | 903 | NT | B | | |
| BM | 906 | 5000 | B | AL | Action Level |
| BM | 908 | 5000 | B | AL | Action Level |
| BM | 909 | 5000 | B | AL | Action Level |
| BM | 910 | 5000 | B | AL | Action Level |
| BM | 911 | 5000 | B | AL | Action Level |
| BM | 930 | 500 | B | | |
| BM | 945 | 50 | B | | |
| BM | 947 | NT | B | | |
| BM | 967 | 300 | B | | |
| BM | A82 | 40 | B | | |
| BM | AAK | NT | B | | |
| BM | ABG | 80 | B | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| BM | ADC | 1000 | B | | |
| BM | ADE | 1500 | B | | |
| BM | ADG | 50 | B | | |
| BM | ADH | NT | B | | |
| BM | ADJ | 100 | B | | |
| BM | ADK | NT | B | | |
| BM | AEL | 200 | B | | |
| BM | AEP | NT | B | | |
| BM | AES | 20 | B | | |
| BM | AEW | NT | B | | |
| BM | AFO | 50 | B | | |
| BM | AFS | 30 | B | | |
| BM | AFX | 600 | B | | |
| BM | AGG | 80 | B | | |
| BM | AGJ | 50 | B | | |
| BM | AGR | NT | B | | |
| BM | AGT | 20 | B | | |
| BM | AHG | 100 | B | | |
| BM | B10 | NT | B | | |
| BM | B21 | 100 | B | | |
| BM | B26 | NT | B | | |
| BM | B43 | 20 | B | | |
| BM | B48 | 10 | B | | |
| BM | B56 | 50 | B | | |
| BM | B61 | 100 | B | | |
| BM | B63 | 50 | B | | |
| BM | B64 | 100 | B | | |
| BM | B68 | 30 | B | | |
| BM | B75 | 100 | B | | |
| BM | B79 | 50 | B | | |
| BM | B80 | 100 | B | | |
| BM | B82 | 20 | B | | |
| BM | B85 | 20 | B | | |
| CB | 001 | 0.02 | M | AL | Action Level |
| CB | 002 | NT | M | | |
| CB | 024 | NT | M | | |
| CB | 028 | 0.02 | M | AL | Action Level |
| CB | 032 | NT | M | | |
| CB | 034 | 0.05 | M | AL | Action Level |
| CB | 035 | NT | M | | |
| CB | 042 | NT | M | | |
| CB | 044 | 0.01 | M | AL | Action Level |
| CB | 050 | 0.5 | M | AL | Action Level |
| CB | 052 | 2 | M | | |
| CB | 057 | 1.0 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| CB | 058 | 10 | M | | |
| CB | 065 | 1.0 | M | | |
| CB | 069 | NT | M | | |
| CB | 070 | 20 | M | | |
| CB | 102 | 0.1 | M | | |
| CB | 105 | NT | M | | |
| CB | 107 | NT | M | | |
| CB | 108 | NT | M | | |
| CB | 114 | NT | M | | |
| CB | 117 | NT | M | | |
| CB | 124 | NT | M | | |
| CB | 125 | NT | M | | |
| CB | 129 | 0.25 | M | | |
| CB | 134 | 0.05 | M | | Indirect/Inadvertent |
| CB | 143 | 0.01 | M | AL | Action Level |
| CB | 144 | NT | M | | |
| CB | 148 | 0.05 | M | | |
| CB | 149 | 0.25 | M | | |
| CB | 151 | 0.05 | M | | |
| CB | 152 | NT | M | | |
| CB | 153 | NT | M | | |
| CB | 156 | 0.25 | M | | |
| CB | 157 | NT | M | | |
| CB | 159 | 0.1 | M | | |
| CB | 160 | 0.1 | M | | FHE Tolerance |
| CB | 163 | NT | M | | |
| CB | 165 | NT | M | | |
| CB | 166 | NT | M | | |
| CB | 167 | NT | M | | |
| CB | 168 | NT | M | | |
| CB | 169 | NT | M | | |
| CB | 170 | 0.02 | M | | |
| CB | 171 | NT | M | | |
| CB | 172 | 0.1 | M | AL | Action Level |
| CB | 173 | 0.1 | M | AL | Action Level |
| CB | 175 | 0.02 | M | | |
| CB | 176 | NT | M | | |
| CB | 177 | NT | M | | |
| CB | 178 | NT | M | | |
| CB | 180 | 0.2 | M | | For carbamate part |
| CB | 181 | 0.05 | M | | |
| CB | 189 | 0.05 | M | | |
| CB | 190 | 0.05 | M | | |
| CB | 192 | 0.2 | M | | Interim Tolerance |
| CB | 195 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| CB | 197 | NT | M | | |
| CB | 202 | NT | M | | |
| CB | 203 | NT | M | | |
| CB | 204 | 0.02 | M | | |
| CB | 205 | 0.05 | M | | |
| CB | 208 | 2 | M | | |
| CB | 210 | 0.2 | M | | |
| CB | 216 | NT | M | | |
| CB | 217 | NT | M | | |
| CB | 219 | 0.5 | M | | |
| CB | 222 | 0.10 | M | | |
| CB | 223 | 0.10 | M | | |
| CB | 227 | 0.05 | M | | |
| CB | 230 | 0.1 | M | | |
| CB | 236 | NT | M | | |
| CB | 237 | NT | M | | |
| CB | 243 | NT | M | | |
| CB | 245 | 0.5 | M | | |
| CB | 249 | NT | M | | |
| CB | 250 | NT | M | | |
| CB | 254 | NT | M | | |
| CB | 258 | NT | M | | |
| CB | 264 | 0.1 | M | | |
| CB | 267 | NT | M | | |
| CB | 271 | NT | M | | |
| CB | 275 | NT | M | | |
| CB | 283 | 0.10 | M | | |
| CB | 297 | NT | M | | |
| CB | 304 | NT | M | | |
| CB | 305 | 0.20 | M | | |
| CB | 310 | NT | M | | |
| CB | 321 | NT | M | | |
| CB | 324 | NT | M | | |
| CB | 338 | 0.5 | M | | S/convert to Naled |
| CB | 343 | NT | M | | |
| CB | 370 | 1.0 | M | | |
| CB | 382 | 0.1 | M | | |
| CB | 387 | NT | M | | |
| CB | 391 | NT | M | | |
| CB | 395 | NT | M | | |
| CB | 512 | 0.2 | M | | For carbamate part |
| CB | 529 | NT | M | | |
| CB | 537 | NT | M | | |
| CB | 539 | 0.10 | M | | |
| CB | 540 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| CB | 546 | 0.1 | M | | |
| CB | 547 | NT | M | | |
| CB | 556 | 3.0 | M | | |
| CB | 558 | NT | M | | |
| CB | 562 | NT | M | | |
| CB | 594 | NT | M | | |
| CB | 596 | NT | M | | |
| CB | 597 | 0.05 | M | | |
| CB | 604 | NT | M | | |
| CB | 607 | 0.1 | M | | |
| CB | 608 | 0.05 | M | | |
| CB | 612 | 0.03 | M | | |
| CB | 623 | 0.1 | M | | Regional Tolerance |
| CB | 624 | 0.05 | M | | |
| CB | 626 | NT | M | | |
| CB | 636 | 0.1 | M | | |
| CB | 638 | 0.05 | M | | |
| CB | 651 | NT | M | | |
| CB | 658 | NT | M | | |
| CB | 667 | NT | M | | |
| CB | 679 | 0.03 | M | | Indirect/Inadvertent |
| CB | 699 | NT | M | | |
| CB | 708 | NT | M | | |
| CB | 713 | NT | M | | |
| CB | 714 | 0.1 | M | | |
| CB | 719 | NT | M | | |
| CB | 720 | NT | M | | |
| CB | 721 | NT | M | | |
| CB | 723 | NT | M | | |
| CB | 726 | NT | M | | |
| CB | 736 | 0.1 | M | | |
| CB | 745 | NT | M | | |
| CB | 746 | NT | M | | |
| CB | 769 | NT | M | | |
| CB | 772 | 0.1 | M | | FHE Tolerance |
| CB | 779 | 1.0 | M | | |
| CB | 781 | 0.05 | M | | |
| CB | 786 | NT | M | | |
| CB | 791 | NT | M | | |
| CB | 793 | NT | M | | |
| CB | 807 | 0.05 | M | | |
| CB | 808 | NT | M | | |
| CB | 848 | NT | M | | |
| CB | 900 | 0.2 | M | | |
| CB | 901 | 0.2 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| CB | 902 | 0.2 | M | | |
| CB | 903 | 0.05 | M | AL | Action Level |
| CB | 906 | 0.1 | M | AL | Action Level |
| CB | 908 | 0.1 | M | AL | Action Level |
| CB | 910 | 0.1 | M | AL | Action Level |
| CB | 928 | 0.05 | M | | |
| CB | 930 | 0.05 | M | | |
| CB | 947 | NT | M | | |
| CB | 954 | NT | M | | |
| CB | 963 | 0.05 | M | | |
| CB | 967 | 0.05 | M | | |
| CB | A05 | 0.01 | M | | |
| CB | A15 | 0.01 | M | | |
| CB | A30 | NT | M | | |
| CB | A46 | NT | M | | |
| CB | A47 | NT | M | | |
| CB | A58 | 0.5 | M | | |
| CB | A60 | 0.05 | M | | |
| CB | A61 | NT | M | | |
| CB | AAK | NT | M | | |
| CB | AAX | NT | M | | |
| CB | AAY | NT | M | | |
| CB | ABC | 0.02 | M | | |
| CB | ABD | 0.02 | M | | |
| CB | ABG | NT | M | | |
| CB | ABH | 0.1 | M | | |
| CB | ABI | 0.1 | M | | |
| CB | ACE | NT | M | | |
| CB | ACM | 0.1 | M | | |
| CB | ADC | 1.0 | M | | |
| CB | ADD | 0.01 | M | | |
| CB | ADE | 0.1 | M | | |
| CB | ADG | 0.02 | M | | |
| CB | ADH | NT | M | | |
| CB | ADK | NT | M | | |
| CB | AEK | 3.0 | M | | |
| CB | AEL | 0.05 | M | | |
| CB | AEM | 0.05 | M | | |
| CB | AEN | 0.05 | M | | |
| CB | AEP | 0.01 | M | | |
| CB | AES | 0.05 | M | | |
| CB | AEW | NT | M | | |
| CB | AFO | NT | M | | |
| CB | AFY | 0.05 | M | | |
| CB | AGG | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| CB | AGT | 0.02 | M | | |
| CB | AGZ | NT | M | | |
| CB | AHF | 0.05 | M | | |
| CB | B10 | NT | M | | |
| CB | B13 | 0.01 | M | | |
| CB | B16 | NT | M | | |
| CB | B21 | 0.10 | M | | |
| CB | B22 | NT | M | | |
| CB | B23 | 0.02 | M | | |
| CB | B24 | 1.1 | M | | |
| CB | B26 | 0.06 | M | | |
| CB | B28 | NT | M | | |
| CB | B30 | 0.05 | M | | |
| CB | B43 | 0.02 | M | | |
| CB | B48 | 0.05 | M | | |
| CB | B52 | NT | M | | |
| CB | B56 | NT | M | | |
| CB | B57 | NT | M | | |
| CB | B58 | 0.01 | M | | |
| CB | B61 | 0.04 | M | | |
| CB | B64 | 0.02 | M | | |
| CB | B68 | NT | M | | |
| CB | B75 | 0.20 | M | | Indirect/Inadvertent |
| CB | B77 | 0.05 | M | | Indirect/Inadvertent |
| CB | B79 | 0.04 | M | | |
| CB | B80 | NT | M | | |
| CB | B82 | NT | M | | |
| CL | 001 | NT | M | | |
| CL | 024 | NT | M | | |
| CL | 028 | NT | M | | |
| CL | 034 | NT | M | | |
| CL | 042 | NT | M | | |
| CL | 044 | NT | M | | |
| CL | 050 | NT | M | | |
| CL | 052 | NT | M | | |
| CL | 055 | NT | M | | |
| CL | 070 | 10 | M | | |
| CL | 102 | NT | M | | |
| CL | 107 | NT | M | | |
| CL | 108 | NT | M | | |
| CL | 114 | NT | M | | |
| CL | 117 | NT | M | | |
| CL | 124 | NT | M | | |
| CL | 125 | NT | M | | |
| CL | 129 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| CL | 134 | 5.0 | M | | Regional Tolerance |
| CL | 143 | NT | M | | |
| CL | 144 | NT | M | | |
| CL | 147 | NT | M | | |
| CL | 148 | NT | M | | |
| CL | 152 | NT | M | | |
| CL | 157 | NT | M | | |
| CL | 159 | NT | M | | |
| CL | 160 | 0.1 | M | | FHE Tolerance |
| CL | 163 | NT | M | | |
| CL | 165 | NT | M | | |
| CL | 166 | NT | M | | |
| CL | 168 | NT | M | | |
| CL | 169 | NT | M | | |
| CL | 170 | 0.02 | M | | |
| CL | 171 | NT | M | | |
| CL | 172 | NT | M | | |
| CL | 173 | NT | M | | |
| CL | 175 | NT | M | | |
| CL | 176 | NT | M | | |
| CL | 177 | NT | M | | |
| CL | 178 | NT | M | | |
| CL | 180 | NT | M | | |
| CL | 181 | NT | M | | |
| CL | 189 | NT | M | | |
| CL | 190 | NT | M | | |
| CL | 197 | NT | M | | |
| CL | 200 | 0.1 | M | | |
| CL | 202 | NT | M | | |
| CL | 203 | NT | M | | |
| CL | 205 | NT | M | | |
| CL | 208 | NT | M | | |
| CL | 216 | NT | M | | |
| CL | 222 | NT | M | | |
| CL | 223 | NT | M | | |
| CL | 224 | NT | M | | |
| CL | 230 | NT | M | | |
| CL | 236 | NT | M | | |
| CL | 245 | NT | M | | |
| CL | 249 | 3.5 | M | | |
| CL | 253 | NT | M | | |
| CL | 254 | NT | M | | |
| CL | 264 | 13 | M | | |
| CL | 271 | NT | M | | |
| CL | 276 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------|
| CL | 283 | NT | M | | |
| CL | 292 | NT | M | | |
| CL | 304 | NT | M | | |
| CL | 324 | NT | M | | |
| CL | 330 | NT | M | | |
| CL | 349 | NT | M | | |
| CL | 351 | NT | M | | |
| CL | 377 | NT | M | | |
| CL | 387 | NT | M | | |
| CL | 388 | NT | M | | |
| CL | 395 | NT | M | | |
| CL | 512 | NT | M | | |
| CL | 529 | NT | M | | |
| CL | 537 | NT | M | | |
| CL | 540 | NT | M | | |
| CL | 562 | NT | M | | |
| CL | 580 | NT | M | | |
| CL | 594 | NT | M | | |
| CL | 596 | NT | M | | |
| CL | 604 | NT | M | | |
| CL | 607 | NT | M | | |
| CL | 609 | NT | M | | |
| CL | 614 | NT | M | | |
| CL | 623 | NT | M | | |
| CL | 624 | NT | M | | |
| CL | 636 | 0.1 | M | | |
| CL | 651 | NT | M | | |
| CL | 666 | NT | M | | |
| CL | 679 | 9.0 | M | | |
| CL | 713 | NT | M | | |
| CL | 719 | NT | M | | |
| CL | 720 | NT | M | | |
| CL | 721 | NT | M | | |
| CL | 726 | NT | M | | |
| CL | 745 | NT | M | | |
| CL | 746 | NT | M | | |
| CL | 808 | NT | M | | |
| CL | 900 | NT | M | | |
| CL | 901 | NT | M | | |
| CL | 903 | NT | M | | |
| CL | 907 | NT | M | | |
| CL | 908 | NT | M | | |
| CL | 909 | NT | M | | |
| CL | 910 | NT | M | | |
| CL | 928 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------|
| CL | 930 | 6.0 | M | | |
| CL | 963 | NT | M | | |
| CL | 967 | 8.0 | M | | |
| CL | A05 | NT | M | | |
| CL | A30 | NT | M | | |
| CL | A46 | NT | M | | |
| CL | A58 | NT | M | | |
| CL | AAK | NT | M | | |
| CL | AAX | NT | M | | |
| CL | ABB | 8.0 | M | | |
| CL | ABF | NT | M | | |
| CL | ABG | NT | M | | |
| CL | ACE | NT | M | | |
| CL | ACV | NT | M | | |
| CL | ADD | NT | M | | |
| CL | AEC | 0.2 | M | | |
| CL | AEK | 3.0 | M | | |
| CL | AER | 12.0 | M | | |
| CL | AES | 30 | M | | |
| CL | AFO | NT | M | | |
| CL | AFS | NT | M | | |
| CL | AFW | NT | M | | |
| CL | AGG | NT | M | | |
| CL | AGH | NT | M | | |
| CL | AGJ | NT | M | | |
| CL | AGW | NT | M | | |
| CL | AGX | NT | M | | |
| CL | AGY | 3.0 | M | | |
| CL | B13 | 0.01 | M | | |
| CL | B16 | NT | M | | |
| CL | B21 | 2.0 | M | | |
| CL | B23 | 10 | M | | |
| CL | B24 | 0.10 | M | | |
| CL | B26 | NT | M | | |
| CL | B41 | 30.0 | M | | |
| CL | B42 | NT | M | | |
| CL | B43 | NT | M | | |
| CL | B48 | 50 | M | | |
| CL | B51 | NT | M | | |
| CL | B52 | NT | M | | |
| CL | B57 | NT | M | | |
| CL | B58 | NT | M | | |
| CL | B61 | NT | M | | |
| CL | B64 | 60 | M | | |
| CL | B68 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| CL | B75 | NT | M | | |
| CL | B77 | NT | M | | |
| CL | B79 | NT | M | | |
| CL | B80 | NT | M | | |
| CL | B84 | NT | M | | |
| CS | 001 | 0.02 | M | AL | Action Level |
| CS | 002 | NT | M | | |
| CS | 024 | NT | M | | |
| CS | 028 | 0.02 | M | AL | Action Level |
| CS | 032 | NT | M | | |
| CS | 034 | 0.05 | M | AL | Action Level |
| CS | 035 | NT | M | | |
| CS | 042 | NT | M | | |
| CS | 044 | 0.01 | M | AL | Action Level |
| CS | 050 | 0.5 | M | AL | Action Level |
| CS | 052 | 2 | M | | |
| CS | 057 | 1.0 | M | | |
| CS | 058 | 10 | M | | |
| CS | 065 | 1.0 | M | | |
| CS | 069 | NT | M | | |
| CS | 070 | 20 | M | | |
| CS | 102 | 0.1 | M | | |
| CS | 105 | NT | M | | |
| CS | 107 | NT | M | | |
| CS | 108 | NT | M | | |
| CS | 114 | NT | M | | |
| CS | 117 | NT | M | | |
| CS | 124 | NT | M | | |
| CS | 125 | NT | M | | |
| CS | 129 | 0.25 | M | | |
| CS | 134 | 0.05 | M | | Indirect/Inadvertent |
| CS | 143 | 0.01 | M | AL | Action Level |
| CS | 144 | NT | M | | |
| CS | 148 | 0.05 | M | | |
| CS | 149 | 0.25 | M | | |
| CS | 151 | 0.05 | M | | |
| CS | 152 | NT | M | | |
| CS | 153 | NT | M | | |
| CS | 156 | 0.25 | M | | |
| CS | 157 | NT | M | | |
| CS | 159 | 0.1 | M | | |
| CS | 160 | 0.1 | M | | FHE Tolerance |
| CS | 163 | NT | M | | |
| CS | 165 | NT | M | | |
| CS | 166 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| CS | 167 | NT | M | | |
| CS | 168 | NT | M | | |
| CS | 169 | NT | M | | |
| CS | 170 | 0.02 | M | | |
| CS | 171 | NT | M | | |
| CS | 172 | 0.1 | M | AL | Action Level |
| CS | 173 | 0.1 | M | AL | Action Level |
| CS | 175 | 0.02 | M | | |
| CS | 176 | NT | M | | |
| CS | 177 | NT | M | | |
| CS | 178 | NT | M | | |
| CS | 180 | 0.2 | M | | For carbamate part |
| CS | 181 | 0.05 | M | | |
| CS | 189 | 0.05 | M | | |
| CS | 190 | 0.05 | M | | |
| CS | 192 | 0.2 | M | | Interim Tolerance |
| CS | 195 | NT | M | | |
| CS | 197 | NT | M | | |
| CS | 202 | NT | M | | |
| CS | 203 | NT | M | | |
| CS | 204 | 0.02 | M | | |
| CS | 205 | 0.05 | M | | |
| CS | 208 | 2 | M | | |
| CS | 210 | 0.2 | M | | |
| CS | 216 | NT | M | | |
| CS | 217 | NT | M | | |
| CS | 219 | 0.5 | M | | |
| CS | 222 | 0.10 | M | | |
| CS | 223 | 0.10 | M | | |
| CS | 227 | 0.05 | M | | |
| CS | 230 | 0.1 | M | | |
| CS | 236 | NT | M | | |
| CS | 237 | NT | M | | |
| CS | 243 | NT | M | | |
| CS | 245 | 0.5 | M | | |
| CS | 249 | NT | M | | |
| CS | 250 | NT | M | | |
| CS | 254 | NT | M | | |
| CS | 258 | NT | M | | |
| CS | 264 | 0.1 | M | | |
| CS | 267 | NT | M | | |
| CS | 271 | NT | M | | |
| CS | 275 | NT | M | | |
| CS | 283 | 0.10 | M | | |
| CS | 297 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| CS | 304 | NT | M | | |
| CS | 305 | 0.20 | M | | |
| CS | 310 | NT | M | | |
| CS | 321 | NT | M | | |
| CS | 324 | NT | M | | |
| CS | 338 | 0.5 | M | | S/convert to Naled |
| CS | 343 | NT | M | | |
| CS | 370 | 1.0 | M | | |
| CS | 382 | 0.1 | M | | |
| CS | 387 | NT | M | | |
| CS | 391 | NT | M | | |
| CS | 395 | NT | M | | |
| CS | 512 | 0.2 | M | | For carbamate part |
| CS | 529 | NT | M | | |
| CS | 537 | NT | M | | |
| CS | 539 | 0.10 | M | | |
| CS | 540 | NT | M | | |
| CS | 546 | 0.1 | M | | |
| CS | 547 | NT | M | | |
| CS | 556 | 3.0 | M | | |
| CS | 558 | NT | M | | |
| CS | 562 | NT | M | | |
| CS | 594 | NT | M | | |
| CS | 596 | NT | M | | |
| CS | 597 | 0.05 | M | | |
| CS | 604 | NT | M | | |
| CS | 607 | 0.1 | M | | |
| CS | 608 | NT | M | | |
| CS | 612 | 0.03 | M | | |
| CS | 623 | 0.1 | M | | Regional Tolerance |
| CS | 624 | 0.05 | M | | |
| CS | 626 | NT | M | | |
| CS | 636 | 0.1 | M | | |
| CS | 638 | 0.05 | M | | |
| CS | 651 | NT | M | | |
| CS | 658 | NT | M | | |
| CS | 667 | NT | M | | |
| CS | 679 | 0.03 | M | | Indirect/Inadvertent |
| CS | 699 | NT | M | | |
| CS | 708 | NT | M | | |
| CS | 713 | NT | M | | |
| CS | 714 | 0.1 | M | | |
| CS | 719 | NT | M | | |
| CS | 720 | NT | M | | |
| CS | 721 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------------|
| CS | 723 | NT | M | | |
| CS | 726 | NT | M | | |
| CS | 736 | 0.1 | M | | |
| CS | 745 | NT | M | | |
| CS | 746 | NT | M | | |
| CS | 769 | NT | M | | |
| CS | 772 | 0.1 | M | | FHE Tolerance |
| CS | 779 | 1.0 | M | | |
| CS | 781 | 0.05 | M | | |
| CS | 786 | NT | M | | |
| CS | 791 | NT | M | | |
| CS | 793 | NT | M | | |
| CS | 807 | 0.05 | M | | |
| CS | 808 | NT | M | | |
| CS | 848 | NT | M | | |
| CS | 900 | 0.2 | M | | |
| CS | 901 | 0.2 | M | | |
| CS | 902 | 0.2 | M | | |
| CS | 903 | 0.05 | M | AL | Action Level |
| CS | 906 | 0.1 | M | AL | Action Level |
| CS | 908 | 0.1 | M | AL | Action Level |
| CS | 910 | 0.1 | M | AL | Action Level |
| CS | 928 | 0.05 | M | | |
| CS | 930 | 0.05 | M | | |
| CS | 947 | NT | M | | |
| CS | 954 | NT | M | | |
| CS | 963 | 0.05 | M | | |
| CS | 967 | 0.05 | M | | |
| CS | A05 | 0.01 | M | | |
| CS | A15 | 0.01 | M | | |
| CS | A30 | NT | M | | |
| CS | A46 | NT | M | | |
| CS | A47 | NT | M | | |
| CS | A58 | 0.5 | M | | |
| CS | A60 | 0.05 | M | | |
| CS | A61 | NT | M | | |
| CS | AAK | NT | M | | |
| CS | AAX | NT | M | | |
| CS | AAY | NT | M | | |
| CS | ABC | 0.02 | M | | |
| CS | ABD | 0.02 | M | | |
| CS | ABG | NT | M | | |
| CS | ABH | 0.1 | M | | |
| CS | ABI | 0.1 | M | | |
| CS | ACE | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| CS | ACM | 0.1 | M | | |
| CS | ADC | 1.0 | M | | |
| CS | ADD | 0.01 | M | | |
| CS | ADE | 0.1 | M | | |
| CS | ADG | 0.02 | M | | |
| CS | ADH | NT | M | | |
| CS | ADK | NT | M | | |
| CS | AEK | 3.0 | M | | |
| CS | AEL | 0.05 | M | | |
| CS | AEM | 0.05 | M | | |
| CS | AEN | 0.05 | M | | |
| CS | AEP | 0.02 | M | | |
| CS | AES | 0.05 | M | | |
| CS | AEW | NT | M | | |
| CS | AFO | NT | M | | |
| CS | AFY | 0.05 | M | | |
| CS | AGG | NT | M | | |
| CS | AGT | 0.02 | M | | |
| CS | AGZ | NT | M | | |
| CS | AHF | 0.05 | M | | |
| CS | B10 | NT | M | | |
| CS | B13 | 0.01 | M | | |
| CS | B16 | NT | M | | |
| CS | B21 | 0.10 | M | | |
| CS | B22 | NT | M | | |
| CS | B23 | 0.02 | M | | |
| CS | B24 | 1.1 | M | | |
| CS | B26 | 0.06 | M | | |
| CS | B28 | NT | M | | |
| CS | B30 | 0.05 | M | | |
| CS | B43 | 0.02 | M | | |
| CS | B48 | 0.05 | M | | |
| CS | B52 | NT | M | | |
| CS | B56 | NT | M | | |
| CS | B57 | NT | M | | |
| CS | B58 | 0.01 | M | | |
| CS | B61 | 0.04 | M | | |
| CS | B64 | NT | M | | |
| CS | B68 | NT | M | | |
| CS | B75 | 0.20 | M | | Indirect/Inadvertent |
| CS | B77 | 0.05 | M | | Indirect/Inadvertent |
| CS | B79 | 0.04 | M | | |
| CS | B80 | NT | M | | |
| CS | B82 | NT | M | | |
| CU | 001 | 0.1 | M | AL | Action Level |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| CU | 002 | NT | M | | |
| CU | 024 | 0.75 | M | | Regional Tolerance |
| CU | 028 | 0.1 | M | AL | Action Level |
| CU | 032 | NT | M | | |
| CU | 034 | 0.05 | M | AL | Action Level |
| CU | 035 | NT | M | | |
| CU | 042 | 2.0 | M | | |
| CU | 044 | 0.02 | M | AL | Action Level |
| CU | 050 | NT | M | | |
| CU | 052 | 8 | M | | |
| CU | 055 | NT | M | | |
| CU | 057 | NT | M | | |
| CU | 058 | 10 | M | | |
| CU | 065 | NT | M | | |
| CU | 069 | 0.2 | M | | |
| CU | 070 | 10 | M | | |
| CU | 083 | 10 | M | | |
| CU | 102 | 3.0 | M | | |
| CU | 105 | NT | M | | |
| CU | 107 | NT | M | | |
| CU | 108 | NT | M | | |
| CU | 114 | NT | M | | |
| CU | 117 | NT | M | | |
| CU | 124 | NT | M | | |
| CU | 125 | NT | M | | |
| CU | 129 | NT | M | | |
| CU | 134 | 1.0 | M | | Indirect/Inadvertent |
| CU | 143 | 0.02 | M | AL | Action Level |
| CU | 144 | 5 | M | | |
| CU | 147 | NT | M | | |
| CU | 148 | NT | M | | |
| CU | 149 | NT | M | | |
| CU | 151 | 0.05 | M | | |
| CU | 152 | NT | M | | |
| CU | 153 | NT | M | | |
| CU | 156 | NT | M | | |
| CU | 157 | NT | M | | |
| CU | 159 | 0.2 | M | | |
| CU | 160 | 0.1 | M | | FHE Tolerance |
| CU | 163 | NT | M | | |
| CU | 165 | NT | M | | |
| CU | 166 | NT | M | | |
| CU | 167 | NT | M | | |
| CU | 168 | NT | M | | |
| CU | 169 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| CU | 170 | 1.0 | M | | |
| CU | 171 | NT | M | | |
| CU | 172 | 0.1 | M | AL | Action Level |
| CU | 173 | 0.1 | M | AL | Action Level |
| CU | 175 | 0.02 | M | | |
| CU | 176 | NT | M | | |
| CU | 177 | NT | M | | |
| CU | 178 | NT | M | | |
| CU | 180 | 0.2 | M | | For carbamate part |
| CU | 181 | NT | M | | |
| CU | 189 | NT | M | | |
| CU | 190 | NT | M | | |
| CU | 195 | NT | M | | |
| CU | 197 | NT | M | | |
| CU | 200 | 0.1 | M | | |
| CU | 202 | NT | M | | |
| CU | 203 | NT | M | | |
| CU | 204 | 0.02 | M | | |
| CU | 205 | NT | M | | |
| CU | 208 | 8 | M | | |
| CU | 209 | NT | M | | |
| CU | 210 | NT | M | | |
| CU | 216 | NT | M | | |
| CU | 217 | NT | M | | |
| CU | 222 | 1.5 | M | | |
| CU | 223 | 1.5 | M | | |
| CU | 224 | NT | M | | |
| CU | 230 | NT | M | | |
| CU | 236 | NT | M | | |
| CU | 243 | NT | M | | |
| CU | 245 | 1.0 | M | | |
| CU | 249 | NT | M | | |
| CU | 250 | NT | M | | |
| CU | 253 | 2.0 | M | | |
| CU | 254 | 2.0 | M | | |
| CU | 255 | 1.0 | M | | |
| CU | 258 | NT | M | | |
| CU | 264 | NT | M | | |
| CU | 267 | NT | M | | |
| CU | 271 | NT | M | | |
| CU | 275 | NT | M | | |
| CU | 276 | NT | M | | |
| CU | 283 | NT | M | | |
| CU | 292 | NT | M | | |
| CU | 297 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| CU | 304 | NT | M | | |
| CU | 305 | NT | M | | |
| CU | 310 | NT | M | | |
| CU | 321 | NT | M | | |
| CU | 324 | NT | M | | |
| CU | 330 | NT | M | | |
| CU | 338 | 0.5 | M | | S/convert to Naled |
| CU | 343 | NT | M | | |
| CU | 349 | 0.1 | M | AL | Action Level |
| CU | 351 | NT | M | | |
| CU | 370 | NT | M | | |
| CU | 377 | NT | M | | |
| CU | 387 | NT | M | | |
| CU | 388 | NT | M | | |
| CU | 391 | NT | M | | |
| CU | 395 | 0.75 | M | | Regional Tolerance |
| CU | 512 | 0.2 | M | | For carbamate part |
| CU | 529 | NT | M | | |
| CU | 537 | 2.0 | M | | |
| CU | 540 | NT | M | | |
| CU | 546 | 0.5 | M | | |
| CU | 547 | NT | M | | |
| CU | 558 | NT | M | | |
| CU | 562 | NT | M | | |
| CU | 580 | NT | M | | |
| CU | 594 | NT | M | | |
| CU | 596 | NT | M | | |
| CU | 597 | 0.2 | M | | |
| CU | 604 | NT | M | | |
| CU | 607 | 1.0 | M | | |
| CU | 608 | NT | M | | |
| CU | 609 | NT | M | | |
| CU | 612 | 0.2 | M | | |
| CU | 614 | NT | M | | |
| CU | 623 | NT | M | | |
| CU | 624 | 0.05 | M | | |
| CU | 626 | NT | M | | |
| CU | 636 | 0.1 | M | | |
| CU | 638 | NT | M | | |
| CU | 651 | NT | M | | |
| CU | 658 | NT | M | | |
| CU | 666 | 1.0 | M | | Interim Tolerance |
| CU | 667 | NT | M | | |
| CU | 679 | 0.20 | M | | |
| CU | 699 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------------|
| CU | 708 | NT | M | | |
| CU | 713 | NT | M | | |
| CU | 714 | 0.5 | M | | |
| CU | 719 | 0.1 | M | | |
| CU | 720 | NT | M | | |
| CU | 721 | 0.05 | M | | |
| CU | 723 | NT | M | | |
| CU | 726 | NT | M | | |
| CU | 736 | 0.1 | M | | |
| CU | 745 | NT | M | | |
| CU | 746 | NT | M | | |
| CU | 769 | 2.0 | M | | |
| CU | 772 | 0.1 | M | | FHE Tolerance |
| CU | 779 | NT | M | | |
| CU | 781 | 0.1 | M | | |
| CU | 786 | NT | M | | |
| CU | 791 | NT | M | | |
| CU | 808 | 0.5 | M | | |
| CU | 848 | NT | M | | |
| CU | 858 | NT | M | | |
| CU | 900 | 1.0 | M | | |
| CU | 901 | 1.0 | M | | |
| CU | 902 | 1.0 | M | | |
| CU | 903 | 0.05 | M | AL | Action Level |
| CU | 906 | 0.1 | M | AL | Action Level |
| CU | 907 | 0.1 | M | AL | Action Level |
| CU | 908 | 0.1 | M | AL | Action Level |
| CU | 909 | 0.1 | M | AL | Action Level |
| CU | 910 | 0.1 | M | AL | Action Level |
| CU | 928 | NT | M | | |
| CU | 930 | 0.4 | M | | |
| CU | 943 | NT | M | | |
| CU | 947 | NT | M | | |
| CU | 954 | NT | M | | |
| CU | 963 | NT | M | | |
| CU | 967 | 0.5 | M | | |
| CU | A05 | NT | M | | |
| CU | A15 | NT | M | | |
| CU | A30 | NT | M | | |
| CU | A46 | NT | M | | |
| CU | A47 | 2.0 | M | | |
| CU | A58 | 0.09 | M | | |
| CU | A61 | 0.5 | M | | |
| CU | AAK | NT | M | | |
| CU | AAX | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------|
| CU | AAY | NT | M | | |
| CU | ABB | 0.3 | M | | |
| CU | ABC | 0.3 | M | | |
| CU | ABD | 0.3 | M | | |
| CU | ABF | 0.1 | M | | |
| CU | ABG | NT | M | | |
| CU | ABH | NT | M | | |
| CU | ABI | NT | M | | |
| CU | ACE | NT | M | | |
| CU | ACV | NT | M | | |
| CU | ADC | 1.0 | M | | |
| CU | ADD | NT | M | | |
| CU | ADE | 0.5 | M | | |
| CU | ADG | 0.60 | M | | |
| CU | ADH | NT | M | | |
| CU | ADK | NT | M | | |
| CU | AEC | 0.2 | M | | |
| CU | AEJ | 3.0 | M | | |
| CU | AEK | 3.0 | M | | |
| CU | AEL | 0.05 | M | | |
| CU | AEM | 0.05 | M | | |
| CU | AEN | 0.05 | M | | |
| CU | AEP | 0.2 | M | | |
| CU | AER | 0.50 | M | | |
| CU | AES | 0.3 | M | | |
| CU | AEV | 4.0 | M | | |
| CU | AEW | 0.30 | M | | |
| CU | AFO | 0.5 | M | | |
| CU | AFS | NT | M | | |
| CU | AFW | 0.10 | M | | |
| CU | AGG | 0.40 | M | | |
| CU | AGH | NT | M | | |
| CU | AGJ | NT | M | | |
| CU | AGT | 0.10 | M | | |
| CU | AGW | 0.25 | M | | |
| CU | AGX | 0.6 | M | | |
| CU | AGY | 0.30 | M | | |
| CU | AGZ | NT | M | | |
| CU | B10 | NT | M | | |
| CU | B13 | 0.01 | M | | |
| CU | B16 | NT | M | | |
| CU | B21 | 0.10 | M | | |
| CU | B22 | 0.70 | M | | |
| CU | B23 | 0.45 | M | | |
| CU | B24 | 0.10 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| CU | B26 | NT | M | | |
| CU | B28 | NT | M | | |
| CU | B41 | 2.0 | M | | |
| CU | B42 | 0.40 | M | | |
| CU | B43 | 0.2 | M | | |
| CU | B48 | 0.3 | M | | |
| CU | B51 | 2.0 | M | | |
| CU | B52 | 0.50 | M | | |
| CU | B56 | NT | M | | |
| CU | B57 | NT | M | | |
| CU | B58 | 1.0 | M | | Regional Tolerance |
| CU | B61 | 0.5 | M | | |
| CU | B64 | 0.15 | M | | |
| CU | B68 | NT | M | | |
| CU | B75 | 0.5 | M | | |
| CU | B77 | 0.5 | M | | |
| CU | B79 | 0.50 | M | | |
| CU | B80 | 0.50 | M | | |
| CU | B82 | 0.75 | M | | |
| CU | B84 | 0.02 | M | | |
| FC | 001 | 0.3 | M | AL | Action Level |
| FC | 002 | NA | M | | |
| FC | 011 | NA | M | | |
| FC | 015 | NA | M | | |
| FC | 024 | NA | M | | |
| FC | 028 | 0.3 | M | AL | Action Level |
| FC | 032 | 2 | M | | |
| FC | 034 | NA | M | | |
| FC | 035 | NA | M | | |
| FC | 042 | NA | M | | |
| FC | 044 | 0.3 | M | AL | Action Level |
| FC | 050 | NA | M | | |
| FC | 052 | NA | M | | |
| FC | 057 | NA | M | | |
| FC | 058 | NA | M | | |
| FC | 065 | NA | M | | |
| FC | 069 | NA | M | | |
| FC | 070 | NA | M | | |
| FC | 075 | 1 | M | | |
| FC | 090 | NA | M | | |
| FC | 102 | NA | M | | |
| FC | 108 | NA | M | | |
| FC | 114 | NA | M | | |
| FC | 117 | NA | M | | |
| FC | 124 | NA | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| FC | 125 | NA | M | | |
| FC | 129 | NA | M | | |
| FC | 134 | NA | M | | |
| FC | 143 | 0.3 | M | AL | Action Level |
| FC | 144 | NA | M | | |
| FC | 148 | NA | M | | |
| FC | 149 | NA | M | | |
| FC | 151 | NA | M | | |
| FC | 158 | NA | M | | |
| FC | 159 | NA | M | | |
| FC | 160 | 0.1 | M | | |
| FC | 162 | NA | M | | |
| FC | 165 | NA | M | | |
| FC | 166 | NA | M | | |
| FC | 167 | NA | M | | |
| FC | 168 | NA | M | | |
| FC | 171 | NA | M | | |
| FC | 172 | 0.3 | M | AL | Action Level |
| FC | 173 | 0.3 | M | AL | Action Level |
| FC | 176 | NA | M | | |
| FC | 177 | NA | M | | |
| FC | 180 | NA | M | | |
| FC | 181 | NA | M | | |
| FC | 191 | NA | M | | |
| FC | 197 | NA | M | | |
| FC | 202 | NA | M | | |
| FC | 205 | NA | M | | |
| FC | 206 | NA | M | | |
| FC | 207 | NA | M | | |
| FC | 227 | NA | M | | |
| FC | 229 | NA | M | | |
| FC | 230 | NA | M | | |
| FC | 235 | NA | M | | |
| FC | 236 | NA | M | | |
| FC | 254 | NA | M | | |
| FC | 264 | NA | M | | |
| FC | 271 | NA | M | | |
| FC | 275 | NA | M | | |
| FC | 280 | NA | M | | |
| FC | 283 | NA | M | | |
| FC | 292 | NA | M | | |
| FC | 297 | NA | M | | |
| FC | 299 | NA | M | | |
| FC | 304 | NA | M | | |
| FC | 305 | NA | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| FC | 310 | NA | M | | |
| FC | 321 | NA | M | | |
| FC | 330 | NA | M | | |
| FC | 333 | NA | M | | |
| FC | 338 | 0.5 | M | | S/convert to Naled |
| FC | 349 | 0.3 | M | AL | Action Level |
| FC | 351 | NA | M | | |
| FC | 352 | NA | M | | |
| FC | 382 | NA | M | | |
| FC | 391 | NA | M | | |
| FC | 512 | NA | M | | |
| FC | 529 | NA | M | | |
| FC | 537 | NA | M | | |
| FC | 539 | NA | M | | |
| FC | 540 | NA | M | | |
| FC | 556 | 3 | M | | |
| FC | 562 | NA | M | | |
| FC | 596 | NA | M | | |
| FC | 597 | 0.05 | M | | |
| FC | 607 | NA | M | | |
| FC | 608 | NA | M | | |
| FC | 609 | NA | M | | |
| FC | 612 | 0.05 | M | | |
| FC | 621 | NA | M | | |
| FC | 623 | NA | M | | |
| FC | 624 | NA | M | | |
| FC | 625 | NA | M | | |
| FC | 626 | NA | M | | |
| FC | 636 | 0.1 | M | | |
| FC | 651 | NA | M | | |
| FC | 668 | NA | M | | |
| FC | 675 | NA | M | | |
| FC | 679 | NA | M | | |
| FC | 699 | NA | M | | |
| FC | 713 | NA | M | | |
| FC | 719 | NA | M | | |
| FC | 721 | NA | M | | |
| FC | 722 | NA | M | | |
| FC | 726 | NA | M | | |
| FC | 728 | NA | M | | |
| FC | 736 | 0.5 | M | | |
| FC | 749 | NA | M | | |
| FC | 775 | NA | M | | |
| FC | 777 | NA | M | | |
| FC | 780 | NA | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| FC | 781 | 0.05 | M | | |
| FC | 783 | NA | M | | |
| FC | 791 | NA | M | | |
| FC | 796 | NA | M | | |
| FC | 807 | NA | M | | |
| FC | 808 | NA | M | | |
| FC | 811 | NA | M | | |
| FC | 814 | NA | M | | |
| FC | 834 | NA | M | | |
| FC | 848 | NT | M | | |
| FC | 900 | NA | M | | |
| FC | 901 | NA | M | | |
| FC | 902 | NA | M | | |
| FC | 903 | NA | M | | |
| FC | 904 | NA | M | | |
| FC | 905 | NA | M | | |
| FC | 906 | 5 | M | AL | Action Level |
| FC | 908 | 5 | M | AL | Action Level |
| FC | 909 | 5 | M | AL | Action Level |
| FC | 910 | 5 | M | AL | Action Level |
| FC | 911 | 5 | M | AL | Action Level |
| FC | 930 | 0.05 | M | | |
| FC | 943 | NA | M | | |
| FC | 945 | NA | M | | |
| FC | 946 | NA | M | | |
| FC | 947 | NA | M | | |
| FC | 960 | NA | M | | |
| FC | 967 | NA | M | | |
| FC | A15 | NA | M | | |
| FC | A30 | NA | M | | |
| FC | A38 | NA | M | | |
| FC | A47 | NA | M | | |
| FC | A59 | NA | M | | |
| FC | A82 | NA | M | | |
| FC | AAV | NA | M | | |
| FC | ABG | NA | M | | |
| FC | ADC | 1 | M | | |
| FC | ADD | NA | M | | |
| FC | ADE | 0.05 | M | | |
| FC | ADG | NA | M | | |
| FC | ADH | NA | M | | |
| FC | ADJ | NA | M | | |
| FC | ADK | NA | M | | |
| FC | ADL | NA | M | | |
| FC | ADR | NA | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| FC | AEC | 0.2 | M | | |
| FC | AEL | 0.01 | M | | |
| FC | AEP | NA | M | | |
| FC | AES | NA | M | | |
| FC | AEV | NA | M | | |
| FC | AEW | NA | M | | |
| FC | AFO | NA | M | | |
| FC | AFS | NA | M | | |
| FC | AFW | NA | M | | |
| FC | AGJ | NA | M | | |
| FC | AGR | NA | M | | |
| FC | B13 | 0.01 | M | | |
| FC | B15 | NA | M | | |
| FC | B16 | NA | M | | |
| FC | B20 | NA | M | | |
| FC | B21 | 0.3 | M | | |
| FC | B22 | NA | M | | |
| FC | B26 | NA | M | | |
| FC | B41 | NA | M | | |
| FC | B43 | NA | M | | |
| FC | B48 | NA | M | | |
| FC | B52 | NA | M | | |
| FC | B53 | NA | M | | |
| FC | B56 | NA | M | | |
| FC | B58 | NA | M | | |
| FC | B61 | NA | M | | |
| FC | B64 | NA | M | | |
| FC | B68 | NA | M | | |
| FC | B70 | NA | M | | |
| FC | B72 | NA | M | | |
| FC | B75 | NA | M | | |
| FC | B77 | NA | M | | |
| FC | B80 | NA | M | | |
| FC | B82 | NA | M | | |
| FC | B84 | NA | M | | |
| FC | B85 | NA | M | | |
| GO | 001 | 0.1 | M | AL | Action Level |
| GO | 024 | 0.75 | M | | |
| GO | 028 | 0.1 | M | AL | Action Level |
| GO | 032 | NT | M | | |
| GO | 034 | 0.05 | M | AL | Action Level |
| GO | 042 | 2.0 | M | | |
| GO | 044 | 0.01 | M | AL | Action Level |
| GO | 050 | NT | M | | |
| GO | 052 | 8 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------------|
| GO | 055 | NT | M | | |
| GO | 057 | 1.0 | M | | |
| GO | 065 | NT | M | | |
| GO | 069 | NT | M | | |
| GO | 070 | 10 | M | | |
| GO | 102 | NT | M | | |
| GO | 107 | NT | M | | |
| GO | 108 | NT | M | | |
| GO | 114 | NT | M | | |
| GO | 124 | NT | M | | |
| GO | 125 | NT | M | | |
| GO | 129 | NT | M | | |
| GO | 134 | 1.0 | M | | |
| GO | 143 | 0.01 | M | AL | Action Level |
| GO | 144 | 10 | M | | |
| GO | 147 | NT | M | | |
| GO | 148 | NT | M | | |
| GO | 149 | NT | M | | |
| GO | 151 | 0.05 | M | | |
| GO | 152 | NT | M | | |
| GO | 157 | NT | M | | |
| GO | 159 | 3 | M | | |
| GO | 160 | 0.1 | M | | FHE Tolerance |
| GO | 163 | NT | M | | |
| GO | 165 | NT | M | | |
| GO | 166 | NT | M | | |
| GO | 167 | NT | M | | |
| GO | 168 | NT | M | | |
| GO | 169 | NT | M | | |
| GO | 170 | NT | M | | |
| GO | 172 | 0.1 | M | AL | Action Level |
| GO | 173 | 0.1 | M | AL | Action Level |
| GO | 175 | NT | M | | |
| GO | 176 | NT | M | | |
| GO | 177 | NT | M | | |
| GO | 178 | NT | M | | |
| GO | 180 | NT | M | | |
| GO | 181 | NT | M | | |
| GO | 189 | NT | M | | |
| GO | 195 | NT | M | | |
| GO | 197 | NT | M | | |
| GO | 200 | NT | M | | |
| GO | 202 | NT | M | | |
| GO | 203 | NT | M | | |
| GO | 204 | 0.02 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| GO | 205 | NT | M | | |
| GO | 216 | NT | M | | |
| GO | 222 | NT | M | | |
| GO | 223 | NT | M | | |
| GO | 224 | NT | M | | |
| GO | 230 | 0.20 | M | | |
| GO | 236 | NT | M | | |
| GO | 245 | NT | M | | |
| GO | 249 | NT | M | | |
| GO | 253 | NT | M | | |
| GO | 254 | NT | M | | |
| GO | 255 | 3.0 | M | | |
| GO | 264 | 9.0 | M | | |
| GO | 271 | NT | M | | |
| GO | 276 | NT | M | | |
| GO | 283 | 2.0 | M | | |
| GO | 292 | NT | M | | |
| GO | 305 | NT | M | | |
| GO | 321 | NT | M | | |
| GO | 324 | NT | M | | |
| GO | 330 | NT | M | | |
| GO | 349 | 0.1 | M | AL | Action Level |
| GO | 351 | NT | M | | |
| GO | 370 | NT | M | | |
| GO | 377 | NT | M | | |
| GO | 387 | NT | M | | |
| GO | 388 | NT | M | | |
| GO | 391 | NT | M | | |
| GO | 395 | 0.75 | M | | |
| GO | 512 | NT | M | | |
| GO | 529 | NT | M | | |
| GO | 537 | NT | M | | |
| GO | 540 | NT | M | | |
| GO | 562 | NT | M | | |
| GO | 580 | NT | M | | |
| GO | 594 | NT | M | | |
| GO | 596 | NT | M | | |
| GO | 597 | 6.0 | M | | |
| GO | 604 | NT | M | | |
| GO | 607 | 10.0 | M | | |
| GO | 608 | NT | M | | |
| GO | 609 | NT | M | | |
| GO | 614 | NT | M | | |
| GO | 623 | NT | M | | |
| GO | 624 | 0.05 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| GO | 626 | NT | M | | |
| GO | 636 | 0.1 | M | | |
| GO | 651 | NT | M | | |
| GO | 658 | NT | M | | |
| GO | 666 | NT | M | | |
| GO | 679 | NT | M | | |
| GO | 713 | NT | M | | |
| GO | 719 | NT | M | | |
| GO | 720 | NT | M | | |
| GO | 721 | NT | M | | |
| GO | 726 | NT | M | | |
| GO | 745 | NT | M | | |
| GO | 746 | NT | M | | |
| GO | 779 | 1.0 | M | | |
| GO | 781 | 0.05 | M | | |
| GO | 808 | NT | M | | |
| GO | 848 | NT | M | | |
| GO | 858 | NT | M | | |
| GO | 900 | NT | M | | |
| GO | 901 | NT | M | | |
| GO | 902 | NT | M | | |
| GO | 903 | 0.05 | M | AL | Action Level |
| GO | 906 | 0.2 | M | AL | Action Level |
| GO | 907 | 0.2 | M | AL | Action Level |
| GO | 908 | 0.2 | M | AL | Action Level |
| GO | 909 | 0.2 | M | AL | Action Level |
| GO | 910 | 0.2 | M | AL | Action Level |
| GO | 928 | NT | M | | |
| GO | 930 | 0.05 | M | | |
| GO | 963 | NT | M | | |
| GO | 967 | NT | M | | |
| GO | A05 | 0.1 | M | | Regional Tolerance |
| GO | A30 | NT | M | | |
| GO | A46 | NT | M | | |
| GO | A58 | 1.3 | M | | |
| GO | AAK | NT | M | | |
| GO | AAX | NT | M | | |
| GO | ABB | 2.0 | M | | |
| GO | ABF | NT | M | | |
| GO | ABG | NT | M | | |
| GO | ACE | NT | M | | |
| GO | ACV | NT | M | | |
| GO | ADD | 0.01 | M | | |
| GO | ADE | 0.05 | M | | |
| GO | AEC | 0.2 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| GO | AEJ | 3.0 | M | | |
| GO | AEK | 3.0 | M | | |
| GO | AEL | 0.01 | M | | |
| GO | AER | 2.0 | M | | |
| GO | AES | 5.0 | M | | |
| GO | AFO | NT | M | | |
| GO | AFS | NT | M | | |
| GO | AFW | NT | M | | |
| GO | AGG | NT | M | | |
| GO | AGH | NT | M | | |
| GO | AGJ | NT | M | | |
| GO | AGW | 0.20 | M | | |
| GO | AGX | 4 | M | | |
| GO | AGY | 2.0 | M | | |
| GO | B13 | 0.01 | M | | |
| GO | B16 | 2.0 | M | | |
| GO | B21 | 0.10 | M | | |
| GO | B23 | 7.0 | M | | |
| GO | B24 | 0.70 | M | | |
| GO | B26 | NT | M | | |
| GO | B41 | NT | M | | |
| GO | B42 | NT | M | | |
| GO | B43 | NT | M | | |
| GO | B48 | 7.5 | M | | |
| GO | B51 | 0.05 | M | | Regional Tolerance |
| GO | B52 | NT | M | | |
| GO | B58 | NT | M | | |
| GO | B61 | 0.9 | M | | |
| GO | B64 | 1.5 | M | | |
| GO | B68 | NT | M | | |
| GO | B75 | 3.0 | M | | |
| GO | B77 | 2.0 | M | | |
| GO | B79 | NT | M | | |
| GO | B80 | 4.5 | M | | |
| GO | B84 | NT | M | | |
| GR | 001 | 0.05 | M | AL | Action Level |
| GR | 002 | NT | M | | |
| GR | 011 | 25.0 | M | | |
| GR | 024 | 0.75 | M | | Interim Tolerance |
| GR | 026 | 0.05 | M | | |
| GR | 028 | 0.05 | M | AL | Action Level |
| GR | 032 | 0.05 | M | | |
| GR | 034 | NT | M | | |
| GR | 035 | NT | M | | |
| GR | 042 | 4.0 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|------------------|
| GR | 044 | 0.01 | M | AL | Action Level |
| GR | 050 | 0.5 | M | AL | Action Level |
| GR | 052 | 8 | M | | |
| GR | 055 | NT | M | | |
| GR | 057 | NT | M | | |
| GR | 058 | 10 | M | | |
| GR | 065 | NT | M | | |
| GR | 069 | 0.5 | M | | |
| GR | 070 | 8 | M | | |
| GR | 075 | 1.0 | M | | |
| GR | 102 | 10 | M | | |
| GR | 105 | NT | M | | |
| GR | 107 | NT | M | | |
| GR | 108 | NT | M | | |
| GR | 114 | NT | M | | |
| GR | 117 | NT | M | | |
| GR | 124 | NT | M | | |
| GR | 125 | NT | M | | |
| GR | 126 | 50.0 | M | | Import Tolerance |
| GR | 129 | NT | M | | |
| GR | 134 | NT | M | | |
| GR | 143 | 0.01 | M | AL | Action Level |
| GR | 144 | 10 | M | | |
| GR | 148 | NT | M | | |
| GR | 149 | 0.20 | M | | |
| GR | 151 | 0.05 | M | | |
| GR | 152 | NT | M | | |
| GR | 153 | NT | M | | |
| GR | 155 | NT | M | | |
| GR | 156 | NT | M | | |
| GR | 157 | NT | M | | |
| GR | 159 | 5 | M | | |
| GR | 160 | 0.1 | M | | FHE Tolerance |
| GR | 163 | NT | M | | |
| GR | 164 | NT | M | | |
| GR | 165 | 10 | M | | |
| GR | 166 | 10.0 | M | | |
| GR | 167 | NT | M | | |
| GR | 168 | NT | M | | |
| GR | 169 | NT | M | | |
| GR | 170 | 0.02 | M | | |
| GR | 171 | NT | M | | |
| GR | 172 | 0.1 | M | AL | Action Level |
| GR | 173 | 0.1 | M | AL | Action Level |
| GR | 175 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| GR | 176 | NT | M | | |
| GR | 177 | NT | M | | |
| GR | 178 | NT | M | | |
| GR | 180 | 0.2 | M | | For carbamate part |
| GR | 181 | NT | M | | |
| GR | 189 | NT | M | | |
| GR | 190 | NT | M | | |
| GR | 195 | NT | M | | |
| GR | 197 | NT | M | | |
| GR | 200 | 0.1 | M | | |
| GR | 202 | NT | M | | |
| GR | 203 | NT | M | | |
| GR | 204 | 0.02 | M | | |
| GR | 205 | NT | M | | |
| GR | 208 | 8 | M | | |
| GR | 216 | NT | M | | |
| GR | 217 | NT | M | | |
| GR | 219 | NT | M | | |
| GR | 222 | NT | M | | |
| GR | 223 | NT | M | | |
| GR | 230 | 0.1 | M | | |
| GR | 236 | 0.10 | M | | Import Tolerance |
| GR | 243 | NT | M | | |
| GR | 245 | NT | M | | |
| GR | 249 | NT | M | | |
| GR | 250 | NT | M | | |
| GR | 253 | 5.0 | M | | |
| GR | 254 | 5.0 | M | | |
| GR | 258 | NT | M | | |
| GR | 264 | 1.0 | M | | |
| GR | 267 | NT | M | | |
| GR | 271 | 0.1 | M | | |
| GR | 275 | NT | M | | |
| GR | 283 | NT | M | | |
| GR | 297 | NT | M | | |
| GR | 304 | NT | M | | |
| GR | 310 | NT | M | | |
| GR | 318 | NT | M | | |
| GR | 321 | NT | M | | |
| GR | 324 | 0.15 | M | | |
| GR | 338 | 0.5 | M | | S/convert to Naled |
| GR | 343 | NT | M | | |
| GR | 370 | NT | M | | |
| GR | 382 | 10 | M | | |
| GR | 387 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| GR | 391 | NT | M | | |
| GR | 395 | 0.75 | M | | Interim Tolerance |
| GR | 512 | 0.2 | M | | For carbamate part |
| GR | 529 | 6.0 | M | | |
| GR | 537 | NT | M | | |
| GR | 540 | 0.1 | M | | |
| GR | 546 | 0.05 | M | | |
| GR | 547 | NT | M | | |
| GR | 556 | 3.0 | M | | |
| GR | 558 | NT | M | | |
| GR | 562 | NT | M | | |
| GR | 593 | 5.0 | M | | |
| GR | 594 | 0.1 | M | | |
| GR | 596 | 0.1 | M | | |
| GR | 597 | 2 | M | | |
| GR | 604 | NT | M | | |
| GR | 607 | 2.0 | M | | |
| GR | 608 | 1.0 | M | | Interim Tolerance |
| GR | 612 | 0.05 | M | | |
| GR | 623 | 10.0 | M | | |
| GR | 624 | 25.0 | M | | |
| GR | 626 | 60.0 | M | | |
| GR | 636 | 0.1 | M | | |
| GR | 638 | 1.0 | M | | Interim Tolerance |
| GR | 649 | 11 | M | | |
| GR | 651 | NT | M | | |
| GR | 658 | NT | M | | |
| GR | 666 | 10.0 | M | | Interim Tolerance |
| GR | 667 | NT | M | | |
| GR | 679 | 1.0 | M | | |
| GR | 699 | 1.0 | M | | |
| GR | 708 | NT | M | | |
| GR | 713 | 0.05 | M | | |
| GR | 714 | 0.05 | M | | |
| GR | 719 | NT | M | | |
| GR | 720 | 0.1 | M | | |
| GR | 721 | NT | M | | |
| GR | 722 | NT | M | | |
| GR | 723 | NT | M | | |
| GR | 726 | NT | M | | |
| GR | 731 | NT | M | | |
| GR | 736 | 0.1 | M | | |
| GR | 745 | 0.10 | M | | Import Tolerance |
| GR | 746 | 0.10 | M | | Import Tolerance |
| GR | 769 | 4.0 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------------|
| GR | 772 | 0.1 | M | | FHE Tolerance |
| GR | 779 | NT | M | | |
| GR | 781 | 1.0 | M | | |
| GR | 786 | NT | M | | |
| GR | 791 | NT | M | | |
| GR | 808 | 5.0 | M | | |
| GR | 848 | NT | M | | |
| GR | 900 | 2.0 | M | | |
| GR | 901 | 2.0 | M | | |
| GR | 902 | 2.0 | M | | |
| GR | 903 | 0.05 | M | AL | Action Level |
| GR | 906 | 0.05 | M | AL | Action Level |
| GR | 908 | 0.05 | M | AL | Action Level |
| GR | 910 | 0.05 | M | AL | Action Level |
| GR | 928 | NT | M | | |
| GR | 930 | 0.2 | M | | |
| GR | 943 | NT | M | | |
| GR | 947 | NT | M | | |
| GR | 954 | NT | M | | |
| GR | 963 | NT | M | | |
| GR | 967 | 1.0 | M | | |
| GR | A05 | NT | M | | |
| GR | A15 | NT | M | | |
| GR | A25 | NT | M | | |
| GR | A30 | 1.0 | M | | |
| GR | A42 | NT | M | | |
| GR | A46 | NT | M | | |
| GR | A47 | NT | M | | |
| GR | A58 | 5.0 | M | | |
| GR | A61 | 2.5 | M | | |
| GR | AAK | NT | M | | |
| GR | AAX | NT | M | | |
| GR | AAY | NT | M | | |
| GR | ABC | 0.50 | M | | |
| GR | ABD | 0.50 | M | | |
| GR | ABG | 3.0 | M | | |
| GR | ABH | 1.0 | M | | |
| GR | ABI | 1.0 | M | | |
| GR | ACE | NT | M | | |
| GR | ADC | 1.0 | M | | |
| GR | ADG | 2.0 | M | | |
| GR | ADH | NT | M | | |
| GR | ADK | NT | M | | |
| GR | AEL | 0.01 | M | | |
| GR | AEM | 0.01 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| GR | AEN | 0.01 | M | | |
| GR | AEP | 0.60 | M | | |
| GR | AES | 1.0 | M | | |
| GR | AEV | 1.0 | M | | |
| GR | AEW | 2.5 | M | | Regional Tolerance |
| GR | AFO | 0.9 | M | | |
| GR | AGA | 1.5 | M | | Regional Tolerance |
| GR | AGE | 2 | M | | |
| GR | AGG | NT | M | | |
| GR | AGH | NT | M | | |
| GR | AGP | 0.25 | M | | |
| GR | AGT | NT | M | | |
| GR | AGX | 1.4 | M | | |
| GR | AGZ | NT | M | | |
| GR | AHF | 1.0 | M | | |
| GR | B10 | 0.75 | M | | |
| GR | B16 | 5.0 | M | | |
| GR | B21 | 0.10 | M | | |
| GR | B22 | 2.0 | M | | |
| GR | B23 | 1.0 | M | | |
| GR | B24 | 2.5 | M | | |
| GR | B26 | NT | M | | |
| GR | B28 | NT | M | | |
| GR | B41 | 4.0 | M | | |
| GR | B42 | 1.0 | M | | |
| GR | B43 | 0.20 | M | | |
| GR | B46 | NT | M | | |
| GR | B48 | 1.0 | M | | |
| GR | B52 | 2.5 | M | | |
| GR | B56 | 1.5 | M | | |
| GR | B57 | 0.60 | M | | |
| GR | B58 | 0.10 | M | | |
| GR | B61 | 2.0 | M | | |
| GR | B64 | 1.0 | M | | |
| GR | B68 | NT | M | | |
| GR | B75 | 3.5 | M | | |
| GR | B77 | 3.5 | M | | Regional Tolerance |
| GR | B79 | 2.0 | M | | |
| GR | B80 | 0.20 | M | | |
| GR | B82 | 0.75 | M | | |
| GR | B85 | 2.0 | M | | |
| KB | 001 | 0.05 | M | AL | Action Level |
| KB | 002 | NT | M | | |
| KB | 024 | 0.50 | M | | |
| KB | 028 | 0.05 | M | AL | Action Level |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| KB | 032 | NT | M | | |
| KB | 034 | 0.05 | M | AL | Action Level |
| KB | 035 | NT | M | | |
| KB | 042 | 2.0 | M | | |
| KB | 044 | 0.01 | M | AL | Action Level |
| KB | 050 | 0.5 | M | AL | Action Level |
| KB | 052 | 8 | M | | |
| KB | 057 | NT | M | | |
| KB | 058 | 10 | M | | |
| KB | 065 | NT | M | | |
| KB | 069 | NT | M | | |
| KB | 070 | 8 | M | | |
| KB | 102 | NT | M | | |
| KB | 105 | NT | M | | |
| KB | 107 | NT | M | | |
| KB | 108 | NT | M | | |
| KB | 114 | NT | M | | |
| KB | 117 | 0.75 | M | | |
| KB | 124 | NT | M | | |
| KB | 125 | NT | M | | |
| KB | 129 | NT | M | | |
| KB | 134 | 2.0 | M | | Indirect/Inadvertent |
| KB | 143 | 0.01 | M | AL | Action Level |
| KB | 144 | 20 | M | | |
| KB | 148 | 0.05 | M | | |
| KB | 149 | NT | M | | |
| KB | 151 | 0.05 | M | | |
| KB | 152 | NT | M | | |
| KB | 153 | NT | M | | |
| KB | 156 | NT | M | | |
| KB | 157 | NT | M | | |
| KB | 159 | 2 | M | | |
| KB | 160 | 0.1 | M | | FHE Tolerance |
| KB | 163 | NT | M | | |
| KB | 164 | 5 | M | | |
| KB | 165 | NT | M | | |
| KB | 166 | NT | M | | |
| KB | 167 | NT | M | | |
| KB | 168 | NT | M | | |
| KB | 169 | NT | M | | |
| KB | 170 | 3.0 | M | | |
| KB | 171 | 2.0 | M | | |
| KB | 172 | 0.1 | M | AL | Action Level |
| KB | 173 | 0.1 | M | AL | Action Level |
| KB | 175 | 0.02 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| KB | 176 | NT | M | | |
| KB | 177 | NT | M | | |
| KB | 178 | 2.0 | M | | |
| KB | 180 | NT | M | | |
| KB | 181 | NT | M | | |
| KB | 189 | 0.05 | M | | |
| KB | 190 | 0.05 | M | | |
| KB | 195 | NT | M | | |
| KB | 197 | NT | M | | |
| KB | 202 | NT | M | | |
| KB | 203 | NT | M | | |
| KB | 204 | 3.0 | M | | |
| KB | 205 | NT | M | | |
| KB | 208 | 8 | M | | |
| KB | 210 | 0.2 | M | | |
| KB | 216 | 0.75 | M | | |
| KB | 217 | NT | M | | |
| KB | 222 | NT | M | | |
| KB | 223 | NT | M | | |
| KB | 230 | 0.10 | M | | |
| KB | 236 | NT | M | | |
| KB | 243 | NT | M | | |
| KB | 245 | NT | M | | |
| KB | 249 | NT | M | | |
| KB | 250 | NT | M | | |
| KB | 254 | 3.0 | M | | |
| KB | 258 | NT | M | | |
| KB | 264 | NT | M | | |
| KB | 267 | NT | M | | |
| KB | 271 | NT | M | | |
| KB | 275 | NT | M | | |
| KB | 283 | 0.30 | M | | |
| KB | 297 | NT | M | | |
| KB | 304 | 0.1 | M | | Interim Tolerance |
| KB | 310 | NT | M | | |
| KB | 321 | 0.1 | M | | Interim Tolerance |
| KB | 324 | NT | M | | |
| KB | 338 | 0.5 | M | | S/convert to Naled |
| KB | 343 | NT | M | | |
| KB | 351 | 0.1 | M | | Interim Tolerance |
| KB | 370 | NT | M | | |
| KB | 382 | NT | M | | |
| KB | 387 | 0.1 | M | | Interim Tolerance |
| KB | 388 | 0.1 | M | | Interim Tolerance |
| KB | 391 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| KB | 395 | 0.50 | M | | |
| KB | 512 | NT | M | | |
| KB | 529 | 2.0 | M | | Interim Tolerance |
| KB | 537 | NT | M | | |
| KB | 540 | NT | M | | |
| KB | 546 | 2.0 | M | | |
| KB | 547 | NT | M | | |
| KB | 558 | NT | M | | |
| KB | 562 | NT | M | | |
| KB | 594 | NT | M | | |
| KB | 596 | NT | M | | |
| KB | 597 | 0.1 | M | | |
| KB | 604 | NT | M | | |
| KB | 607 | 0.2 | M | | |
| KB | 608 | NT | M | | |
| KB | 612 | 0.05 | M | | |
| KB | 623 | NT | M | | |
| KB | 624 | 0.05 | M | | |
| KB | 626 | 2.0 | M | | |
| KB | 636 | 0.1 | M | | |
| KB | 638 | NT | M | | |
| KB | 651 | NT | M | | |
| KB | 658 | NT | M | | |
| KB | 667 | NT | M | | |
| KB | 679 | 1.0 | M | | |
| KB | 699 | NT | M | | |
| KB | 706 | 0.75 | M | | |
| KB | 708 | NT | M | | |
| KB | 713 | NT | M | | |
| KB | 714 | 2.0 | M | | |
| KB | 719 | 0.05 | M | | |
| KB | 720 | NT | M | | |
| KB | 721 | NT | M | | |
| KB | 723 | NT | M | | |
| KB | 726 | NT | M | | |
| KB | 736 | 0.1 | M | | |
| KB | 745 | NT | M | | |
| KB | 746 | NT | M | | |
| KB | 769 | 2.0 | M | | |
| KB | 772 | 0.1 | M | | FHE Tolerance |
| KB | 779 | NT | M | | |
| KB | 781 | 0.05 | M | | |
| KB | 786 | NT | M | | |
| KB | 791 | NT | M | | |
| KB | 808 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| KB | 848 | NT | M | | |
| KB | 900 | 2.0 | M | | |
| KB | 901 | 2.0 | M | | |
| KB | 902 | 2.0 | M | | |
| KB | 903 | 0.05 | M | AL | Action Level |
| KB | 906 | 0.2 | M | AL | Action Level |
| KB | 908 | 0.2 | M | AL | Action Level |
| KB | 910 | 0.2 | M | AL | Action Level |
| KB | 928 | 0.05 | M | | |
| KB | 930 | 0.05 | M | | |
| KB | 943 | NT | M | | |
| KB | 947 | NT | M | | |
| KB | 954 | NT | M | | |
| KB | 963 | NT | M | | |
| KB | 967 | 4.0 | M | | |
| KB | A05 | 0.01 | M | | |
| KB | A15 | NT | M | | |
| KB | A30 | NT | M | | |
| KB | A46 | NT | M | | |
| KB | A47 | NT | M | | |
| KB | A58 | 0.1 | M | | |
| KB | A61 | NT | M | | |
| KB | AAK | NT | M | | |
| KB | AAX | NT | M | | |
| KB | AAY | 0.1 | M | | |
| KB | ABC | 0.02 | M | | |
| KB | ABD | 0.02 | M | | |
| KB | ABG | NT | M | | |
| KB | ABH | NT | M | | |
| KB | ABI | NT | M | | |
| KB | ACE | NT | M | | |
| KB | ADC | 1.0 | M | | |
| KB | ADD | NT | M | | |
| KB | ADE | 2.0 | M | | |
| KB | ADG | NT | M | | |
| KB | ADH | NT | M | | |
| KB | ADK | NT | M | | |
| KB | AEJ | 3.0 | M | | |
| KB | AEK | 3.0 | M | | |
| KB | AEL | 0.01 | M | | |
| KB | AEM | 0.01 | M | | |
| KB | AEN | 0.01 | M | | |
| KB | AEP | 0.02 | M | | |
| KB | AES | 0.2 | M | | |
| KB | AEW | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| KB | AFO | NT | M | | |
| KB | AGG | NT | M | | |
| KB | AGT | 0.10 | M | | |
| KB | AGZ | NT | M | | |
| KB | B10 | NT | M | | |
| KB | B13 | 0.01 | M | | |
| KB | B16 | NT | M | | |
| KB | B21 | 0.10 | M | | |
| KB | B22 | 0.6 | M | | |
| KB | B23 | 0.4 | M | | |
| KB | B24 | 0.20 | M | | |
| KB | B26 | NT | M | | |
| KB | B28 | NT | M | | |
| KB | B43 | 0.02 | M | | |
| KB | B48 | 0.5 | M | | |
| KB | B52 | 0.02 | M | | |
| KB | B56 | NT | M | | |
| KB | B57 | NT | M | | |
| KB | B58 | NT | M | | |
| KB | B61 | 0.5 | M | | |
| KB | B63 | NT | M | | |
| KB | B64 | NT | M | | |
| KB | B68 | NT | M | | |
| KB | B75 | 0.6 | M | | |
| KB | B77 | 0.60 | M | | Regional Tolerance |
| KB | B79 | NT | M | | |
| KB | B80 | 0.40 | M | | |
| KB | B82 | 0.70 | M | | |
| LT | 001 | 0.03 | M | AL | Action Level |
| LT | 002 | NT | M | | |
| LT | 006 | 0.05 | M | AL | Action Level |
| LT | 020 | NT | M | | |
| LT | 028 | 0.03 | M | AL | Action Level |
| LT | 034 | 0.05 | M | AL | Action Level |
| LT | 042 | NT | M | | |
| LT | 044 | 0.01 | M | AL | Action Level |
| LT | 052 | 8 | M | | |
| LT | 102 | 10 | M | | |
| LT | 143 | 0.01 | M | AL | Action Level |
| LT | 159 | 5 | M | | |
| LT | 160 | 1.0 | M | | |
| LT | 165 | NT | M | | |
| LT | 172 | 0.1 | M | AL | Action Level |
| LT | 173 | 0.1 | M | AL | Action Level |
| LT | 180 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------------------|
| LT | 208 | 8 | M | | |
| LT | 222 | 20 | M | | Head LT Tolerance |
| LT | 223 | 20 | M | | Head LT Tolerance |
| LT | 237 | NT | M | | |
| LT | 297 | NT | M | | |
| LT | 303 | 1 | M | | |
| LT | 321 | NT | M | | |
| LT | 338 | 0.5 | M | | S/convert to Naled |
| LT | 512 | NT | M | | |
| LT | 556 | 3.0 | M | | |
| LT | 597 | 10.00 | M | | |
| LT | 612 | 0.05 | M | | |
| LT | 769 | NT | M | | |
| LT | 772 | 1.0 | M | | |
| LT | 781 | 3.0 | M | | Head Tol, Leaf=3.0 |
| LT | 848 | NT | M | | |
| LT | 900 | 11.0 | M | | Head Tol, Leaf=6.0 |
| LT | 909 | 0.5 | M | AL | Action Level |
| LT | 910 | 0.5 | M | AL | Action Level |
| LT | 930 | 3.0 | M | | Head LT Tolerance |
| LT | 947 | NT | M | | |
| LT | 967 | 3.5 | M | | |
| LT | ABB | 8.0 | M | | |
| LT | ADC | 1.0 | M | | |
| LT | ADG | 14 | M | | |
| LT | ADH | NT | M | | |
| LT | AEL | 2.0 | M | | |
| LT | AEP | 4.0 | M | | |
| LT | AGG | 4.0 | M | | |
| LT | AHB | EX | M | | Exempt for organics |
| LT | AHC | EX | M | | Exempt for organics |
| LT | AHD | 1.0 | M | | |
| LT | AHE | NT | M | | |
| LT | B22 | 30 | M | | |
| LT | B23 | 30 | M | | |
| LT | B26 | NT | M | | |
| LT | B43 | 4.0 | M | | |
| LT | B68 | NT | M | | |
| LT | B77 | 10 | M | | |
| LT | B80 | 3.00 | M | | |
| NB | 001 | 0.05 | M | AL | Action Level |
| NB | 002 | NT | M | | |
| NB | 024 | 0.50 | M | | |
| NB | 028 | 0.05 | M | AL | Action Level |
| NB | 032 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| NB | 034 | 0.05 | M | AL | Action Level |
| NB | 035 | NT | M | | |
| NB | 042 | 2.0 | M | | |
| NB | 044 | 0.01 | M | AL | Action Level |
| NB | 050 | 0.5 | M | AL | Action Level |
| NB | 052 | 8 | M | | |
| NB | 057 | NT | M | | |
| NB | 058 | 10 | M | | |
| NB | 065 | NT | M | | |
| NB | 069 | NT | M | | |
| NB | 070 | 8 | M | | |
| NB | 102 | NT | M | | |
| NB | 105 | NT | M | | |
| NB | 107 | NT | M | | |
| NB | 108 | NT | M | | |
| NB | 114 | NT | M | | |
| NB | 117 | 0.75 | M | | |
| NB | 124 | NT | M | | |
| NB | 125 | NT | M | | |
| NB | 129 | NT | M | | |
| NB | 134 | 2.0 | M | | Indirect/Inadvertent |
| NB | 143 | 0.01 | M | AL | Action Level |
| NB | 144 | 20 | M | | |
| NB | 148 | 0.05 | M | | |
| NB | 149 | NT | M | | |
| NB | 151 | 0.05 | M | | |
| NB | 152 | NT | M | | |
| NB | 153 | NT | M | | |
| NB | 156 | NT | M | | |
| NB | 157 | NT | M | | |
| NB | 159 | 2 | M | | |
| NB | 160 | 0.1 | M | | FHE Tolerance |
| NB | 163 | NT | M | | |
| NB | 164 | 5 | M | | |
| NB | 165 | NT | M | | |
| NB | 166 | NT | M | | |
| NB | 167 | NT | M | | |
| NB | 168 | NT | M | | |
| NB | 169 | NT | M | | |
| NB | 170 | 3.0 | M | | |
| NB | 171 | 2.0 | M | | |
| NB | 172 | 0.1 | M | AL | Action Level |
| NB | 173 | 0.1 | M | AL | Action Level |
| NB | 175 | 0.02 | M | | |
| NB | 176 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| NB | 177 | NT | M | | |
| NB | 178 | 2.0 | M | | |
| NB | 180 | NT | M | | |
| NB | 181 | NT | M | | |
| NB | 189 | 0.05 | M | | |
| NB | 190 | 0.05 | M | | |
| NB | 195 | NT | M | | |
| NB | 197 | NT | M | | |
| NB | 200 | 0.1 | M | | |
| NB | 202 | NT | M | | |
| NB | 203 | NT | M | | |
| NB | 204 | 3.0 | M | | |
| NB | 205 | NT | M | | |
| NB | 208 | 8 | M | | |
| NB | 216 | 0.75 | M | | |
| NB | 217 | NT | M | | |
| NB | 222 | NT | M | | |
| NB | 223 | NT | M | | |
| NB | 230 | 0.10 | M | | |
| NB | 236 | NT | M | | |
| NB | 243 | NT | M | | |
| NB | 245 | NT | M | | |
| NB | 249 | NT | M | | |
| NB | 250 | NT | M | | |
| NB | 254 | 3.0 | M | | |
| NB | 258 | NT | M | | |
| NB | 264 | NT | M | | |
| NB | 267 | NT | M | | |
| NB | 271 | NT | M | | |
| NB | 275 | NT | M | | |
| NB | 283 | 0.30 | M | | |
| NB | 297 | NT | M | | |
| NB | 304 | 0.1 | M | | Interim Tolerance |
| NB | 310 | NT | M | | |
| NB | 321 | 0.1 | M | | Interim Tolerance |
| NB | 324 | NT | M | | |
| NB | 338 | 0.5 | M | | S/convert to Naled |
| NB | 343 | NT | M | | |
| NB | 351 | 0.1 | M | | Interim Tolerance |
| NB | 370 | NT | M | | |
| NB | 382 | NT | M | | |
| NB | 387 | 0.1 | M | | Interim Tolerance |
| NB | 388 | 0.1 | M | | Interim Tolerance |
| NB | 391 | NT | M | | |
| NB | 395 | 0.50 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| NB | 512 | NT | M | | |
| NB | 529 | 2.0 | M | | Interim Tolerance |
| NB | 537 | NT | M | | |
| NB | 540 | NT | M | | |
| NB | 546 | 2.0 | M | | |
| NB | 547 | NT | M | | |
| NB | 558 | NT | M | | |
| NB | 562 | NT | M | | |
| NB | 594 | NT | M | | |
| NB | 596 | NT | M | | |
| NB | 597 | 0.1 | M | | |
| NB | 604 | NT | M | | |
| NB | 607 | 0.2 | M | | |
| NB | 608 | NT | M | | |
| NB | 612 | 0.05 | M | | |
| NB | 623 | NT | M | | |
| NB | 624 | 0.05 | M | | |
| NB | 626 | 2.0 | M | | |
| NB | 636 | 0.1 | M | | |
| NB | 638 | NT | M | | |
| NB | 651 | NT | M | | |
| NB | 658 | NT | M | | |
| NB | 667 | NT | M | | |
| NB | 679 | 1.0 | M | | |
| NB | 699 | NT | M | | |
| NB | 706 | 0.75 | M | | |
| NB | 708 | NT | M | | |
| NB | 713 | NT | M | | |
| NB | 714 | 2.0 | M | | |
| NB | 719 | 0.05 | M | | |
| NB | 720 | NT | M | | |
| NB | 721 | NT | M | | |
| NB | 723 | NT | M | | |
| NB | 726 | NT | M | | |
| NB | 736 | 0.1 | M | | |
| NB | 745 | NT | M | | |
| NB | 746 | NT | M | | |
| NB | 769 | 2.0 | M | | |
| NB | 772 | 0.1 | M | | FHE Tolerance |
| NB | 779 | NT | M | | |
| NB | 781 | 0.05 | M | | |
| NB | 786 | NT | M | | |
| NB | 791 | NT | M | | |
| NB | 808 | NT | M | | |
| NB | 848 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| NB | 900 | 2.0 | M | | |
| NB | 901 | 2.0 | M | | |
| NB | 902 | 2.0 | M | | |
| NB | 903 | 0.05 | M | AL | Action Level |
| NB | 906 | 0.2 | M | AL | Action Level |
| NB | 908 | 0.2 | M | AL | Action Level |
| NB | 910 | 0.2 | M | AL | Action Level |
| NB | 928 | 0.05 | M | | |
| NB | 930 | 0.05 | M | | |
| NB | 943 | NT | M | | |
| NB | 947 | NT | M | | |
| NB | 954 | NT | M | | |
| NB | 963 | NT | M | | |
| NB | 967 | 4.0 | M | | |
| NB | A05 | 0.01 | M | | |
| NB | A15 | NT | M | | |
| NB | A30 | NT | M | | |
| NB | A46 | NT | M | | |
| NB | A47 | NT | M | | |
| NB | A58 | 0.1 | M | | |
| NB | A61 | NT | M | | |
| NB | AAK | NT | M | | |
| NB | AAX | NT | M | | |
| NB | AAY | 0.1 | M | | |
| NB | ABC | 0.02 | M | | |
| NB | ABD | 0.02 | M | | |
| NB | ABG | NT | M | | |
| NB | ABH | NT | M | | |
| NB | ABI | NT | M | | |
| NB | ACE | NT | M | | |
| NB | ADC | 1.0 | M | | |
| NB | ADD | NT | M | | |
| NB | ADE | 2.0 | M | | |
| NB | ADG | NT | M | | |
| NB | ADH | NT | M | | |
| NB | ADK | NT | M | | |
| NB | AEJ | 3.0 | M | | |
| NB | AEK | 3.0 | M | | |
| NB | AEL | 0.01 | M | | |
| NB | AEM | 0.01 | M | | |
| NB | AEN | 0.01 | M | | |
| NB | AEP | 0.02 | M | | |
| NB | AES | 0.2 | M | | |
| NB | AEW | NT | M | | |
| NB | AFO | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| NB | AGG | NT | M | | |
| NB | AGT | 0.10 | M | | |
| NB | AGZ | NT | M | | |
| NB | AHN | 0.75 | M | | |
| NB | B10 | NT | M | | |
| NB | B13 | 0.01 | M | | |
| NB | B16 | NT | M | | |
| NB | B21 | 0.10 | M | | |
| NB | B22 | 0.6 | M | | |
| NB | B23 | 0.4 | M | | |
| NB | B24 | 0.20 | M | | |
| NB | B26 | NT | M | | |
| NB | B28 | NT | M | | |
| NB | B43 | 0.02 | M | | |
| NB | B48 | 0.5 | M | | |
| NB | B52 | 0.02 | M | | |
| NB | B56 | NT | M | | |
| NB | B57 | NT | M | | |
| NB | B58 | NT | M | | |
| NB | B61 | 0.5 | M | | |
| NB | B63 | NT | M | | |
| NB | B64 | NT | M | | |
| NB | B68 | NT | M | | |
| NB | B75 | 0.6 | M | | |
| NB | B77 | 0.60 | M | | Regional Tolerance |
| NB | B79 | NT | M | | |
| NB | B80 | 0.40 | M | | |
| NB | B82 | 0.70 | M | | |
| OG | 001 | 0.02 | M | AL | Action Level |
| OG | 002 | NT | M | | |
| OG | 024 | NT | M | | |
| OG | 028 | 0.02 | M | AL | Action Level |
| OG | 032 | 0.05 | M | | |
| OG | 034 | NT | M | | |
| OG | 035 | NT | M | | |
| OG | 042 | 2.0 | M | | |
| OG | 044 | 0.01 | M | AL | Action Level |
| OG | 050 | 0.5 | M | AL | Action Level |
| OG | 052 | 8 | M | | |
| OG | 057 | NT | M | | |
| OG | 058 | 10 | M | | |
| OG | 065 | NT | M | | |
| OG | 069 | NT | M | | |
| OG | 070 | 8 | M | | |
| OG | 083 | 10 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| OG | 102 | 10 | M | | |
| OG | 105 | NT | M | | |
| OG | 107 | 5.0 | M | | Interim Tolerance |
| OG | 108 | NT | M | | |
| OG | 114 | NT | M | | |
| OG | 117 | NT | M | | |
| OG | 124 | NT | M | | |
| OG | 125 | NT | M | | |
| OG | 129 | NT | M | | |
| OG | 134 | NT | M | | |
| OG | 143 | 0.01 | M | AL | Action Level |
| OG | 144 | NT | M | | |
| OG | 148 | NT | M | | |
| OG | 149 | 0.25 | M | | |
| OG | 151 | 0.05 | M | | |
| OG | 152 | NT | M | | |
| OG | 153 | 0.1 | M | | |
| OG | 156 | NT | M | | |
| OG | 157 | 10.0 | M | | |
| OG | 159 | 2 | M | | |
| OG | 160 | 1.0 | M | | |
| OG | 163 | NT | M | | |
| OG | 164 | NT | M | | |
| OG | 165 | 5 | M | | |
| OG | 166 | NT | M | | |
| OG | 167 | 0.3 | M | | |
| OG | 168 | 0.3 | M | | |
| OG | 169 | 0.3 | M | | |
| OG | 170 | 0.02 | M | | |
| OG | 171 | 2.0 | M | | |
| OG | 172 | 0.1 | M | AL | Action Level |
| OG | 173 | 0.1 | M | AL | Action Level |
| OG | 175 | NT | M | | |
| OG | 176 | NT | M | | |
| OG | 177 | NT | M | | |
| OG | 178 | 2.0 | M | | |
| OG | 180 | NT | M | | |
| OG | 181 | NT | M | | |
| OG | 189 | NT | M | | |
| OG | 190 | NT | M | | |
| OG | 195 | NT | M | | |
| OG | 197 | 4.0 | M | | |
| OG | 201 | NT | M | | |
| OG | 202 | NT | M | | |
| OG | 203 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| OG | 204 | 0.02 | M | | |
| OG | 205 | NT | M | | |
| OG | 208 | 8 | M | | |
| OG | 216 | NT | M | | |
| OG | 217 | NT | M | | |
| OG | 219 | 1.0 | M | | |
| OG | 222 | NT | M | | |
| OG | 223 | NT | M | | |
| OG | 224 | NT | M | | |
| OG | 230 | 0.1 | M | | |
| OG | 236 | 0.50 | M | | Import Tolerance |
| OG | 243 | NT | M | | |
| OG | 245 | 1.0 | M | | |
| OG | 249 | NT | M | | |
| OG | 250 | NT | M | | |
| OG | 254 | 6.0 | M | | |
| OG | 258 | NT | M | | |
| OG | 264 | NT | M | | |
| OG | 267 | NT | M | | |
| OG | 271 | NT | M | | |
| OG | 275 | NT | M | | |
| OG | 283 | NT | M | | |
| OG | 297 | NT | M | | |
| OG | 304 | NT | M | | |
| OG | 310 | NT | M | | |
| OG | 321 | NT | M | | |
| OG | 324 | NT | M | | |
| OG | 330 | NT | M | | |
| OG | 338 | 0.5 | M | | S/convert to Naled |
| OG | 343 | NT | M | | |
| OG | 351 | NT | M | | |
| OG | 370 | NT | M | | |
| OG | 387 | NT | M | | |
| OG | 388 | NT | M | | |
| OG | 391 | NT | M | | |
| OG | 395 | NT | M | | |
| OG | 512 | NT | M | | |
| OG | 529 | NT | M | | |
| OG | 537 | 3 | M | | |
| OG | 539 | NT | M | | |
| OG | 540 | NT | M | | |
| OG | 546 | 0.05 | M | | |
| OG | 547 | NT | M | | |
| OG | 556 | 3.0 | M | | |
| OG | 558 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| OG | 562 | NT | M | | |
| OG | 580 | NT | M | | |
| OG | 594 | 0.1 | M | | Interim Tolerance |
| OG | 596 | 0.2 | M | | |
| OG | 597 | 0.35 | M | | |
| OG | 604 | 10.0 | M | | |
| OG | 607 | 1.0 | M | | |
| OG | 608 | NT | M | | |
| OG | 612 | 0.05 | M | | |
| OG | 621 | NT | M | | |
| OG | 623 | 10.0 | M | | |
| OG | 624 | NT | M | | |
| OG | 626 | NT | M | | |
| OG | 636 | 0.1 | M | | |
| OG | 638 | NT | M | | |
| OG | 651 | 0.5 | M | | |
| OG | 658 | NT | M | | |
| OG | 666 | 10.0 | M | | Interim Tolerance |
| OG | 667 | NT | M | | |
| OG | 679 | NT | M | | |
| OG | 699 | NT | M | | |
| OG | 708 | NT | M | | |
| OG | 713 | NT | M | | |
| OG | 714 | 0.05 | M | | |
| OG | 719 | NT | M | | |
| OG | 720 | 0.2 | M | | |
| OG | 721 | NT | M | | |
| OG | 723 | 1.5 | M | | |
| OG | 726 | NT | M | | |
| OG | 736 | 0.1 | M | | |
| OG | 737 | 0.05 | M | | |
| OG | 745 | 0.50 | M | | Import Tolerance |
| OG | 746 | 0.50 | M | | Import Tolerance |
| OG | 769 | 2.0 | M | | |
| OG | 772 | 1.0 | M | | |
| OG | 779 | NT | M | | |
| OG | 781 | 0.2 | M | | |
| OG | 786 | NT | M | | |
| OG | 791 | NT | M | | |
| OG | 808 | 2.0 | M | | |
| OG | 848 | NT | M | | |
| OG | 850 | NT | M | | |
| OG | 858 | NT | M | | |
| OG | 900 | NT | M | | |
| OG | 901 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| OG | 902 | NT | M | | |
| OG | 903 | 0.05 | M | AL | Action Level |
| OG | 904 | 0.05 | M | AL | Action Level |
| OG | 906 | 0.1 | M | AL | Action Level |
| OG | 908 | 0.1 | M | AL | Action Level |
| OG | 910 | 0.1 | M | AL | Action Level |
| OG | 928 | NT | M | | |
| OG | 930 | 0.05 | M | | |
| OG | 943 | NT | M | | |
| OG | 947 | NT | M | | |
| OG | 954 | NT | M | | |
| OG | 963 | NT | M | | |
| OG | 967 | 0.7 | M | | |
| OG | A05 | NT | M | | |
| OG | A15 | NT | M | | |
| OG | A30 | 1.0 | M | | |
| OG | A46 | NT | M | | |
| OG | A47 | 3 | M | | |
| OG | A58 | NT | M | | |
| OG | A61 | NT | M | | |
| OG | AAK | NT | M | | |
| OG | AAX | 5.0 | M | | Interim Tolerance |
| OG | AAY | NT | M | | |
| OG | ABC | 0.3 | M | | |
| OG | ABD | 0.3 | M | | |
| OG | ABG | 0.80 | M | | |
| OG | ABH | NT | M | | |
| OG | ABI | NT | M | | |
| OG | ACE | 4.0 | M | | |
| OG | ADC | 1.0 | M | | |
| OG | ADE | 0.05 | M | | |
| OG | ADG | NT | M | | |
| OG | ADH | NT | M | | |
| OG | ADK | NT | M | | |
| OG | ADR | NT | M | | |
| OG | AEH | NT | M | | |
| OG | AEK | 3.0 | M | | |
| OG | AEL | 0.01 | M | | |
| OG | AEM | 0.01 | M | | |
| OG | AEN | 0.01 | M | | |
| OG | AEP | 0.40 | M | | |
| OG | AES | NT | M | | |
| OG | AEW | NT | M | | |
| OG | AFO | NT | M | | |
| OG | AFS | 0.60 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| OG | AFU | NT | M | | |
| OG | AFX | NT | M | | |
| OG | AGG | NT | M | | |
| OG | AGJ | NT | M | | |
| OG | AGT | NT | M | | |
| OG | AGZ | NT | M | | |
| OG | B10 | 0.35 | M | | Regional Tolerance |
| OG | B16 | 10 | M | | |
| OG | B21 | 0.10 | M | | |
| OG | B22 | NT | M | | |
| OG | B23 | 10 | M | | |
| OG | B24 | 0.3 | M | | |
| OG | B26 | NT | M | | |
| OG | B28 | 10.0 | M | | |
| OG | B43 | 0.40 | M | | |
| OG | B48 | 10.0 | M | | |
| OG | B52 | 2.5 | M | | |
| OG | B56 | 0.5 | M | | |
| OG | B57 | NT | M | | |
| OG | B58 | NT | M | | |
| OG | B61 | 2.0 | M | | |
| OG | B64 | NT | M | | |
| OG | B68 | NT | M | | |
| OG | B75 | NT | M | | |
| OG | B77 | NT | M | | |
| OG | B79 | 0.6 | M | | |
| OG | B80 | 0.50 | M | | |
| OG | B82 | NT | M | | |
| OG | B85 | 0.50 | M | | |
| PE | 001 | 0.03 | M | AL | Action Level |
| PE | 002 | NT | M | | |
| PE | 011 | 25.0 | M | | |
| PE | 024 | 0.50 | M | | |
| PE | 028 | 0.03 | M | AL | Action Level |
| PE | 034 | NT | M | | |
| PE | 042 | 1.5 | M | | |
| PE | 044 | 0.01 | M | AL | Action Level |
| PE | 052 | 8 | M | | |
| PE | 070 | 8 | M | | |
| PE | 083 | 25.0 | M | | |
| PE | 102 | 12 | M | | |
| PE | 125 | 5.0 | M | | |
| PE | 149 | 0.25 | M | | |
| PE | 159 | 4 | M | | Regional Tolerance |
| PE | 160 | 0.1 | M | | FHE Tolerance |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| PE | 165 | 10 | M | | |
| PE | 166 | 10.0 | M | | |
| PE | 171 | 2.0 | M | | |
| PE | 172 | 0.1 | M | AL | Action Level |
| PE | 173 | 0.1 | M | AL | Action Level |
| PE | 178 | 2.0 | M | | |
| PE | 180 | NT | M | | |
| PE | 197 | 0.05 | M | | |
| PE | 204 | 0.02 | M | | |
| PE | 208 | 8 | M | | |
| PE | 222 | 0.05 | M | | |
| PE | 223 | 0.05 | M | | |
| PE | 230 | 0.10 | M | | |
| PE | 233 | 3.0 | M | | |
| PE | 254 | 10.0 | M | | |
| PE | 271 | 0.1 | M | | |
| PE | 303 | 0.5 | M | | |
| PE | 324 | 0.5 | M | | |
| PE | 338 | 0.5 | M | | S/convert to Naled |
| PE | 395 | 0.50 | M | | |
| PE | 512 | NT | M | | |
| PE | 537 | 2.0 | M | | |
| PE | 540 | 0.1 | M | | |
| PE | 594 | 0.1 | M | | Interim Tolerance |
| PE | 596 | 0.1 | M | | |
| PE | 597 | 2 | M | | |
| PE | 608 | 1.0 | M | | Interim Tolerance |
| PE | 611 | 3.0 | M | | |
| PE | 612 | 0.2 | M | | |
| PE | 626 | NT | M | | |
| PE | 636 | 0.1 | M | | |
| PE | 699 | 0.5 | M | | |
| PE | 713 | 0.05 | M | | |
| PE | 720 | 0.1 | M | | |
| PE | 723 | 0.50 | M | | |
| PE | 755 | 0.02 | M | | |
| PE | 769 | 1.5 | M | | |
| PE | 772 | 0.1 | M | | FHE Tolerance |
| PE | 781 | 0.5 | M | | |
| PE | 808 | 5.0 | M | | |
| PE | 900 | 2.0 | M | | |
| PE | 901 | 2.0 | M | | |
| PE | 902 | 2.0 | M | | |
| PE | 903 | 0.05 | M | AL | Action Level |
| PE | 904 | 0.05 | M | AL | Action Level |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| PE | 906 | 0.1 | M | AL | Action Level |
| PE | 908 | 0.1 | M | AL | Action Level |
| PE | 910 | 0.1 | M | AL | Action Level |
| PE | 930 | 0.5 | M | | |
| PE | 947 | NT | M | | |
| PE | 967 | 0.6 | M | | |
| PE | A61 | 0.5 | M | | |
| PE | ABB | 0.20 | M | | |
| PE | ABG | 1.5 | M | | |
| PE | ADC | 1.0 | M | | |
| PE | ADE | 2.0 | M | | |
| PE | ADG | 0.20 | M | | |
| PE | ADH | NT | M | | |
| PE | AEM | 0.30 | M | | |
| PE | AEN | 0.30 | M | | |
| PE | AEP | 1.0 | M | | |
| PE | AES | 1.5 | M | | |
| PE | AFC | 0.01 | M | AL | Action Level |
| PE | AFD | 0.01 | M | AL | Action Level |
| PE | AFF | 0.02 | M | | |
| PE | AFS | 0.40 | M | | |
| PE | AGG | 0.20 | M | | |
| PE | AGY | 0.20 | M | | |
| PE | AHM | 0.70 | M | | |
| PE | B10 | 0.25 | M | | |
| PE | B13 | 0.01 | M | | |
| PE | B16 | 14 | M | | |
| PE | B21 | 0.10 | M | | |
| PE | B22 | 0.1 | M | | |
| PE | B23 | 5.0 | M | | |
| PE | B24 | 0.2 | M | | |
| PE | B32 | 0.01 | M | | Interim Tolerance |
| PE | B41 | 10 | M | | |
| PE | B42 | 0.5 | M | | |
| PE | B43 | 0.2 | M | | |
| PE | B52 | 4.0 | M | | |
| PE | B56 | 0.75 | M | | |
| PE | B61 | 1.5 | M | | |
| PE | B68 | 0.30 | M | | |
| PE | B73 | 0.2 | M | | Import Tolerance |
| PE | B75 | 3.0 | M | | |
| PE | B79 | 0.5 | M | | |
| PE | B80 | 1.0 | M | | |
| PE | B85 | 0.80 | M | | |
| PO | 001 | 0.1 | M | AL | Action Level |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| PO | 002 | NT | M | | |
| PO | 024 | 0.10 | M | | Regional Tolerance |
| PO | 028 | 0.1 | M | AL | Action Level |
| PO | 032 | NT | M | | |
| PO | 034 | 0.05 | M | AL | Action Level |
| PO | 035 | NT | M | | |
| PO | 042 | 0.2 | M | | |
| PO | 044 | 0.01 | M | AL | Action Level |
| PO | 050 | 0.5 | M | AL | Action Level |
| PO | 052 | 8 | M | | |
| PO | 057 | 0.1 | M | | |
| PO | 058 | 10 | M | | |
| PO | 065 | NT | M | | |
| PO | 069 | NT | M | | |
| PO | 070 | 0.25 | M | | |
| PO | 102 | 2.0 | M | | |
| PO | 105 | NT | M | | |
| PO | 107 | NT | M | | |
| PO | 108 | NT | M | | |
| PO | 114 | 30 | M | | |
| PO | 117 | 0.75 | M | | |
| PO | 124 | NT | M | | |
| PO | 125 | NT | M | | |
| PO | 129 | 0.2 | M | | Regional Tolerance |
| PO | 134 | 2.0 | M | | Indirect/Inadvertent |
| PO | 143 | 0.01 | M | AL | Action Level |
| PO | 144 | 0.25 | M | | |
| PO | 148 | 0.2 | M | | |
| PO | 149 | NT | M | | |
| PO | 151 | 0.05 | M | | |
| PO | 152 | NT | M | | |
| PO | 153 | NT | M | | |
| PO | 156 | NT | M | | |
| PO | 157 | 10.0 | M | | |
| PO | 159 | 0.2 | M | | |
| PO | 160 | 0.1 | M | | FHE Tolerance |
| PO | 163 | NT | M | | |
| PO | 164 | 0.1 | M | | |
| PO | 165 | 0.1 | M | | |
| PO | 166 | NT | M | | |
| PO | 167 | 1 | M | | |
| PO | 168 | 1 | M | | |
| PO | 169 | 1 | M | | |
| PO | 170 | 0.1 | M | | |
| PO | 171 | 0.2 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| PO | 172 | 0.1 | M | AL | Action Level |
| PO | 173 | 0.1 | M | AL | Action Level |
| PO | 175 | 0.02 | M | | |
| PO | 176 | NT | M | | |
| PO | 177 | NT | M | | |
| PO | 178 | 0.2 | M | | |
| PO | 180 | 1 | M | | For carbamate part |
| PO | 181 | 0.6 | M | | |
| PO | 189 | 0.2 | M | | |
| PO | 190 | 0.2 | M | | |
| PO | 195 | NT | M | | |
| PO | 197 | NT | M | | |
| PO | 200 | 0.1 | M | | |
| PO | 202 | NT | M | | |
| PO | 203 | NT | M | | |
| PO | 204 | 0.02 | M | | |
| PO | 205 | NT | M | | |
| PO | 208 | 8 | M | | |
| PO | 210 | NT | M | | |
| PO | 216 | 0.75 | M | | |
| PO | 217 | NT | M | | |
| PO | 222 | 0.05 | M | | |
| PO | 223 | 0.05 | M | | |
| PO | 230 | 0.1 | M | | |
| PO | 236 | NT | M | | |
| PO | 243 | NT | M | | |
| PO | 245 | NT | M | | |
| PO | 249 | NT | M | | |
| PO | 250 | NT | M | | |
| PO | 254 | NT | M | | |
| PO | 258 | NT | M | | |
| PO | 264 | NT | M | | |
| PO | 267 | NT | M | | |
| PO | 271 | NT | M | | |
| PO | 275 | NT | M | | |
| PO | 283 | 0.20 | M | | |
| PO | 297 | NT | M | | |
| PO | 304 | 0.1 | M | | Interim Tolerance |
| PO | 310 | NT | M | | |
| PO | 321 | 0.1 | M | | Interim Tolerance |
| PO | 338 | 0.5 | M | | S/convert to Naled |
| PO | 343 | NT | M | | |
| PO | 351 | 0.1 | M | | Interim Tolerance |
| PO | 370 | NT | M | | |
| PO | 382 | 2.0 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| PO | 387 | 0.1 | M | | Interim Tolerance |
| PO | 388 | 0.1 | M | | Interim Tolerance |
| PO | 391 | NT | M | | |
| PO | 395 | 0.10 | M | | Regional Tolerance |
| PO | 512 | 1 | M | | For carbamate part |
| PO | 529 | NT | M | | |
| PO | 537 | 0.1 | M | | |
| PO | 540 | NT | M | | |
| PO | 546 | 0.02 | M | | |
| PO | 547 | NT | M | | |
| PO | 558 | NT | M | | |
| PO | 562 | NT | M | | |
| PO | 594 | NT | M | | |
| PO | 596 | NT | M | | |
| PO | 597 | 0.1 | M | | |
| PO | 604 | NT | M | | |
| PO | 607 | 0.5 | M | | |
| PO | 608 | NT | M | | |
| PO | 612 | 0.04 | M | | |
| PO | 623 | 0.1 | M | | |
| PO | 624 | 0.05 | M | | |
| PO | 626 | 0.5 | M | | |
| PO | 636 | 0.1 | M | | |
| PO | 638 | NT | M | | |
| PO | 651 | NT | M | | |
| PO | 658 | NT | M | | |
| PO | 667 | NT | M | | |
| PO | 679 | 0.03 | M | | Indirect/Inadvertent |
| PO | 699 | NT | M | | |
| PO | 706 | 0.75 | M | | |
| PO | 708 | NT | M | | |
| PO | 713 | NT | M | | |
| PO | 714 | 0.02 | M | | |
| PO | 719 | NT | M | | |
| PO | 720 | NT | M | | |
| PO | 721 | 0.05 | M | | |
| PO | 723 | NT | M | | |
| PO | 726 | NT | M | | |
| PO | 736 | 0.1 | M | | |
| PO | 745 | NT | M | | |
| PO | 746 | NT | M | | |
| PO | 769 | 0.2 | M | | |
| PO | 772 | 0.1 | M | | FHE Tolerance |
| PO | 779 | 0.1 | M | | |
| PO | 781 | 0.05 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| PO | 786 | NT | M | | |
| PO | 791 | NT | M | | |
| PO | 808 | NT | M | | |
| PO | 848 | NT | M | | |
| PO | 900 | 0.2 | M | | |
| PO | 901 | 0.2 | M | | |
| PO | 902 | 0.2 | M | | |
| PO | 903 | 0.05 | M | AL | Action Level |
| PO | 906 | 1 | M | AL | Action Level |
| PO | 908 | 1 | M | AL | Action Level |
| PO | 910 | 1 | M | AL | Action Level |
| PO | 928 | 0.2 | M | | |
| PO | 930 | 0.05 | M | | |
| PO | 943 | NT | M | | |
| PO | 947 | NT | M | | |
| PO | 954 | NT | M | | |
| PO | 963 | NT | M | | |
| PO | 967 | 0.40 | M | | |
| PO | A05 | 0.01 | M | | |
| PO | A15 | NT | M | | |
| PO | A30 | NT | M | | |
| PO | A46 | NT | M | | |
| PO | A47 | 0.1 | M | | |
| PO | A58 | NT | M | | |
| PO | A61 | NT | M | | |
| PO | AAK | NT | M | | |
| PO | AAX | NT | M | | |
| PO | AAY | 0.15 | M | | |
| PO | ABC | 0.10 | M | | |
| PO | ABD | 0.10 | M | | |
| PO | ABG | NT | M | | |
| PO | ABH | NT | M | | |
| PO | ABI | NT | M | | |
| PO | ACE | NT | M | | |
| PO | ADC | 1.0 | M | | |
| PO | ADD | 0.01 | M | | |
| PO | ADE | 0.02 | M | | |
| PO | ADG | 0.01 | M | | |
| PO | ADH | NT | M | | |
| PO | ADK | NT | M | | |
| PO | AEJ | 3.0 | M | | |
| PO | AEK | 3.0 | M | | |
| PO | AEL | 0.02 | M | | |
| PO | AEM | 0.02 | M | | |
| PO | AEN | 0.02 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| PO | AEP | 0.05 | M | | |
| PO | AES | 0.10 | M | | Indirect/Inadvertent |
| PO | AEW | 0.02 | M | | |
| PO | AFO | 0.05 | M | | |
| PO | AGG | 0.20 | M | | |
| PO | AGT | 0.02 | M | | |
| PO | AGZ | NT | M | | |
| PO | AHN | 0.75 | M | | |
| PO | B10 | NT | M | | |
| PO | B13 | 0.01 | M | | |
| PO | B16 | 0.05 | M | | |
| PO | B21 | 0.10 | M | | |
| PO | B22 | NT | M | | |
| PO | B23 | 0.02 | M | | |
| PO | B24 | 0.15 | M | | |
| PO | B26 | NT | M | | |
| PO | B28 | 10.0 | M | | |
| PO | B43 | 0.25 | M | | |
| PO | B48 | 0.03 | M | | |
| PO | B52 | NT | M | | |
| PO | B56 | NT | M | | |
| PO | B57 | NT | M | | |
| PO | B58 | 0.01 | M | | |
| PO | B61 | 0.04 | M | | |
| PO | B63 | 0.20 | M | | |
| PO | B64 | 0.02 | M | | |
| PO | B68 | NT | M | | |
| PO | B75 | 0.05 | M | | |
| PO | B77 | 0.05 | M | | |
| PO | B79 | 0.04 | M | | |
| PO | B80 | 0.01 | M | | |
| PO | B82 | 0.05 | M | | Regional Tolerance |
| RI | 001 | 0.02 | M | AL | Action Level |
| RI | 002 | NT | M | | |
| RI | 028 | 0.02 | M | AL | Action Level |
| RI | 042 | NT | M | | |
| RI | 044 | 0.01 | M | AL | Action Level |
| RI | 050 | 0.1 | M | AL | Action Level |
| RI | 052 | 8 | M | | |
| RI | 057 | 1.0 | M | | |
| RI | 058 | 10 | M | | |
| RI | 070 | 20 | M | | |
| RI | 102 | 15 | M | | |
| RI | 143 | 0.01 | M | AL | Action Level |
| RI | 151 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| RI | 159 | NT | M | | |
| RI | 160 | 0.1 | M | | FHE Tolerance |
| RI | 170 | 0.02 | M | | |
| RI | 180 | 0.2 | M | | For carbamate part |
| RI | 200 | 0.1 | M | | |
| RI | 208 | 8 | M | | |
| RI | 210 | 0.2 | M | | |
| RI | 230 | 0.1 | M | | |
| RI | 235 | 6.0 | M | | |
| RI | 264 | 7.0 | M | | |
| RI | 283 | 0.10 | M | | Indirect/Inadvertent |
| RI | 297 | NT | M | | |
| RI | 341 | 10 | M | | |
| RI | 512 | 0.2 | M | | For carbamate part |
| RI | 539 | NT | M | | |
| RI | 556 | 3.0 | M | | |
| RI | 597 | 1.50 | M | | |
| RI | 607 | 0.1 | M | | |
| RI | 612 | 1.0 | M | | |
| RI | 624 | 0.05 | M | | |
| RI | 626 | 10.0 | M | | |
| RI | 636 | 0.1 | M | | |
| RI | 651 | 0.02 | M | | |
| RI | 666 | 5.0 | M | | Interim Tolerance |
| RI | 679 | 0.03 | M | | Indirect/Inadvertent |
| RI | 714 | 0.05 | M | | |
| RI | 719 | 0.02 | M | | |
| RI | 726 | 0.2 | M | | |
| RI | 736 | 0.1 | M | | |
| RI | 769 | NT | M | | |
| RI | 772 | 0.1 | M | | FHE Tolerance |
| RI | 777 | 0.05 | M | | |
| RI | 779 | 1.0 | M | | |
| RI | 781 | 0.05 | M | | |
| RI | 793 | 0.1 | M | | |
| RI | 807 | NT | M | | |
| RI | 808 | NT | M | | |
| RI | 848 | NT | M | | |
| RI | 900 | NT | M | | |
| RI | 901 | NT | M | | |
| RI | 902 | NT | M | | |
| RI | 903 | 0.05 | M | AL | Action Level |
| RI | 906 | 0.5 | M | AL | Action Level |
| RI | 908 | 0.5 | M | AL | Action Level |
| RI | 930 | 0.05 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| RI | 947 | NT | M | | |
| RI | 967 | 0.05 | M | | Indirect/Inadvertent |
| RI | A05 | 0.01 | M | | |
| RI | A30 | NT | M | | |
| RI | A82 | 0.04 | M | | |
| RI | AAZ | 6.0 | M | | |
| RI | ABC | 1.5 | M | | |
| RI | ABD | 1.5 | M | | |
| RI | ADH | NT | M | | |
| RI | ADK | NT | M | | |
| RI | AEC | 0.2 | M | | |
| RI | AEL | 1.0 | M | | |
| RI | AGL | 0.10 | M | | |
| RI | B21 | 1.3 | M | | |
| RI | B23 | 0.02 | M | | |
| RI | B24 | 1.1 | M | | |
| RI | B26 | NT | M | | |
| RI | B48 | 5.0 | M | | |
| RI | B59 | 0.03 | M | | |
| RI | B63 | 7.0 | M | | |
| RI | B75 | 0.20 | M | | Indirect/Inadvertent |
| RI | B77 | 0.05 | M | | Indirect/Inadvertent |
| RI | B79 | 3.5 | M | | |
| SP | 001 | 0.05 | M | AL | Action Level |
| SP | 002 | NT | M | | |
| SP | 024 | 0.70 | M | | |
| SP | 028 | 0.05 | M | AL | Action Level |
| SP | 032 | NT | M | | |
| SP | 034 | 0.05 | M | AL | Action Level |
| SP | 035 | NT | M | | |
| SP | 042 | 2.0 | M | | |
| SP | 044 | 0.01 | M | AL | Action Level |
| SP | 050 | NT | M | | |
| SP | 052 | 8 | M | | |
| SP | 057 | NT | M | | |
| SP | 058 | 10 | M | | |
| SP | 065 | NT | M | | |
| SP | 069 | 1.0 | M | | |
| SP | 070 | 10 | M | | |
| SP | 083 | NT | M | | |
| SP | 102 | 22 | M | | |
| SP | 105 | NT | M | | |
| SP | 107 | NT | M | | |
| SP | 108 | NT | M | | |
| SP | 114 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------------|
| SP | 117 | 0.75 | M | | |
| SP | 124 | NT | M | | |
| SP | 125 | NT | M | | |
| SP | 129 | NT | M | | |
| SP | 134 | NT | M | | |
| SP | 143 | 0.01 | M | AL | Action Level |
| SP | 144 | NT | M | | |
| SP | 148 | NT | M | | |
| SP | 149 | NT | M | | |
| SP | 151 | NT | M | | |
| SP | 152 | NT | M | | |
| SP | 153 | NT | M | | |
| SP | 156 | NT | M | | |
| SP | 157 | NT | M | | |
| SP | 159 | 6 | M | | |
| SP | 160 | 0.1 | M | | FHE Tolerance |
| SP | 163 | NT | M | | |
| SP | 164 | NT | M | | |
| SP | 165 | NT | M | | |
| SP | 166 | NT | M | | |
| SP | 167 | NT | M | | |
| SP | 168 | NT | M | | |
| SP | 169 | NT | M | | |
| SP | 170 | 0.02 | M | | |
| SP | 171 | NT | M | | |
| SP | 172 | 0.1 | M | AL | Action Level |
| SP | 173 | 0.1 | M | AL | Action Level |
| SP | 175 | NT | M | | |
| SP | 176 | NT | M | | |
| SP | 177 | NT | M | | |
| SP | 178 | NT | M | | |
| SP | 180 | NT | M | | |
| SP | 181 | NT | M | | |
| SP | 189 | NT | M | | |
| SP | 190 | NT | M | | |
| SP | 195 | NT | M | | |
| SP | 197 | NT | M | | |
| SP | 202 | NT | M | | |
| SP | 203 | NT | M | | |
| SP | 204 | 0.02 | M | | |
| SP | 205 | NT | M | | |
| SP | 208 | 8 | M | | |
| SP | 210 | NT | M | | |
| SP | 216 | 0.75 | M | | |
| SP | 217 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| SP | 219 | NT | M | | |
| SP | 222 | 20 | M | | |
| SP | 223 | 20 | M | | |
| SP | 224 | NT | M | | |
| SP | 230 | NT | M | | |
| SP | 236 | NT | M | | |
| SP | 243 | NT | M | | |
| SP | 245 | NT | M | | |
| SP | 249 | NT | M | | |
| SP | 250 | NT | M | | |
| SP | 254 | NT | M | | |
| SP | 258 | NT | M | | |
| SP | 264 | NT | M | | |
| SP | 267 | NT | M | | |
| SP | 271 | NT | M | | |
| SP | 275 | NT | M | | |
| SP | 283 | 0.50 | M | | |
| SP | 297 | NT | M | | |
| SP | 304 | NT | M | | |
| SP | 310 | NT | M | | |
| SP | 321 | NT | M | | |
| SP | 324 | NT | M | | |
| SP | 338 | 0.5 | M | | S/convert to Naled |
| SP | 343 | NT | M | | |
| SP | 351 | NT | M | | |
| SP | 370 | NT | M | | |
| SP | 382 | 22 | M | | |
| SP | 387 | NT | M | | |
| SP | 388 | NT | M | | |
| SP | 391 | NT | M | | |
| SP | 395 | 0.70 | M | | |
| SP | 512 | NT | M | | |
| SP | 529 | NT | M | | |
| SP | 537 | NT | M | | |
| SP | 539 | 20 | M | | |
| SP | 540 | NT | M | | |
| SP | 546 | 0.05 | M | | |
| SP | 547 | NT | M | | |
| SP | 556 | 3.0 | M | | |
| SP | 558 | NT | M | | |
| SP | 562 | NT | M | | |
| SP | 580 | NT | M | | |
| SP | 594 | NT | M | | |
| SP | 596 | NT | M | | |
| SP | 597 | 10.00 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| SP | 604 | NT | M | | |
| SP | 607 | 10.0 | M | | |
| SP | 608 | NT | M | | |
| SP | 612 | 0.05 | M | | |
| SP | 623 | NT | M | | |
| SP | 624 | 0.05 | M | | |
| SP | 626 | NT | M | | |
| SP | 636 | 0.1 | M | | |
| SP | 638 | NT | M | | |
| SP | 651 | NT | M | | |
| SP | 658 | NT | M | | |
| SP | 666 | 0.2 | M | | Interim Tolerance |
| SP | 667 | NT | M | | |
| SP | 679 | 0.03 | M | | Indirect/Inadvertent |
| SP | 699 | NT | M | | |
| SP | 708 | NT | M | | |
| SP | 713 | NT | M | | |
| SP | 714 | 0.05 | M | | |
| SP | 719 | NT | M | | |
| SP | 720 | NT | M | | |
| SP | 721 | NT | M | | |
| SP | 723 | NT | M | | |
| SP | 726 | NT | M | | |
| SP | 736 | 0.1 | M | | |
| SP | 737 | NT | M | | |
| SP | 745 | NT | M | | |
| SP | 746 | NT | M | | |
| SP | 769 | 2.0 | M | | |
| SP | 772 | 0.1 | M | | FHE Tolerance |
| SP | 779 | NT | M | | |
| SP | 781 | 6.0 | M | | |
| SP | 786 | 6.0 | M | | |
| SP | 791 | 4.0 | M | | |
| SP | 808 | NT | M | | |
| SP | 848 | NT | M | | |
| SP | 850 | NT | M | | |
| SP | 858 | NT | M | | |
| SP | 900 | 2.0 | M | | |
| SP | 901 | 2.0 | M | | |
| SP | 902 | 2.0 | M | | |
| SP | 903 | 0.05 | M | AL | Action Level |
| SP | 904 | 0.05 | M | AL | Action Level |
| SP | 906 | 0.5 | M | AL | Action Level |
| SP | 908 | 0.5 | M | AL | Action Level |
| SP | 910 | 0.5 | M | AL | Action Level |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------|
| SP | 928 | NT | M | | |
| SP | 930 | 0.2 | M | | |
| SP | 947 | NT | M | | |
| SP | 954 | NT | M | | |
| SP | 963 | NT | M | | |
| SP | 967 | 3.5 | M | | |
| SP | A05 | 0.01 | M | | |
| SP | A15 | NT | M | | |
| SP | A30 | NT | M | | |
| SP | A46 | NT | M | | |
| SP | A47 | NT | M | | |
| SP | A58 | NT | M | | |
| SP | A61 | NT | M | | |
| SP | AAK | NT | M | | |
| SP | AAX | NT | M | | |
| SP | AAY | NT | M | | |
| SP | ABC | 8.0 | M | | |
| SP | ABD | 8.0 | M | | |
| SP | ABF | 0.6 | M | | |
| SP | ABG | 10.0 | M | | |
| SP | ABH | NT | M | | |
| SP | ABI | NT | M | | |
| SP | ACE | NT | M | | |
| SP | ADC | 1.0 | M | | |
| SP | ADE | 0.05 | M | | |
| SP | ADG | 14 | M | | |
| SP | ADH | NT | M | | |
| SP | ADK | NT | M | | |
| SP | ADR | NT | M | | |
| SP | AEH | NT | M | | |
| SP | AEL | 0.01 | M | | |
| SP | AEM | 0.01 | M | | |
| SP | AEN | 0.01 | M | | |
| SP | AEP | 4.0 | M | | |
| SP | AES | 30 | M | | |
| SP | AEW | 50 | M | | |
| SP | AFO | 5.0 | M | | |
| SP | AFS | NT | M | | |
| SP | AFU | NT | M | | |
| SP | AFX | NT | M | | |
| SP | AGG | 9.0 | M | | |
| SP | AGJ | NT | M | | |
| SP | AGT | 12 | M | | |
| SP | AGZ | NT | M | | |
| SP | B10 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| SP | B16 | NT | M | | |
| SP | B21 | 0.10 | M | | |
| SP | B22 | NT | M | | |
| SP | B23 | 0.01 | M | | |
| SP | B24 | 0.10 | M | | |
| SP | B26 | NT | M | | |
| SP | B28 | NT | M | | |
| SP | B43 | 4.0 | M | | |
| SP | B48 | 30.0 | M | | |
| SP | B52 | 35 | M | | |
| SP | B56 | NT | M | | |
| SP | B57 | NT | M | | |
| SP | B58 | NT | M | | |
| SP | B61 | 29.0 | M | | |
| SP | B64 | 60 | M | | |
| SP | B68 | NT | M | | |
| SP | B75 | 60 | M | | |
| SP | B77 | NT | M | | |
| SP | B79 | NT | M | | |
| SP | B80 | 3.00 | M | | |
| SP | B82 | NT | M | | |
| ST | 001 | 0.05 | M | AL | Action Level |
| ST | 002 | NT | M | | |
| ST | 011 | 20.0 | M | | |
| ST | 024 | 0.50 | M | | |
| ST | 026 | 0.05 | M | | |
| ST | 028 | 0.05 | M | AL | Action Level |
| ST | 032 | 0.1 | M | | |
| ST | 034 | NT | M | | |
| ST | 035 | NT | M | | |
| ST | 042 | 2.0 | M | | |
| ST | 044 | 0.01 | M | AL | Action Level |
| ST | 050 | 0.5 | M | AL | Action Level |
| ST | 052 | 8 | M | | |
| ST | 055 | NT | M | | |
| ST | 057 | NT | M | | |
| ST | 058 | 10 | M | | |
| ST | 065 | NT | M | | |
| ST | 069 | 1.0 | M | | |
| ST | 070 | 10 | M | | |
| ST | 075 | 1.0 | M | | |
| ST | 102 | 4.0 | M | | |
| ST | 105 | NT | M | | |
| ST | 107 | NT | M | | |
| ST | 108 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| ST | 114 | NT | M | | |
| ST | 117 | NT | M | | |
| ST | 124 | NT | M | | |
| ST | 125 | NT | M | | |
| ST | 126 | 5.0 | M | | Import Tolerance |
| ST | 129 | NT | M | | |
| ST | 134 | 2.0 | M | | |
| ST | 143 | 0.01 | M | AL | Action Level |
| ST | 144 | NT | M | | |
| ST | 148 | NT | M | | |
| ST | 149 | 0.25 | M | | |
| ST | 151 | NT | M | | |
| ST | 152 | 0.1 | M | | |
| ST | 153 | NT | M | | |
| ST | 155 | NT | M | | |
| ST | 156 | NT | M | | |
| ST | 157 | 5.0 | M | | Import Tolerance |
| ST | 159 | 2 | M | | |
| ST | 160 | 0.2 | M | | |
| ST | 163 | NT | M | | |
| ST | 164 | NT | M | | |
| ST | 165 | NT | M | | |
| ST | 166 | NT | M | | |
| ST | 167 | NT | M | | |
| ST | 168 | NT | M | | |
| ST | 169 | NT | M | | |
| ST | 170 | 0.02 | M | | |
| ST | 171 | NT | M | | |
| ST | 172 | 0.1 | M | AL | Action Level |
| ST | 173 | 0.1 | M | AL | Action Level |
| ST | 175 | NT | M | | |
| ST | 176 | NT | M | | |
| ST | 177 | NT | M | | |
| ST | 178 | NT | M | | |
| ST | 180 | 0.2 | M | | For carbamate part |
| ST | 181 | NT | M | | |
| ST | 189 | NT | M | | |
| ST | 190 | NT | M | | |
| ST | 195 | NT | M | | |
| ST | 197 | NT | M | | |
| ST | 200 | 0.1 | M | | |
| ST | 202 | NT | M | | |
| ST | 203 | NT | M | | |
| ST | 204 | 0.02 | M | | |
| ST | 205 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| ST | 208 | 8 | M | | |
| ST | 210 | NT | M | | |
| ST | 216 | NT | M | | |
| ST | 217 | NT | M | | |
| ST | 219 | 2.0 | M | | |
| ST | 222 | NT | M | | |
| ST | 223 | NT | M | | |
| ST | 230 | 0.10 | M | | |
| ST | 236 | 0.60 | M | | |
| ST | 243 | NT | M | | |
| ST | 245 | 2.0 | M | | |
| ST | 249 | NT | M | | |
| ST | 250 | NT | M | | |
| ST | 253 | 10.0 | M | | |
| ST | 254 | 10.0 | M | | |
| ST | 258 | NT | M | | |
| ST | 264 | 1.3 | M | | |
| ST | 267 | NT | M | | |
| ST | 271 | NT | M | | |
| ST | 275 | NT | M | | |
| ST | 283 | NT | M | | |
| ST | 297 | NT | M | | |
| ST | 304 | NT | M | | |
| ST | 310 | NT | M | | |
| ST | 318 | NT | M | | |
| ST | 321 | NT | M | | |
| ST | 324 | NT | M | | |
| ST | 338 | 0.5 | M | | S/convert to Naled |
| ST | 343 | NT | M | | |
| ST | 370 | NT | M | | |
| ST | 387 | NT | M | | |
| ST | 391 | NT | M | | |
| ST | 395 | 0.50 | M | | |
| ST | 512 | 0.2 | M | | For carbamate part |
| ST | 529 | NT | M | | |
| ST | 537 | NT | M | | |
| ST | 540 | NT | M | | |
| ST | 546 | 0.05 | M | | |
| ST | 547 | NT | M | | |
| ST | 556 | 3.0 | M | | |
| ST | 558 | NT | M | | |
| ST | 562 | NT | M | | |
| ST | 593 | NT | M | | |
| ST | 594 | 0.1 | M | | |
| ST | 596 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| ST | 597 | 0.8 | M | | |
| ST | 604 | NT | M | | |
| ST | 607 | 10.0 | M | | |
| ST | 608 | NT | M | | |
| ST | 612 | 0.05 | M | | |
| ST | 623 | NT | M | | |
| ST | 624 | 20.0 | M | | |
| ST | 626 | 15.0 | M | | |
| ST | 636 | 0.1 | M | | |
| ST | 638 | NT | M | | |
| ST | 649 | NT | M | | |
| ST | 651 | NT | M | | |
| ST | 658 | NT | M | | |
| ST | 666 | 5.0 | M | | Interim Tolerance |
| ST | 667 | NT | M | | |
| ST | 679 | 0.50 | M | | |
| ST | 699 | NT | M | | |
| ST | 708 | NT | M | | |
| ST | 713 | NT | M | | |
| ST | 714 | 0.05 | M | | |
| ST | 719 | NT | M | | |
| ST | 720 | NT | M | | |
| ST | 721 | NT | M | | |
| ST | 722 | NT | M | | |
| ST | 723 | NT | M | | |
| ST | 726 | NT | M | | |
| ST | 731 | NT | M | | |
| ST | 736 | 0.1 | M | | |
| ST | 745 | 0.60 | M | | |
| ST | 746 | 0.60 | M | | |
| ST | 769 | 2.0 | M | | |
| ST | 772 | 0.2 | M | | |
| ST | 779 | NT | M | | |
| ST | 781 | 0.05 | M | | |
| ST | 791 | NT | M | | |
| ST | 808 | 2.0 | M | | |
| ST | 848 | NT | M | | |
| ST | 900 | 2.0 | M | | |
| ST | 901 | 2.0 | M | | |
| ST | 902 | 2.0 | M | | |
| ST | 903 | 0.05 | M | AL | Action Level |
| ST | 906 | 0.1 | M | AL | Action Level |
| ST | 908 | 0.1 | M | AL | Action Level |
| ST | 910 | 0.1 | M | AL | Action Level |
| ST | 928 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| ST | 930 | 3.0 | M | | |
| ST | 943 | NT | M | | |
| ST | 947 | NT | M | | |
| ST | 954 | NT | M | | |
| ST | 963 | NT | M | | |
| ST | 967 | 0.50 | M | | |
| ST | A05 | NT | M | | |
| ST | A15 | NT | M | | |
| ST | A25 | NT | M | | |
| ST | A30 | NT | M | | |
| ST | A42 | NT | M | | |
| ST | A46 | NT | M | | |
| ST | A47 | NT | M | | |
| ST | A58 | NT | M | | |
| ST | A61 | 2.0 | M | | |
| ST | AAK | NT | M | | |
| ST | AAX | NT | M | | |
| ST | AAZ | 0.60 | M | | Regional Tolerance |
| ST | ABC | 1.0 | M | | |
| ST | ABD | 1.0 | M | | |
| ST | ABG | 3.0 | M | | |
| ST | ABH | 1.3 | M | | |
| ST | ABI | 1.3 | M | | |
| ST | ACE | NT | M | | |
| ST | ADC | 1.0 | M | | |
| ST | ADG | NT | M | | |
| ST | ADH | NT | M | | |
| ST | ADK | NT | M | | |
| ST | AEL | 0.01 | M | | |
| ST | AEM | 0.01 | M | | |
| ST | AEN | 0.01 | M | | |
| ST | AEP | 0.3 | M | | |
| ST | AES | 1.5 | M | | |
| ST | AEV | 10 | M | | |
| ST | AEW | NT | M | | |
| ST | AFO | NT | M | | |
| ST | AGA | NT | M | | |
| ST | AGE | NT | M | | |
| ST | AGG | NT | M | | |
| ST | AGH | NT | M | | |
| ST | AGP | NT | M | | |
| ST | AGT | 2.0 | M | | |
| ST | AGX | NT | M | | |
| ST | AGZ | NT | M | | |
| ST | AHF | 0.50 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| ST | B10 | 3.0 | M | | |
| ST | B16 | 3.0 | M | | |
| ST | B21 | 0.10 | M | | |
| ST | B22 | 5.0 | M | | |
| ST | B23 | 2.0 | M | | |
| ST | B24 | 0.30 | M | | |
| ST | B26 | NT | M | | |
| ST | B28 | 5.0 | M | | Import Tolerance |
| ST | B41 | 3.0 | M | | |
| ST | B42 | NT | M | | |
| ST | B43 | 0.3 | M | | |
| ST | B46 | 1.0 | M | | |
| ST | B48 | 10 | M | | |
| ST | B52 | 2.5 | M | | |
| ST | B56 | 2.5 | M | | |
| ST | B57 | 0.90 | M | | |
| ST | B58 | NT | M | | |
| ST | B61 | 1.2 | M | | |
| ST | B64 | 0.15 | M | | Indirect/Inadvertent |
| ST | B68 | NT | M | | |
| ST | B75 | 4.5 | M | | |
| ST | B77 | NT | M | | |
| ST | B79 | 1.1 | M | | |
| ST | B80 | 0.60 | M | | |
| ST | B82 | 1.5 | M | | |
| ST | B85 | NT | M | | |
| SW | 001 | 0.1 | M | AL | Action Level |
| SW | 002 | NT | M | | |
| SW | 024 | 0.10 | M | | Regional Tolerance |
| SW | 028 | 0.1 | M | AL | Action Level |
| SW | 032 | NT | M | | |
| SW | 034 | 0.05 | M | AL | Action Level |
| SW | 035 | NT | M | | |
| SW | 042 | NT | M | | |
| SW | 044 | 0.01 | M | AL | Action Level |
| SW | 050 | 0.5 | M | AL | Action Level |
| SW | 052 | 1 | M | | |
| SW | 057 | 0.1 | M | | |
| SW | 058 | 10 | M | | |
| SW | 065 | NT | M | | |
| SW | 069 | NT | M | | |
| SW | 070 | 0.25 | M | | |
| SW | 083 | 15 | M | | |
| SW | 102 | 0.2 | M | | |
| SW | 105 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| SW | 107 | NT | M | | |
| SW | 108 | NT | M | | |
| SW | 114 | NT | M | | |
| SW | 117 | NT | M | | |
| SW | 124 | NT | M | | |
| SW | 125 | NT | M | | |
| SW | 129 | NT | M | | |
| SW | 134 | 2.0 | M | | Indirect/Inadvertent |
| SW | 143 | 0.01 | M | AL | Action Level |
| SW | 144 | 10 | M | | |
| SW | 148 | NT | M | | |
| SW | 149 | NT | M | | |
| SW | 151 | 0.05 | M | | |
| SW | 152 | NT | M | | |
| SW | 153 | NT | M | | |
| SW | 156 | NT | M | | |
| SW | 157 | 0.05 | M | | |
| SW | 159 | 0.2 | M | | |
| SW | 160 | 0.1 | M | | FHE Tolerance |
| SW | 163 | NT | M | | |
| SW | 164 | NT | M | | |
| SW | 165 | 10 | M | | |
| SW | 166 | NT | M | | |
| SW | 167 | 0.1 | M | | |
| SW | 168 | 0.1 | M | | |
| SW | 169 | 0.1 | M | | |
| SW | 170 | 0.02 | M | | |
| SW | 171 | NT | M | | |
| SW | 172 | 0.1 | M | AL | Action Level |
| SW | 173 | 0.1 | M | AL | Action Level |
| SW | 175 | 0.02 | M | | |
| SW | 176 | NT | M | | |
| SW | 177 | NT | M | | |
| SW | 178 | NT | M | | |
| SW | 180 | NT | M | | |
| SW | 181 | NT | M | | |
| SW | 189 | NT | M | | |
| SW | 190 | NT | M | | |
| SW | 195 | NT | M | | |
| SW | 197 | NT | M | | |
| SW | 201 | NT | M | | |
| SW | 202 | NT | M | | |
| SW | 203 | NT | M | | |
| SW | 204 | 0.02 | M | | |
| SW | 205 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| SW | 208 | 1 | M | | |
| SW | 210 | NT | M | | |
| SW | 216 | NT | M | | |
| SW | 217 | NT | M | | |
| SW | 219 | NT | M | | |
| SW | 222 | NT | M | | |
| SW | 223 | NT | M | | |
| SW | 230 | NT | M | | |
| SW | 236 | NT | M | | |
| SW | 243 | NT | M | | |
| SW | 245 | NT | M | | |
| SW | 249 | NT | M | | |
| SW | 250 | NT | M | | |
| SW | 254 | NT | M | | |
| SW | 258 | NT | M | | |
| SW | 264 | NT | M | | |
| SW | 267 | NT | M | | |
| SW | 271 | NT | M | | |
| SW | 275 | NT | M | | |
| SW | 283 | 0.20 | M | | |
| SW | 292 | 0.5 | M | | |
| SW | 297 | NT | M | | |
| SW | 304 | NT | M | | |
| SW | 310 | NT | M | | |
| SW | 321 | NT | M | | |
| SW | 324 | NT | M | | |
| SW | 330 | NT | M | | |
| SW | 338 | 0.5 | M | | S/convert to Naled |
| SW | 343 | NT | M | | |
| SW | 351 | NT | M | | |
| SW | 370 | NT | M | | |
| SW | 382 | 0.2 | M | | |
| SW | 387 | NT | M | | |
| SW | 388 | NT | M | | |
| SW | 391 | NT | M | | |
| SW | 395 | 0.10 | M | | Regional Tolerance |
| SW | 512 | NT | M | | |
| SW | 529 | NT | M | | |
| SW | 537 | 0.1 | M | | |
| SW | 539 | NT | M | | |
| SW | 540 | NT | M | | |
| SW | 546 | 0.05 | M | | |
| SW | 547 | NT | M | | |
| SW | 556 | 3.0 | M | | |
| SW | 558 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| SW | 562 | NT | M | | |
| SW | 580 | NT | M | | |
| SW | 594 | 0.1 | M | | |
| SW | 596 | NT | M | | |
| SW | 597 | 0.1 | M | | |
| SW | 604 | NT | M | | |
| SW | 607 | 0.5 | M | | |
| SW | 608 | NT | M | | |
| SW | 612 | 0.04 | M | | |
| SW | 621 | NT | M | | |
| SW | 623 | NT | M | | |
| SW | 624 | 0.05 | M | | |
| SW | 626 | NT | M | | |
| SW | 636 | 0.1 | M | | |
| SW | 638 | NT | M | | |
| SW | 651 | NT | M | | |
| SW | 658 | NT | M | | |
| SW | 666 | 0.2 | M | | Interim Tolerance |
| SW | 667 | NT | M | | |
| SW | 679 | 0.03 | M | | Indirect/Inadvertent |
| SW | 699 | NT | M | | |
| SW | 708 | NT | M | | |
| SW | 713 | NT | M | | |
| SW | 714 | 0.05 | M | | |
| SW | 719 | 0.05 | M | | |
| SW | 720 | NT | M | | |
| SW | 721 | NT | M | | |
| SW | 723 | NT | M | | |
| SW | 726 | NT | M | | |
| SW | 736 | 0.1 | M | | |
| SW | 737 | NT | M | | |
| SW | 745 | NT | M | | |
| SW | 746 | NT | M | | |
| SW | 769 | NT | M | | |
| SW | 772 | 0.1 | M | | FHE Tolerance |
| SW | 779 | 0.1 | M | | |
| SW | 781 | 0.05 | M | | |
| SW | 791 | NT | M | | |
| SW | 808 | NT | M | | |
| SW | 848 | NT | M | | |
| SW | 850 | NT | M | | |
| SW | 858 | NT | M | | |
| SW | 900 | 0.15 | M | | |
| SW | 901 | 0.15 | M | | |
| SW | 902 | 0.15 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| SW | 903 | 0.05 | M | AL | Action Level |
| SW | 904 | 0.05 | M | AL | Action Level |
| SW | 906 | 1 | M | AL | Action Level |
| SW | 908 | 1 | M | AL | Action Level |
| SW | 910 | 1 | M | AL | Action Level |
| SW | 928 | NT | M | | |
| SW | 930 | 0.05 | M | | |
| SW | 943 | NT | M | | |
| SW | 947 | NT | M | | |
| SW | 954 | NT | M | | |
| SW | 963 | NT | M | | |
| SW | 967 | 0.40 | M | | |
| SW | A05 | 0.01 | M | | |
| SW | A15 | NT | M | | |
| SW | A30 | NT | M | | |
| SW | A46 | NT | M | | |
| SW | A47 | 0.1 | M | | |
| SW | A58 | NT | M | | |
| SW | A61 | NT | M | | |
| SW | AAK | NT | M | | |
| SW | AAX | NT | M | | |
| SW | AAY | NT | M | | |
| SW | ABC | 0.10 | M | | |
| SW | ABD | 0.10 | M | | |
| SW | ABF | 0.02 | M | | |
| SW | ABG | 0.25 | M | | Regional Tolerance |
| SW | ABH | NT | M | | |
| SW | ABI | NT | M | | |
| SW | ACE | NT | M | | |
| SW | ADC | 1.0 | M | | |
| SW | ADE | 0.05 | M | | |
| SW | ADG | 0.01 | M | | |
| SW | ADH | NT | M | | |
| SW | ADK | NT | M | | |
| SW | ADR | NT | M | | |
| SW | AEK | 3.0 | M | | |
| SW | AEL | 0.02 | M | | |
| SW | AEM | 0.02 | M | | |
| SW | AEN | 0.02 | M | | |
| SW | AEP | 0.02 | M | | |
| SW | AES | 0.02 | M | | |
| SW | AEW | NT | M | | |
| SW | AFO | NT | M | | |
| SW | AFS | NT | M | | |
| SW | AFU | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|------------------|
| SW | AFX | 0.05 | M | | |
| SW | AGG | 0.20 | M | | |
| SW | AGJ | 0.010 | M | | |
| SW | AGT | 0.02 | M | | |
| SW | AGZ | NT | M | | |
| SW | B10 | NT | M | | |
| SW | B16 | 0.05 | M | | |
| SW | B21 | 0.10 | M | | |
| SW | B22 | NT | M | | |
| SW | B23 | 3.5 | M | | |
| SW | B24 | 0.15 | M | | |
| SW | B26 | NT | M | | |
| SW | B28 | 0.05 | M | | |
| SW | B43 | 0.02 | M | | |
| SW | B48 | 0.03 | M | | |
| SW | B52 | NT | M | | |
| SW | B56 | NT | M | | |
| SW | B57 | NT | M | | |
| SW | B58 | 0.01 | M | | |
| SW | B61 | 0.04 | M | | |
| SW | B64 | 0.02 | M | | |
| SW | B68 | NT | M | | |
| SW | B75 | 0.05 | M | | |
| SW | B77 | NT | M | | |
| SW | B79 | NT | M | | |
| SW | B80 | 0.01 | M | | |
| SW | B82 | 0.10 | M | | |
| TP | 001 | 0.05 | M | AL | Action Level |
| TP | 002 | NT | M | | |
| TP | 011 | 0.05 | M | | |
| TP | 024 | 0.75 | M | | |
| TP | 028 | 0.05 | M | AL | Action Level |
| TP | 034 | 0.05 | M | AL | Action Level |
| TP | 042 | 2.0 | M | | |
| TP | 044 | 0.01 | M | AL | Action Level |
| TP | 052 | 8 | M | | |
| TP | 069 | 0.2 | M | | |
| TP | 070 | 8 | M | | |
| TP | 083 | 10 | M | | |
| TP | 102 | 5.0 | M | | |
| TP | 117 | 0.75 | M | | |
| TP | 126 | 25.0 | M | | Import Tolerance |
| TP | 134 | 1.0 | M | | |
| TP | 144 | 5 | M | | |
| TP | 151 | 0.05 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| TP | 159 | 1 | M | | |
| TP | 160 | 0.1 | M | | FHE Tolerance |
| TP | 164 | 5 | M | | |
| TP | 170 | 1.0 | M | | |
| TP | 171 | 2.0 | M | | |
| TP | 172 | 0.1 | M | AL | Action Level |
| TP | 173 | 0.1 | M | AL | Action Level |
| TP | 178 | 2.0 | M | | |
| TP | 200 | 0.1 | M | | |
| TP | 204 | 0.02 | M | | |
| TP | 208 | 8 | M | | |
| TP | 216 | 0.75 | M | | |
| TP | 222 | 2.0 | M | | |
| TP | 223 | 2.0 | M | | |
| TP | 230 | 0.10 | M | | |
| TP | 254 | 2.0 | M | | |
| TP | 283 | 0.30 | M | | |
| TP | 304 | 0.1 | M | | Interim Tolerance |
| TP | 321 | 0.1 | M | | Interim Tolerance |
| TP | 338 | 0.05 | M | | |
| TP | 351 | 0.1 | M | | Interim Tolerance |
| TP | 387 | 0.1 | M | | Interim Tolerance |
| TP | 395 | 0.75 | M | | |
| TP | 537 | 2 | M | | |
| TP | 556 | 3.0 | M | | |
| TP | 594 | 0.1 | M | | |
| TP | 597 | 0.2 | M | | |
| TP | 607 | 3.0 | M | | |
| TP | 612 | 1.0 | M | | |
| TP | 636 | 0.1 | M | | |
| TP | 649 | 2.0 | M | | |
| TP | 658 | NT | M | | |
| TP | 679 | 1.0 | M | | |
| TP | 706 | 0.75 | M | | |
| TP | 714 | 1.0 | M | | |
| TP | 722 | 0.15 | M | | |
| TP | 755 | 0.02 | M | | |
| TP | 781 | 0.5 | M | | |
| TP | 808 | 1.0 | M | | |
| TP | 877 | 0.2 | M | | |
| TP | 900 | 1.0 | M | | |
| TP | 901 | 1.0 | M | | |
| TP | 902 | 1.0 | M | | |
| TP | 903 | 0.05 | M | AL | Action Level |
| TP | 904 | 0.05 | M | AL | Action Level |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|-------------------|
| TP | 906 | 0.05 | M | AL | Action Level |
| TP | 908 | 0.05 | M | AL | Action Level |
| TP | 910 | 0.05 | M | AL | Action Level |
| TP | 930 | 0.15 | M | | |
| TP | A05 | 0.01 | M | | |
| TP | ADC | 1.0 | M | | |
| TP | ADG | 0.50 | M | | |
| TP | AEM | 0.20 | M | | |
| TP | AEN | 0.20 | M | | |
| TP | AEP | 0.25 | M | | |
| TP | AER | 3 | M | | Interim Tolerance |
| TP | AEW | 1.0 | M | | |
| TP | AFC | 0.01 | M | AL | Action Level |
| TP | AFD | 0.01 | M | AL | Action Level |
| TP | AGA | 0.20 | M | | |
| TP | AGE | 1.0 | M | | |
| TP | AGF | 0.5 | M | | |
| TP | AGG | 2.0 | M | | |
| TP | AGJ | 1.5 | M | | |
| TP | B13 | 1.0 | M | | |
| TP | B16 | 0.50 | M | | |
| TP | B21 | 0.10 | M | | |
| TP | B23 | 0.50 | M | | |
| TP | B24 | 0.2 | M | | |
| TP | B41 | 2.0 | M | | |
| TP | B43 | 0.80 | M | | |
| TP | B44 | 2.0 | M | | |
| TP | B48 | 0.6 | M | | |
| TP | B51 | 3.0 | M | | |
| TP | B52 | 1.3 | M | | |
| TP | B56 | 0.15 | M | | |
| TP | B61 | 1.4 | M | | |
| TP | B75 | 1.2 | M | | |
| TP | B77 | 1.5 | M | | |
| TP | B79 | 0.5 | M | | |
| TP | B80 | 0.40 | M | | |
| ZB | 001 | 0.05 | M | AL | Action Level |
| ZB | 002 | NT | M | | |
| ZB | 024 | 0.50 | M | | |
| ZB | 028 | 0.05 | M | AL | Action Level |
| ZB | 032 | NT | M | | |
| ZB | 034 | 0.05 | M | AL | Action Level |
| ZB | 035 | NT | M | | |
| ZB | 042 | 2.0 | M | | |
| ZB | 044 | 0.01 | M | AL | Action Level |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|----------------------|
| ZB | 050 | 0.5 | M | AL | Action Level |
| ZB | 052 | 8 | M | | |
| ZB | 057 | NT | M | | |
| ZB | 058 | 10 | M | | |
| ZB | 065 | NT | M | | |
| ZB | 069 | NT | M | | |
| ZB | 070 | 8 | M | | |
| ZB | 102 | NT | M | | |
| ZB | 105 | NT | M | | |
| ZB | 107 | NT | M | | |
| ZB | 108 | NT | M | | |
| ZB | 114 | NT | M | | |
| ZB | 117 | 0.75 | M | | |
| ZB | 124 | NT | M | | |
| ZB | 125 | NT | M | | |
| ZB | 129 | NT | M | | |
| ZB | 134 | 2.0 | M | | Indirect/Inadvertent |
| ZB | 143 | 0.01 | M | AL | Action Level |
| ZB | 144 | 20 | M | | |
| ZB | 148 | 0.05 | M | | |
| ZB | 149 | NT | M | | |
| ZB | 151 | 0.05 | M | | |
| ZB | 152 | NT | M | | |
| ZB | 153 | NT | M | | |
| ZB | 156 | NT | M | | |
| ZB | 157 | NT | M | | |
| ZB | 159 | 2 | M | | |
| ZB | 160 | 0.1 | M | | FHE Tolerance |
| ZB | 163 | NT | M | | |
| ZB | 164 | 5 | M | | |
| ZB | 165 | NT | M | | |
| ZB | 166 | NT | M | | |
| ZB | 167 | NT | M | | |
| ZB | 168 | NT | M | | |
| ZB | 169 | NT | M | | |
| ZB | 170 | 3.0 | M | | |
| ZB | 171 | 2.0 | M | | |
| ZB | 172 | 0.1 | M | AL | Action Level |
| ZB | 173 | 0.1 | M | AL | Action Level |
| ZB | 175 | 0.02 | M | | |
| ZB | 176 | NT | M | | |
| ZB | 177 | NT | M | | |
| ZB | 178 | 2.0 | M | | |
| ZB | 180 | NT | M | | |
| ZB | 181 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| ZB | 189 | 0.05 | M | | |
| ZB | 190 | 0.05 | M | | |
| ZB | 195 | NT | M | | |
| ZB | 197 | NT | M | | |
| ZB | 200 | 0.1 | M | | |
| ZB | 202 | NT | M | | |
| ZB | 203 | NT | M | | |
| ZB | 204 | 3.0 | M | | |
| ZB | 205 | NT | M | | |
| ZB | 208 | 8 | M | | |
| ZB | 210 | 0.2 | M | | |
| ZB | 216 | 0.75 | M | | |
| ZB | 217 | NT | M | | |
| ZB | 222 | NT | M | | |
| ZB | 223 | NT | M | | |
| ZB | 230 | 0.10 | M | | |
| ZB | 236 | NT | M | | |
| ZB | 243 | NT | M | | |
| ZB | 245 | NT | M | | |
| ZB | 249 | NT | M | | |
| ZB | 250 | NT | M | | |
| ZB | 254 | 3.0 | M | | |
| ZB | 258 | NT | M | | |
| ZB | 267 | NT | M | | |
| ZB | 271 | NT | M | | |
| ZB | 275 | NT | M | | |
| ZB | 283 | 0.30 | M | | |
| ZB | 297 | NT | M | | |
| ZB | 304 | 0.1 | M | | Interim Tolerance |
| ZB | 310 | NT | M | | |
| ZB | 321 | 0.1 | M | | Interim Tolerance |
| ZB | 324 | NT | M | | |
| ZB | 338 | 0.5 | M | | S/convert to Naled |
| ZB | 343 | NT | M | | |
| ZB | 351 | 0.1 | M | | Interim Tolerance |
| ZB | 370 | NT | M | | |
| ZB | 382 | NT | M | | |
| ZB | 387 | 0.1 | M | | Interim Tolerance |
| ZB | 388 | 0.1 | M | | Interim Tolerance |
| ZB | 391 | NT | M | | |
| ZB | 395 | 0.50 | M | | |
| ZB | 512 | NT | M | | |
| ZB | 529 | 2.0 | M | | Interim Tolerance |
| ZB | 537 | NT | M | | |
| ZB | 540 | NT | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|---------------|
| ZB | 546 | 2.0 | M | | |
| ZB | 547 | NT | M | | |
| ZB | 558 | NT | M | | |
| ZB | 562 | NT | M | | |
| ZB | 594 | NT | M | | |
| ZB | 596 | NT | M | | |
| ZB | 597 | 0.1 | M | | |
| ZB | 604 | NT | M | | |
| ZB | 607 | 0.2 | M | | |
| ZB | 608 | NT | M | | |
| ZB | 612 | 0.05 | M | | |
| ZB | 623 | NT | M | | |
| ZB | 624 | 0.05 | M | | |
| ZB | 626 | 2.0 | M | | |
| ZB | 636 | 0.1 | M | | |
| ZB | 638 | NT | M | | |
| ZB | 651 | NT | M | | |
| ZB | 658 | NT | M | | |
| ZB | 667 | NT | M | | |
| ZB | 679 | 1.0 | M | | |
| ZB | 699 | NT | M | | |
| ZB | 706 | 0.75 | M | | |
| ZB | 708 | NT | M | | |
| ZB | 713 | NT | M | | |
| ZB | 714 | 2.0 | M | | |
| ZB | 719 | 0.05 | M | | |
| ZB | 720 | NT | M | | |
| ZB | 721 | NT | M | | |
| ZB | 723 | NT | M | | |
| ZB | 726 | NT | M | | |
| ZB | 736 | 0.1 | M | | |
| ZB | 745 | NT | M | | |
| ZB | 746 | NT | M | | |
| ZB | 769 | 2.0 | M | | |
| ZB | 772 | 0.1 | M | | FHE Tolerance |
| ZB | 779 | NT | M | | |
| ZB | 781 | 0.05 | M | | |
| ZB | 786 | NT | M | | |
| ZB | 791 | NT | M | | |
| ZB | 808 | NT | M | | |
| ZB | 848 | NT | M | | |
| ZB | 900 | 2.0 | M | | |
| ZB | 901 | 2.0 | M | | |
| ZB | 902 | 2.0 | M | | |
| ZB | 903 | 0.05 | M | AL | Action Level |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------|
| ZB | 906 | 0.2 | M | AL | Action Level |
| ZB | 908 | 0.2 | M | AL | Action Level |
| ZB | 910 | 0.2 | M | AL | Action Level |
| ZB | 928 | 0.05 | M | | |
| ZB | 930 | 0.05 | M | | |
| ZB | 943 | NT | M | | |
| ZB | 947 | NT | M | | |
| ZB | 954 | NT | M | | |
| ZB | 963 | NT | M | | |
| ZB | 967 | 4.0 | M | | |
| ZB | A05 | 0.01 | M | | |
| ZB | A15 | NT | M | | |
| ZB | A30 | NT | M | | |
| ZB | A46 | NT | M | | |
| ZB | A47 | NT | M | | |
| ZB | A58 | 0.1 | M | | |
| ZB | A61 | NT | M | | |
| ZB | AAK | NT | M | | |
| ZB | AAX | NT | M | | |
| ZB | AAY | 0.1 | M | | |
| ZB | ABC | 0.02 | M | | |
| ZB | ABD | 0.02 | M | | |
| ZB | ABG | NT | M | | |
| ZB | ABH | NT | M | | |
| ZB | ABI | NT | M | | |
| ZB | ACE | NT | M | | |
| ZB | ADC | 1.0 | M | | |
| ZB | ADD | NT | M | | |
| ZB | ADE | 2.0 | M | | |
| ZB | ADG | NT | M | | |
| ZB | ADH | NT | M | | |
| ZB | ADK | NT | M | | |
| ZB | AEJ | 3.0 | M | | |
| ZB | AEK | 3.0 | M | | |
| ZB | AEL | 0.01 | M | | |
| ZB | AEM | 0.01 | M | | |
| ZB | AEN | 0.01 | M | | |
| ZB | AEP | 0.02 | M | | |
| ZB | AES | 0.2 | M | | |
| ZB | AEW | NT | M | | |
| ZB | AFO | NT | M | | |
| ZB | AGG | NT | M | | |
| ZB | AGT | 0.10 | M | | |
| ZB | AGZ | NT | M | | |
| ZB | AHN | 0.75 | M | | |

| Commod Code | Pest Code | EPA Tolerance Level | Units pp_ | Note | Comment |
|----------------|--------------|------------------------|--------------|------|--------------------|
| ZB | B10 | NT | M | | |
| ZB | B13 | 0.01 | M | | |
| ZB | B16 | NT | M | | |
| ZB | B21 | 0.10 | M | | |
| ZB | B22 | 0.6 | M | | |
| ZB | B23 | 0.4 | M | | |
| ZB | B24 | 0.20 | M | | |
| ZB | B26 | NT | M | | |
| ZB | B28 | NT | M | | |
| ZB | B43 | 0.02 | M | | |
| ZB | B48 | 0.5 | M | | |
| ZB | B52 | 0.02 | M | | |
| ZB | B56 | NT | M | | |
| ZB | B57 | NT | M | | |
| ZB | B58 | NT | M | | |
| ZB | B61 | 0.5 | M | | |
| ZB | B63 | NT | M | | |
| ZB | B64 | NT | M | | |
| ZB | B68 | NT | M | | |
| ZB | B75 | 0.6 | M | | |
| ZB | B77 | 0.60 | M | | Regional Tolerance |
| ZB | B79 | NT | M | | |
| ZB | B80 | 0.40 | M | | |
| ZB | B82 | 0.70 | M | | |