

AMS Boneless Beef Supplier Indicator Organism Performance - Fiscal Year: 2023<sup>1,2/</sup>

Supplier	# Lots Produced (% of Total)	Standard Plate Count <sup>3/</sup>		Total Coliforms <sup>4/</sup>		Generic <i>E. coli</i> <sup>5/</sup>	
		#Exceeding Critical Limit	% Exceeding Critical Limit	#Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit
S1	2,214 (13.1)	0	0	0	0	0	0
S2	0 (0.0)	0	0	0	0	0	0
S4	3,978 (23.5)	0	0.05	0	0	0	0
S5	2,224 (13.1)	0	0.02	0	0	0	0
S6	230 (1.4)	0	0	0	0	0	0
S10	1,708 (10.1)	10	0.59	10	0.59	4	0.23
S11	43 (0.3)	2	4.56	0	0	0	0
S14	1,457 (8.6)	0	0	1	0.07	2	0.14
S21	2,773 (16.4)	0	0	0	0	0	0
S29	1,145 (6.8)	0	0	0	0	0	0
S43	458 (2.7)	1	0.22	0	0	0	0
S44	223 (1.3)	0	0	1	0.22	0	0
S47	458 (2.7)	2	0.44	1	0.45	0	0
S49	25 (0.1)	0	0	0	0	0	0
<b>Total</b>	<b>16,936 (100.0)</b>	<b>15</b>	<b>0.09</b>	<b>13</b>	<b>0.08</b>	<b>6</b>	<b>0.04</b>

<sup>1/</sup>A full description of the boneless beef purchase program specification is available at <https://www.ams.usda.gov/selling-food/product-specs#Beef>.

<sup>2/</sup>Production Dates: October 1, 2021 to December 31, 2023.

<sup>3/</sup>Standard Plate Count Critical Limit: 100,000 CFU/g.

<sup>4/</sup>Total Coliforms Critical Limit: 1,000 CFU/g.

<sup>5/</sup>Generic *E. coli* Critical Limit: 500 CFU/g.