

AMS Unpasteurized Liquid Whole Eggs for Further Processing Contractor Indicator Organism Performance - Fiscal Year: 2022<sup>1,2/</sup>

Contractor	# Lots Produced (% of Total)	Standard Plate Count <sup>3/</sup>		Total Coliforms <sup>4/</sup>		Generic <i>E. coli</i> <sup>5/</sup>	
		# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit
C1	85 (23.7)	3	3.5	5	5.9	3	3.5
C4	266 (74.1)	17	6.4	3	1.1	5	1.9
C8	8 (2.2)	0	0	0	0	0	0
<b>Total</b>	<b>359 (100.0)</b>	<b>20</b>	<b>5.6</b>	<b>8</b>	<b>2.2</b>	<b>8</b>	<b>2.2</b>

<sup>1/</sup>A full description of the unpasteurized liquid whole eggs for further processing purchase program specification is available at <https://www.ams.usda.gov/selling-food/product-specs#Eggs>.

<sup>2/</sup>Production Dates: October 1, 2021 to September 30, 2022.

<sup>3/</sup>Standard Plate Count Critical Limit: 50,000 CFU/g.

<sup>4/</sup>Total Coliforms Critical Limit: 5,000 CFU/g.

<sup>5/</sup>Generic *E. coli* Critical Limit: 1,000 CFU/g.