NOSB NATIONAL LIST FILE CHECKLIST

PROCESSING

MATERIAL NAME: #3 Calcium Carbonate

NOSB Database Form

References

MSDS (or equivalent)

FASP (FDA)

▼ TAP Reviews from: Joe Montecalvo, Rich
Theuer

NOSB/NATIONAL LIST COMMENT FORM PROCESSING

Material Name: #3 Calcium Carbonate

Please use	this page t	o write	down	comments,	questions,	and your	anticipated	vote(s).

COMMENTS/QUESTIONS:

1. In my opinion, this materia Synthetic Non-sy		
2. Should this material be allowing redients? Yes Yes Yes	_No	n "organic food" (95% or higher organic 3.)
	lowed in a Yes	a "food made with organic ingredients" (50% or

TAP REVIEWER COMMENT FORM for USDA/NOSB

Use this page or an equivalent to write down comments and summarize your evaluation regarding the data presented in the file of this potential National List material. Complete both sides of page. Attach additional sheets if you wish.

This file is due back to us by: August 8
Name of Material: Calcium Carbonate Reviewer Name: R.THEUER
Is this substance Synthetic or non-synthetic? Explain (if appropriate) NON-SYNTHETIC If synthetic, how is the material made? (please answer here if our database form is blank)
This material should be added to the National List as: Synthetic AllowedProhibited Natural or,Non-synthetic (Allowed as an ingredient in organic food) Non-synthetic (Allowed as a processing aid for organic food) or, this material should not be on the National List
Are there any use restrictions or limitations that should be placed on this material on the National List? \mathcal{NO}
Please comment on the accuracy of the information in the file: $O(c)$ Any additional comments? (attachments welcomed)
Do you have a commercial interest in this material? Yes; No Signature 128/95

Please address the 7 criteria in the Organic Foods Production Act: (comment in those areas you feel are applicable)

(1) the potential of such substances for detrimental chemical interactions with other materials used in organic farming systems;

(2) the toxicity and mode of action of the substance and of its breakdown products or any contaminants, and their persistence and areas of concentration in the environment;

(3) the probability of environmental contamination during manufacture, use, misuse or disposal of such substance;

MINING HAS ENVIRONMENTAL DRAWBACKS

(4) the effect of the substance on human health;

(5) the effects of the substance on biological and chemical interactions in the agroecosystem, including the physiological effects of the substance on soil organisms (including the salt index and solubility of the soil), crops and livestock;

(6) the alternatives to using the substance in terms of practices or other available materials; and

(7) its compatibility with a system of sustainable agriculture.



TAP REVIEWER COMMENT FORM for USDA/NOSB

Use this page or an equivalent to write down comments and summarize your evaluation regarding the data presented in the file of this potential National List material. Complete both sides of page. Attach additional sheets if you wish.

This file is due back to us by: August 8
Name of Material: Calcium Carbonate
Reviewer Name: DR. JEE Montechlo
Is this substance Synthetic or non-synthetic? Explain (if appropriate)
If synthetic, how is the material made? (please answer here if our database form is blank) [=xirb in without as the mineral A RAGONITE] CAlcite and vaterite - 98-99% pure.
This material should be added to the National List as: Synthetic Allowed Prohibited Natural
or, Non-synthetic (Allowed as an ingredient in organic food) Non-synthetic (Allowed as a processing aid for organic food)
or, this material should not be on the National List Are there any use restrictions or limitations that should be placed on this material on the National List? $\rho_{\rm Opp}$
Please comment on the accuracy of the information in the file: 966 .
Any additional comments? (attachments welcomed)
- Alroused to Remove Acidity of wines; used in Antacids and Colcium Cappleaents.
Do you have a commercial interest in this material? Yes;No
Signature Mary Date 7/30/91

Please address the 7 criteria in the Organic Foods Production Act: (comment in those areas you feel are applicable)

(1) the potential of such substances for detrimental chemical interactions with other materials used in organic farming systems;

none

(2) the toxicity and mode of action of the substance and of its breakdown products or any contaminants, and their persistence and areas of concentration in the environment;

none

(3) the probability of environmental contamination during manufacture, use, misuse or disposal of such substance;

none

(4) the effect of the substance on human health;

- taken as CA. supplement

- (5) the effects of the substance on biological and chemical interactions in the agroecosystem, including the physiological effects of the substance on soil organisms (including the salt index and solubility of the soil), crops and livestock;
- (6) the alternatives to using the substance in terms of practices or other available materials; and

none.

(7) its compatibility with a system of sustainable agriculture.

good

NOSB Materials Database

Identification

Common Name

Calcium carbonate

Chemical Name

Other Names

Precipitated calcium carbonate, limestone, marble, calcite, chalk

Code #: CAS

471-34-1

Code #: Other

NIOSH: EV9580000

N. L. Category

Non-agricultural

MSDS

yes Ono

Chemistry

Family

Properties

CaCO₃

Composition

A fine, white, microcrystalline powder which is stable in air, colorless and tasteless. Practically insoluble in water and alcohol.

How Made

mined, ground, screened.

Use/Action

Type of Use

Processing

Specific Use(s)

Alkali; nutrient; dietary supplement; dough conditioner; firming agent; yeast food.

Action

Combinations

Status

OFPA

N. L. Restriction

EPA, FDA, etc

FDA-GRAS

Directions

Safety Guidelines

State Differences

Historical status

Internation! status

NOSB Materials Database

OFPA Criteria

2119(m)1: chemical interactions

Not Applicable

2119(m)2: toxicity & persistence

Not Applicable

2119(m)3: manufacture & disposal consequences

2119(m)4: effect on human health

2119(m)5: agroecosystem biology

Not Applicable

2119(m)6: alternatives to substance

2119(m)7: Is it compatible?

References

see attached.

CALCIUM CARBONATE REFERENCES

AU: Harmayani,-E.; Sofos,-J.N.; Schmidt,-G.R.

TI: Fate of Listeria monocytogenes in raw and cooked ground beef with meat processing additives.

SO: Int-J-Food-Microbiol. Amsterdam : Elsevier Science Publishers, B.V. May 1993. v. 18 (3) p. 223-232.

CN: DNAL QR115.I57

AB: The effect of sodium lactate (1.8% w/w), sodium erythorbate (0.1% w/w), kappa-carrageenan (1% w/w), and the alginate meat binder (0.4% w/w, sodium alginate; 0.6% w/w lactic acid; and 0.075% w/w calcium carbonate) on Listeria monocytogenes survival and growth was determined in raw and cooked ground beef stored aerobically at 4 degrees C. Cooking meat with initial inoculum levels of 6.52 to 7.03 L. monocytogenes log CFU/g to 65 degrees C resulted in lower destruction (0.56 and 1.18 log CFU/g) in samples with added alginate meat binder and kappa-carrageenan, respectively, compared to the control. Survivors (2.11-3.73 log CFU/g) decreased initially and then increased slightly, but not significantly (P > 0.05), during storage (4 degrees C, 6 days) of the cooked products.

AU: Yen,-L.C.; Sofos,-J.N.; Schmidt,-G.R.

TI: Destruction of Listeria monocytogenes by heat in ground pork formulated with kappa-carrageenan, sodium lactate and the algin/calcium meat binder.

SO: Food-Microbiol. London: Academic Press. Sept 1992. v. 9 (3) p. 223-230.

CN: DNAL QR115.F66

AB: Uncured or cured ground pork (15% fat) was inoculated with a composite of nine strains of Listeria monocytogenes (10(7)-10(8) cfu g-1) and mixed with kappacarrageenan (1%) or sodium lactate (3% of a 60% solution). The meat curing-mixture consisted of 2.5% sodium chloride, 1% dextrose, 0.4% sodium phosphates, 0.0156% sodium nitrite and 0.055% sodium erythorbate. Uncured ground pork was also mixed with the algin/calcium meat binder (0.4% sodium alginate, 0.075% calcium carbonate and 0.6% encapsulated lactic acid/calcium lactate). The algin/calcium meat binder did not affect the extent of destruction of L. monocytogenes by heat.

AU: Baker,-R.A.; Crandall,-P.G.; Davis,-K.C.; Wicker,-L.

TI: Calcium supplementation and processing variable effects on orange juice quality. SO: J-Food-Sci-Off-Publ-Inst-Food-Technol. Chicago, Ill.: The Institute. Sept/Oct 1991. v. 56 (5) p. 1369-1371.

CN: DNAL 389.8-F7322

AB: Untreated, pectinesterase treated, low pulp, and pectinase treated orange juices were fortified to 20% RDA of calcium with calcium carbonate or calcium phosphate/lactate (75/25). Neither calcium supplement adversely affected flavor, cloud density, settling pulp, or viscosity in untreated, low pulp, or pectinase treated juices. PME exposed orange juice held 4 hr before pasteurization and calcium supplementation had less cloudy density, increased viscosity and more settling pulp. Calcium carbonate fortified PME exposed and pectinase treated juices had lower scores, while calcium phosphate suspensions caused slightly lower color scores of all juices.

MSDS for CALCIUM CARBONATE

1 - PRODUCT IDENTIFICATION

PRODUCT NAME: CALCIUM CARBONATE

FORMULA: CACO3

FORMULA WT: 100.09

CAS NO.: 471-34-1

NIOSH/RTECS NO.: EV9580000

COMMON SYNONYMS: LIMESTONE; MARBLE; CALCITE; CHALK; CARBONIC ACID

PRODUCT CODES: 5178,4485,5152,1294,1301,1300,4918,1288

EFFECTIVE: 10/22/86

REVISION #02

PRECAUTIONARY LABELLING BAKER SAF-T-DATA(TM) SYSTEM

HEALTH - 0 NONE

FLAMMABILITY - 0 NONE

REACTIVITY - 0 NONE

CONTACT - 1 SLIGHT

HAZARD RATINGS ARE 0 TO 4 (0 = NO HAZARD; 4 = EXTREME HAZARD).LABORATORY PROTECTIVE EQUIPMENT: SAFETY GLASSES; LAB COAT

PRECAUTIONARY LABEL STATEMENTS

CAUTION

MAY CAUSE IRRITATION

MAY BE HARMFUL IF SWALLOWED

DURING USE AVOID CONTACT WITH EYES, SKIN, CLOTHING. WASH THOROUGHLY AFTER HANDLING. WHEN NOT IN USE KEEP IN TIGHTLY CLOSED CONTAINER. SAF-T-DATA(TM) STORAGE COLOR CODE: ORANGE (GENERAL STORAGE)

2-HAZARDOUS COMPONENTS

COMPONENT % CAS NO.

CALCIUM CARBONATE

90-100 471-34-1

3 - PHYSICAL DATA

BOILING POINT: N/A VAPOR PRESSURE(MM HG): N/A

MELTING POINT: 825 C (1517 F) VAPOR DENSITY(AIR=1): N/A

SPECIFIC GRAVITY: 2.83 EVAPORATION RATE: N/A

(H2O=1)

(BUTYL ACETATE=1)

SOLUBILITY(H2O): NEGLIGIBLE (LESS THAN 0.1 %) % VOLATILES BY VOLUME: 0

APPEARANCE & ODOR: GRAY GRANULAR STONES.

4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (CLOSED CUP: N/A

FLAMMABLE LIMITS: UPPER - N/A % LOWER - N/A %

FIRE EXTINGUISHING MEDIA

USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

SPECIAL FIRE-FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE. TOXIC GASES PRODUCED: OXIDES, CARBON MONOXIDE, CARBON DIOXIDE

5 - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE (TLV/TWA): 10 MG/M3 (PPM)

CARCINOGENICITY: NTP: NO IARC: NO Z LIST: NO OSHA REG: NO

EFFECTS OF OVEREXPOSURE

DUST MAY IRRITATE NOSE AND THROAT.

INHALATION OF DUST MAY CAUSE IRRITATION TO UPPER RESPIRATORY TRACT.

CONTACT CAN CAUSE EYE IRRITATION.

INGESTION MAY CAUSE GASTROINTESTINAL PAIN.

TARGET ORGANS: EYES, SKIN

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE IDENTIFIED

ROUTES OF ENTRY: INHALATION, INGESTION, EYE CONTACT, SKIN CONTACT

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: IF SWALLOWED AND THE PERSON IS CONSCIOUS, IMMEDIATELY GIVE LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION.

INHALATION: IF A PERSON BREATHES IN LARGE AMOUNTS, MOVE THE EXPOSED PERSON TO FRESH AIR. GET MEDICAL ATTENTION.

EYE CONTACT: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

SKIN CONTACT: IMMEDIATELY WASH WITH PLENTY OF SOAP AND WATER FOR AT LEAST 15 MINUTES.

6-REACTIVITY DATA

STABILITY: STABLE HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

EMERGENCY AND FIRST AID PROCEDURES

CONDITIONS TO AVOID: HEAT

INCOMPATIBLES: STRONG ACIDS, FLUORINE, ALUM, AMMONIUM SALTSOSED

DECOMPOSITION PRODUCTS: OXIDES, CARBON MONOXIDE, CARBON DIOXIDE EAST 15

7 - SPILL AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN THE EVENT OF A SPILL OR DISCHARGE--

WEAR SUITABLE PROTECTIVE CLOTHING. CAREFULLY SWEEP UP AND REMOVE.

DISPOSAL PROCEDURE 15 MINUTES.

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS

8 - PROTECTIVE EQUIPMENT

VENTEL ATION O AVOID. LICE ADEQUATE CENTER AT OR LOCA

VENTILATION:O AVOID: USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP FUME OR DUST LEVELS AS LOW AS POSSIBLE.

INCOMPATIBLES: STRONG ACIDS, FLUORINE, ALUM, AMMONIUM SALTSOSED

RESPIRATORY PROTECTION A RESPIRATOR WITH DUST/MIST FILTER IS RECOMMENDED. DECOMPOSITION PRODUCTS: IF AIRBORNE CONCENTRATION EXCEEDS TLV, A SELF-CONTAINED BREATHING APPARATUS IS ADVISED.

EYE/SKIN PROTECTION: SAFETY GLASSES WITH SIDESHIELDS, PROPER GLOVES ARE RECOMMENDED.

9 - STORAGE AND HANDLING PRECAUTIONS

SAF-T-DATA(TM) STORAGE COLOR CODE:----ORANGE (GENERAL STORAGE SPECIAL PRECAUTIONS

KEEP CONTAINER TIGHTLY CLOSED. SUITABLE FOR ANY GENERAL CHEMICAL STORAGE.

U.S. FOOD AND DRUG ADMINISTRATION FOOD ADDITIVE SAFETY PROFILE

CALCIUM CARBONATE

175.1412 MG/KG BW/DAY/PERSON 206666666.666LBS/YR 87 NL MG/KG BW/DAY/PERSON 1965 931015 LOGP: HUMAN CONSUMPTION:
MARKET DISAPPEARANCE:
MARKET SURVEY:
JECFA:
JECFA ADI:
JECFA ESTABLISHED:
LAST UPDATE: DENSITY: 000471341 1790 ASP 0038 100.09 \SP#: \SP#: \PE: \SP#: \

A7 **PRUCTURE CATEGORIES:**

OMPONENTS:

YNONYMS:

CALCIUM CARBONATE, PRECIPITATED PRECIPITATED CHALK CARBONIC ACID CALCIUM SALT (1:1) CALCIUM CARBONATE (CACO3)

G

HEMICAL FUNCTION:

PROCESSING AID
PH CONTROL AGENT
MASTICATORY SUBSTANCE
FORMULATION AID
NUTRIENT SUPPLEMENT
ANTICAKING AGENT OR FREE-FLOW AGENT
DRYING AGENT
HUMECTANT
LEAVENING AGENT
LUBRICANT
LUBRICANT
LUBRICANT
RELEASE AGENT ECHNICAL EFFECT:

137.105 169.115 137.160 137.180 184.1191 137.350 137.165 137.175 176.170 FR REG NUMBERS:

182.5191 137.155 137.170 137.185

INIMUM TESTING LEVEL:

OMMENTS:

STUDY 1 AND 2 FROM SCOGS-26

\GE

)CNUM=1790

ACUTE TOXICITY INFORMATION)X 7:

ECIES: TUDY:

SOURCE: FOOD ADDITIVES HANDBOOK (R.J. LEWIS) YEAR: 1989 LD50: 6450 MG/KG BW

MMENTS:

ORAL TOXICITY STUDIES (OTHER THAN ACUTE) . 6 X

SHORT TERM CUDY:

SOURCE: BRIT J NUTR 11:127-133 YEAR: 1957 LEL: 300 MG/KG BW/DAY HNEL: COMPLETENESS:

PECIES: JRATION: PFECTS:

70 DAYS
BODY WEIGHT DECREASE
FOOD CONSUMPTION DECREASE
ORGAN WEIGHT INCREASE

RATS WERE ANEMIC AUTHOR SUGGESTS CALCIUM INTERFERED WITH ABSORPTION [TES:)MMENTS:

SOURCE: BRIT J NUTR 6:265-280 YEAR: 1952 LEL: 3000 MG/KG BW/DAY HNEL: 1500 MG/KG BW/DAY COMPLETENESS: REPRODUCTION MOUSE rudy: (PE:

PECIES: JRATION: FFECTS:

THYMUS

PUP WEIGHT AT WEANING DECREASE
REPRODUCTIVE TOXICITY
PUP MORTALITY INCREASE
CELLULAR HYPERTROPHY
ORGAN WEIGHT DECREASE
HEART
HEART
HYPERTROPHY OF THE HEART IN WEANLINGS
DECREASED THYMUS WEIGHT IN WEANLINGS
NOT ENTERED INTO BOX 8 [TES:)MMENTS:

GENETIC TOXICITY STUDIES)X 3: COMPLETENESS:

rudy: {PE:

MG/KG BW/DAY

SOURCE: YEAR: LEL: HNEL:

PECIES: JRATION: FFECTS: 3LLS: DAMENTS:

		Å.