

Farmgate

2006

2006 Sorghum Farmgate Assessment Data

Contents

Summary	2
Data	4

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternate means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint, write to the USDA, Office of Civil Rights, Room 326-W, 1400 Independence Avenue, SW, Washington, DC 20250-9410, or call (202) 720-5964 (voice and TDD). USDA is an equal employment opportunity employer.

Summary

Statistic	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ
				Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material		
						Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)				
Average	0.12	57.59	13.87	0.36	0.00	0.00	0.00	0.00	2.72	0.85	0.75	0.03	0.02	0.02	0.01	0.02	0.00	0.00
Minimum	5.20	62.70	21.90	22.20	0.20	0.10	0.10	0.20	32.70	26.20	26.20	4.50	2.40	5.00	8.70	1.10	0.00	1.50
Maximum	0.00	32.00	7.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

SORGHUM GRADE LIMITS							Percentage
Grade	Test Weight (lb/bu)	Damage		BNFM Total (%)	FM (%)	SBOC (%)	
		Total (%)	HT (%)				
#1	57.0	2.0	0.2	3.0	1.0	1.0	62.2
#2	55.0	5.0	0.5	6.0	2.0	2.0	17.1
#3	53.0	10.0	10.0	8.0	3.0	5.0	7.3
#4	51.0	15.0	15.0	10.0	4.0	10.0	3.8
SG	Doesn't meet definition for U.S. #1 to #4						6.9
NG	Sample size insufficient to determine grade						2.7

Data

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
A300001	2	S	0.1	56.6	14.9	0.4	0.0	0.0	0.0	0.0	3.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
A300002	1	S	0.1	59.7	13.4	0.3	0.0	0.0	0.0	0.0	1.2	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK
A300003	2	S	0.1	56.7	15.3	0.3	0.0	0.0	0.0	0.0	4.8	1.1	1.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK
A300004	1	S	0.1	59.1	14.9	0.0	0.0	0.0	0.0	0.0	1.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
A300005	1	S	0.1	59.4	13.3	0.7	0.0	0.0	0.0	0.0	1.9	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK
A300006	2	S	0.1	58.2	13.9	0.6	0.0	0.0	0.0	0.0	5.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
A300007	1	S	0.1	58.4	13.5	0.3	0.0	0.0	0.0	0.0	2.7	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK
A300008	1	S	0.1	56.1	13.2	0.2	0.0	0.0	0.0	0.0	1.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
A300009	2	S	0.1	56.8	14.9	0.1	0.0	0.0	0.0	0.0	3.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
A300010	1	S	0.1	56.0	13.3	0.4	0.0	0.0	0.0	0.0	2.2	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	OK
A600001	1	S	0.0	57.2	13.8	0.0	0.0	0.0	0.0	0.0	1.8	1.4	1.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	OK
A600002	2	S	0.0	55.3	13.8	0.0	0.0	0.0	0.0	0.0	1.3	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
A600003	1	S	0.0	58.8	14.0	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
A600004	1	S	0.0	57.8	13.6	0.0	0.0	0.0	0.0	0.0	1.3	0.9	0.6	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	OK
A600005	1	S	0.2	56.0	14.2	0.0	0.0	0.0	0.0	0.0	3.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C60001	SG	S	0.2	55.7	13.5	0.2	0.0	0.0	0.0	0.0	10.4	8.9	0.2	0.0	0.0	0.0	8.7	0.0	0.0	0.0	0.0	OK
C60002	SG	S	0.1	47.4	11.3	0.0	0.0	0.0	0.0	0.0	9.5	6.3	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C60003	1	S	0.1	58.7	12.9	0.0	0.0	0.0	0.0	0.0	2.8	1.0	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C60004	3	S	0.0	53.8	12.2	0.0	0.0	0.0	0.0	0.0	3.8	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C90001	SG	S	0.1	48.7	12.8	0.0	0.0	0.0	0.0	0.0	4.9	2.3	1.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C90003	1	WHS	0.1	60.2	14.0	0.0	0.0	0.0	0.0	0.0	4.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C90004	1	WHS	0.2	57.9	14.4	0.0	0.0	0.0	0.0	0.0	4.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C90005	2	S	0.2	53.8	12.7	0.3	0.0	0.0	0.0	0.0	6.7	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C90007	4	S	0.0	51.3	12.7	0.0	0.0	0.0	0.0	0.0	4.4	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C90008	SG	S	0.1	48.3	12.2	0.0	0.0	0.0	0.0	0.0	3.8	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C90009	SG	S	0.1	43.1	11.2	0.0	0.0	0.0	0.0	0.0	4.0	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
C90012	2	S	0.1	56.7	13.1	0.2	0.0	0.0	0.0	0.0	4.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I60001	3	S	0.1	61.0	13.0	0.0	0.0	0.0	0.0	0.0	4.5	3.1	0.7	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	OK
I60002	1	S	0.1	61.0	15.7	0.0	0.0	0.0	0.0	0.0	2.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I80001	1	S	0.1	57.0	16.6	0.3	0.0	0.0	0.0	0.0	1.3	0.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I80002	1	S	0.1	61.0	16.1	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I80003	1	S	0.1	57.1	18.1	0.0	0.0	0.0	0.0	0.0	1.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I80004	2	S	0.1	56.7	15.9	1.4	0.0	0.0	0.0	0.0	4.6	2.1	1.1	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	OK
I80005	1	S	0.0	59.9	14.8	0.3	0.0	0.0	0.0	0.0	2.1	0.4	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	OK
I80006	1	S	0.1	59.7	16.0	0.8	0.0	0.0	0.0	0.0	2.8	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I80007	4	S	1.2	55.4	12.8	0.0	0.0	0.0	0.0	0.0	10.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I80008	1	S	0.0	60.5	14.7	0.7	0.0	0.0	0.0	0.0	3.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I90007	1	S	0.0	59.6	17.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I90008	2	S	0.0	59.2	17.5	0.2	0.0	0.0	0.0	0.0	4.4	1.6	0.8	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	OK
I90009	1	S	0.1	59.2	13.5	0.6	0.0	0.0	0.0	0.0	1.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I90010	1	S	0.1	60.4	14.1	0.8	0.0	0.0	0.0	0.0	1.9	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	OK
I90011	1	S	0.1	60.5	16.6	0.0	0.0	0.0	0.0	0.0	2.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK
I90012	1	S	0.1	60.0	14.3	0.0	0.0	0.0	0.0	0.0	3.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
K30006	SG	S	0.2	46.3	11.9	0.0	0.0	0.0	0.0	0.0	4.1	2.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30007	2	S	0.2	55.6	12.9	0.0	0.0	0.0	0.0	0.0	2.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30008	1	S	0.9	57.0	13.1	0.1	0.0	0.0	0.0	0.0	2.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30009	1	S	1.0	58.5	13.0	0.0	0.0	0.0	0.0	0.0	2.0	0.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30010	1	S	1.7	59.9	9.5	0.4	0.0	0.0	0.0	0.0	2.2	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30021	SG	S	0.1	48.6	12.2	0.0	0.0	0.0	0.0	0.0	2.3	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30022	4	S	0.2	54.7	11.9	0.2	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30023	SG	S	0.3	49.6	13.3	0.0	0.0	0.0	0.0	0.0	1.6	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30024	4	S	0.1	51.6	14.9	0.1	0.0	0.0	0.0	0.0	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30026	SG	S	0.3	46.1	13.2	0.0	0.0	0.0	0.0	0.0	1.4	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30027	SG	S	0.0	48.8	11.9	0.1	0.0	0.0	0.0	0.0	1.4	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30028	SG	S	0.3	46.1	12.7	0.0	0.0	0.0	0.0	0.0	1.8	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30029	2	S	0.0	56.1	13.3	0.0	0.0	0.0	0.0	0.0	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30030	SG	S	0.5	46.2	13.1	0.1	0.0	0.0	0.0	0.0	1.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30031	1	S	0.3	57.1	17.3	0.6	0.0	0.0	0.0	0.0	4.1	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30032	2	WHS	0.1	56.3	16.1	0.1	0.0	0.0	0.0	0.0	1.6	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30033	SG	S	0.1	48.1	18.0	0.0	0.0	0.0	0.0	0.0	2.2	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30034	1	S	0.1	60.6	14.5	0.2	0.0	0.0	0.0	0.0	1.2	0.6	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30035	SG	S	0.3	50.5	17.6	0.0	0.0	0.0	0.0	0.0	1.8	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30036	SG	S	0.1	47.6	21.9	0.0	0.0	0.0	0.0	0.0	1.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30037	SG	S	0.1	50.4	16.3	0.0	0.0	0.0	0.0	0.0	2.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30038	1	S	0.1	59.3	12.3	0.0	0.0	0.0	0.0	0.0	2.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30039	1	S	0.0	61.3	14.1	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30040	1	S	0.1	57.8	14.0	0.0	0.0	0.0	0.0	0.0	1.1	0.9	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.0	OK	
K30051	1	WHS	0.3	58.6	15.2	0.4	0.0	0.0	0.0	0.0	2.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30052	1	S	0.1	57.2	14.6	0.2	0.0	0.0	0.0	0.0	1.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30053	4	S	0.7	52.5	14.3	0.0	0.0	0.0	0.0	0.0	2.9	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30054	2	S	0.6	55.0	14.4	0.0	0.0	0.0	0.0	0.0	3.5	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30055	4	S	0.0	52.1	14.4	0.3	0.0	0.0	0.0	0.0	2.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30061	1	S	0.0	59.7	15.6	0.0	0.0	0.0	0.0	0.0	2.1	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30062	1	S	0.0	61.4	15.5	0.4	0.0	0.0	0.0	0.0	1.5	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30063	1	S	0.1	60.9	13.7	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30064	2	S	0.0	55.5	14.8	0.0	0.0	0.0	0.0	0.0	2.4	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30065	1	S	0.0	60.7	13.4	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30066	1	S	0.0	60.1	14.9	0.0	0.0	0.0	0.0	0.0	1.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30067	1	S	2.5	61.2	14.8	0.0	0.0	0.0	0.0	0.0	2.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30068	1	S	0.2	58.8	14.8	0.9	0.0	0.0	0.0	0.0	2.2	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	OK	
K30069	3	S	0.0	54.6	18.6	0.0	0.0	0.0	0.0	0.0	2.2	1.0	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30070	SG	WHS	0.2	50.2	16.6	0.4	0.0	0.0	0.0	0.0	1.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	WHS99.0% S1.0%
K30071	1	WHS	0.0	58.4	13.8	0.0	0.0	0.0	0.0	0.0	2.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30072	1	WHS	0.0	57.8	13.3	0.0	0.0	0.0	0.0	0.0	3.3	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30073	2	WHS	0.1	53.4	13.1	0.0	0.0	0.0	0.0	0.0	3.7	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30074	1	WHS	0.0	58.2	15.2	0.0	0.0	0.0	0.0	0.0	2.4	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	WHS99.2% S0.8%
K30075	4	WHS	0.0	51.5	11.3	0.0	0.0	0.0	0.0	0.0	5.2	3.1	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K30076	3	S	0.1	57.4	12.6	0.0	0.0	0.0	0.0	0.0	5.3	2.6	2.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
K40009	1	S	0.1	60.1	12.5	0.0	0.0	0.0	0.0	0.0	1.6	0.9	0.6	0.0	0.3	0.0	0.0	0.0	0.0	0.0	OK	Badly Weathered
K40010	SG	S	0.0	51.9	12.4	1.3	0.0	0.0	0.0	0.0	0.9	0.6	0.4	0.0	0.1	0.0	0.0	0.1	0.0	0.0	OK	
K40011	1	S	0.0	61.2	15.7	0.3	0.0	0.0	0.0	0.0	1.1	0.4	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K40012	1	S	0.1	59.1	13.1	0.0	0.0	0.0	0.0	0.0	2.6	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40013	1	S	0.3	60.3	14.2	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40014	1	S	0.2	58.6	15.3	0.0	0.0	0.0	0.0	0.0	2.6	0.9	0.8	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K40015	1	S	0.0	60.9	13.6	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40016	1	S	0.0	62.3	15.7	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K40017	1	S	0.1	58.5	14.3	0.4	0.0	0.0	0.0	0.0	0.9	0.6	0.5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K40018	2	S	0.1	56.3	11.9	0.9	0.0	0.0	0.0	0.0	1.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40019	1	S	0.3	58.1	13.2	0.0	0.0	0.0	0.0	0.0	2.0	1.0	0.8	0.0	0.0	0.0	0.1	0.1	0.0	0.0	OK	
K40020	2	S	0.6	58.3	12.9	0.4	0.0	0.0	0.0	0.0	5.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40021	1	S	0.1	57.0	13.9	0.8	0.2	0.0	0.0	0.0	1.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40022	1	S	0.1	58.6	14.3	0.6	0.0	0.0	0.0	0.0	1.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40023	1	S	0.1	59.7	12.9	1.8	0.0	0.0	0.0	0.0	1.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40024	1	WHS	0.0	56.7	14.5	0.0	0.0	0.0	0.0	0.0	1.5	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40025	1	S	0.0	60.7	13.5	0.4	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40026	4	S	0.0	59.2	13.0	2.4	0.0	0.0	0.0	0.0	1.3	3.9	3.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	OK	
K40027	1	S	0.0	59.4	12.7	0.3	0.0	0.0	0.0	0.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40028	1	S	0.0	59.1	13.3	2.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40029	1	S	0.0	59.9	15.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40030	1	S	0.1	59.3	15.2	0.8	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40031	1	S	0.0	59.6	14.8	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	OK	
K40032	1	WHS	0.2	61.3	14.1	0.3	0.0	0.0	0.0	0.0	2.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40033	1	S	0.0	60.6	14.9	0.0	0.0	0.0	0.0	0.0	1.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40034	1	S	0.1	61.0	14.3	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40035	1	WHS	0.1	57.5	12.8	0.2	0.0	0.0	0.0	0.0	2.7	0.8	0.7	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
K40036	1	S	0.0	60.1	12.9	0.0	0.0	0.0	0.0	0.0	1.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40037	1	S	0.1	60.6	14.1	0.0	0.0	0.0	0.0	0.0	1.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40038	1	WHS	0.1	59.3	14.1	0.2	0.0	0.0	0.0	0.0	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40039	1	S	0.1	60.3	13.5	0.0	0.0	0.0	0.0	0.0	0.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40040	1	S	0.1	58.1	12.7	0.0	0.0	0.0	0.0	0.0	2.3	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40041	1	S	0.1	59.3	14.9	0.0	0.0	0.0	0.0	0.0	3.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40042	1	S	0.1	60.5	13.8	0.2	0.0	0.0	0.0	0.0	1.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40043	1	S	0.0	58.8	16.4	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	OK	
K40044	1	S	0.1	61.2	15.5	0.0	0.0	0.0	0.0	0.0	2.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40045	2	S	0.1	55.7	12.8	0.2	0.0	0.0	0.0	0.0	1.3	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40046	1	S	0.0	60.4	15.1	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
K40047	2	S	0.2	58.1	15.4	0.0	0.0	0.0	0.0	0.0	4.3	1.0	0.8	0.0	0.0	0.0	0.0	0.2	0.0	0.0	OK	
K40048	1	WHS	0.0	61.8	14.6	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
K40049	2	S	0.2	59.5	15.4	0.0	0.0	0.0	0.0	0.0	6.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40049	1	S	0.0	60.5	14.0	0.1	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40050	1	S	0.1	58.6	12.5	0.0	0.0	0.0	0.0	0.0	3.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40051	1	S	0.0	59.2	14.7	0.0	0.0	0.0	0.0	0.0	1.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40052	1	S	0.1	58.4	15.9	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
K40053	X	WHS	0.0	X	13.0	0.0	0.0	0.0	0.0	0.0	1.4	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	WHS 98.5% S 1.5%
K40054	1	S	0.0	60.3	15.3	0.0	0.0	0.0	0.0	0.0	1.9	0.5	0.2	0.0	0.0	0.1	0.0	0.2	0.0	0.0	OK	
K40055	X	S	0.0	X	13.3	0.0	0.0	0.0	0.0	0.0	2.2	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40056	1	S	0.0	61.2	14.7	0.7	0.0	0.0	0.0	0.0	1.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40057	1	S	0.1	60.0	13.8	0.0	0.0	0.0	0.0	0.0	1.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40058	1	S	0.2	60.6	14.0	0.5	0.0	0.0	0.0	0.0	0.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40059	1	S	0.0	58.6	13.0	0.4	0.0	0.0	0.0	0.0	2.2	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40060	1	WHS	0.1	59.7	12.9	0.5	0.0	0.0	0.0	0.0	3.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40061	1	S	0.1	59.9	15.7	0.0	0.0	0.0	0.0	0.0	2.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40062	1	S	0.1	61.1	14.8	0.2	0.0	0.0	0.0	0.0	1.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40063	1	S	0.0	60.2	13.9	0.2	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40076	1	S	0.0	62.5	14.8	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40077	1	S	0.0	60.1	13.3	0.0	0.0	0.0	0.0	0.0	2.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40078	1	S	0.0	62.5	15.0	0.0	0.0	0.0	0.0	0.0	3.3	0.4	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40086	1	S	0.0	61.0	14.5	0.3	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40087	1	S	0.0	61.0	15.9	0.0	0.0	0.0	0.0	0.0	1.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40088	1	S	0.0	59.9	15.2	0.2	0.0	0.0	0.0	0.0	2.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40089	1	S	0.1	59.1	15.9	0.0	0.0	0.0	0.0	0.0	1.7	0.9	0.8	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
K40090	1	S	0.0	60.6	15.6	0.2	0.0	0.0	0.0	0.0	1.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40091	1	S	0.0	61.1	14.8	0.2	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40092	SG	S	0.1	37.4	12.2	0.0	0.0	0.0	0.0	0.0	5.9	2.9	2.8	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
K40093	1	S	0.1	57.4	15.5	0.5	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40094	1	S	0.0	62.1	14.1	0.1	0.0	0.0	0.0	0.0	1.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40095	3	S	0.1	54.7	14.9	0.0	0.0	0.0	0.0	0.0	2.5	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40096	3	S	0.0	59.7	13.4	0.0	0.0	0.0	0.0	0.0	5.1	3.0	0.4	0.0	0.0	2.6	0.0	0.0	0.0	0.0	OK	
K40097	1	S	0.0	60.8	13.0	0.6	0.0	0.0	0.0	0.0	1.7	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40098	1	S	0.0	60.2	13.6	0.3	0.0	0.0	0.0	0.0	2.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40099	1	S	0.1	60.9	13.6	0.8	0.0	0.0	0.0	0.0	1.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40100	SG	S	0.1	60.8	14.3	0.3	0.0	0.0	0.0	0.0	7.8	6.4	0.1	0.0	2.3	4.0	0.0	0.0	0.0	0.0	OK	
K40101	2	S	0.1	61.0	13.9	0.0	0.0	0.0	0.0	0.0	3.8	1.9	0.2	0.0	0.0	1.7	0.0	0.0	0.0	0.0	OK	
K40102	1	S	0.1	61.1	13.8	1.1	0.0	0.0	0.0	0.0	1.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40102	1	S	0.1	58.3	14.6	0.0	0.0	0.0	0.0	0.0	3.3	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40103	1	S	0.1	61.0	13.6	0.0	0.0	0.0	0.0	0.0	2.2	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40104	1	S	0.1	60.3	13.8	0.0	0.0	0.0	0.0	0.0	2.0	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K40106	1	S	0.1	60.8	14.7	1.2	0.0	0.0	0.0	0.0	0.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40108	SG	S	0.0	49.8	13.2	0.0	0.0	0.0	0.0	0.0	2.8	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40109	3	S	0.1	54.0	12.9	0.0	0.0	0.0	0.0	0.0	4.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40110	3	S	0.3	53.3	13.5	0.0	0.0	0.0	0.0	0.0	7.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40111	3	S	0.1	53.1	13.3	0.0	0.0	0.0	0.0	0.0	3.0	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40112	2	S	0.1	55.1	13.8	0.3	0.0	0.0	0.0	0.0	1.6	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40114	1	S	0.1	58.6	15.8	0.0	0.0	0.0	0.0	0.0	2.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40115	1	S	0.1	60.9	15.4	0.4	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40119	1	S	0.0	57.6	16.9	0.0	0.0	0.0	0.0	0.0	1.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K40127	1	S	0.0	59.0	14.8	0.0	0.0	0.0	0.0	0.0	2.8	0.8	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.0	OK	
K40129	1	S	0.0	58.4	14.6	0.0	0.0	0.0	0.0	0.0	1.4	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
K50042	2	S	0.1	56.3	17.4	2.4	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50043	1	S	0.0	59.0	15.6	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50044	1	S	0.1	61.0	14.4	0.3	0.0	0.0	0.0	0.0	1.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50045	1	S	0.0	59.4	15.6	0.2	0.0	0.0	0.0	0.0	0.9	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.0	OK	
K50046	1	S	0.1	58.7	14.9	0.6	0.0	0.0	0.0	0.0	2.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50047	4	S	0.0	52.2	16.9	0.0	0.0	0.0	0.0	0.0	1.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50048	1	S	0.1	58.0	12.3	0.9	0.0	0.0	0.0	0.0	3.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50050	1	S	0.1	58.7	14.9	0.0	0.0	0.0	0.0	0.0	4.0	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50051	1	S	0.0	60.7	14.8	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50053	1	S	0.0	60.3	13.2	0.0	0.0	0.0	0.0	0.0	1.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50054	1	WHS	0.0	57.6	12.3	0.0	0.0	0.0	0.0	0.0	1.5	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50055	1	S	0.0	60.5	14.3	0.0	0.0	0.0	0.0	0.0	1.6	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50056	1	S	0.0	59.6	14.9	0.0	0.0	0.0	0.0	0.0	1.9	1.0	0.4	0.0	0.0	0.0	0.0	0.6	0.0	0.0	OK	
K50057	1	S	0.0	60.0	14.0	0.2	0.0	0.0	0.0	0.0	1.5	0.4	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	OK	
K50058	1	S	0.0	60.1	14.4	0.0	0.0	0.0	0.0	0.0	1.3	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50059	1	S	0.0	60.6	14.4	0.0	0.0	0.0	0.0	0.0	1.7	0.8	0.7	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K50060	1	S	0.0	61.1	14.3	0.0	0.0	0.0	0.0	0.0	1.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50061	1	S	0.0	60.4	14.4	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50062	1	WHS	0.0	59.2	12.2	0.0	0.0	0.0	0.0	0.0	3.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50063	SG	S	0.2	53.7	16.0	0.0	0.0	0.0	0.0	0.0	3.3	1.5	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	SOUR	
K50064	1	S	0.0	58.1	14.5	0.0	0.0	0.0	0.0	0.0	1.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50065	1	S	0.0	59.1	15.5	0.3	0.0	0.0	0.0	0.0	1.0	0.7	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50066	1	S	0.0	57.2	15.2	0.4	0.0	0.0	0.0	0.0	1.1	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50067	1	S	0.0	59.0	15.8	0.0	0.0	0.0	0.0	0.0	2.1	0.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50068	1	S	0.3	59.4	14.1	0.0	0.0	0.0	0.0	0.0	3.1	1.0	0.7	0.2	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K50069	1	S	0.0	60.6	14.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50070	2	S	0.1	59.3	12.4	0.0	0.0	0.0	0.0	0.0	4.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50071	2	S	0.0	56.8	15.0	0.0	0.0	0.0	0.0	0.0	3.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50072	1	S	0.0	58.3	13.6	0.0	0.0	0.0	0.0	0.0	2.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50073	2	S	0.3	59.9	13.2	0.0	0.0	0.0	0.0	0.0	7.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50074	4	S	0.2	58.2	13.8	0.0	0.0	0.0	0.0	0.0	10.4	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50075	1	S	0.0	59.8	10.6	0.5	0.0	0.0	0.0	0.0	1.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50076	1	S	0.1	59.2	13.6	0.3	0.0	0.0	0.0	0.0	2.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50077	3	S	0.1	54.7	14.3	0.0	0.0	0.0	0.0	0.0	3.7	2.6	2.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	OK	
K50078	1	S	0.0	59.6	13.7	0.0	0.0	0.0	0.0	0.0	1.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50079	1	S	0.1	59.6	15.7	1.5	0.0	0.0	0.0	0.0	2.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50080	1	S	0.1	58.2	13.6	1.6	0.0	0.0	0.0	0.0	2.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50087	3	S	0.4	52.5	12.4	0.5	0.0	0.0	0.0	0.0	6.8	3.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50089	1	WHS	0.2	50.8	11.1	0.4	0.0	0.0	0.0	0.0	3.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50090	1	S	0.1	58.8	13.4	0.0	0.0	0.0	0.0	0.0	2.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50091	1	S	0.1	59.6	14.3	1.2	0.0	0.0	0.0	0.0	0.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50092	1	S	0.1	61.9	13.7	0.8	0.0	0.0	0.0	0.0	0.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50093	SG	WHS	0.5	50.4	17.7	0.0	0.0	0.0	0.0	0.0	2.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50094	2	S	0.1	56.5	13.9	0.0	0.0	0.0	0.0	0.0	1.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K50095	3	S	0.0	54.3	12.4	0.0	0.0	0.0	0.0	0.0	1.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
K60049	1	S	0.0	57.1	17.3	0.0	0.0	0.0	0.0	0.0	1.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	WHS 99.9% S 0.1%
K60050	3	S	0.0	54.3	16.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60051	1	S	0.0	62.1	13.5	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60052	1	S	0.4	57.8	17.6	0.0	0.0	0.0	0.0	0.0	3.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60053	1	S	0.0	59.7	16.5	0.0	0.0	0.0	0.0	0.0	1.1	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60054	1	S	0.0	59.6	17.3	0.0	0.0	0.0	0.0	0.0	2.2	0.7	0.6	0.0	0.0	0.1	0.0	0.0	0.0	0.0	OK	
K60056	3	S	0.0	57.2	13.3	0.0	0.0	0.0	0.0	0.0	5.8	3.4	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60057	2	S	0.1	58.2	13.3	0.0	0.0	0.0	0.0	0.0	4.2	2.0	1.9	0.0	0.0	0.1	0.0	0.0	0.0	0.0	OK	
K60058	2	S	0.0	57.1	12.9	0.0	0.0	0.0	0.0	0.0	3.9	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60059	2	S	0.1	56.9	12.7	0.0	0.0	0.0	0.0	0.0	4.1	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60060	2	S	0.2	56.0	12.0	0.0	0.0	0.0	0.0	0.0	4.9	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60071	1	S	0.1	61.1	12.7	0.2	0.0	0.0	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60072	1	S	0.1	60.6	12.4	0.6	0.0	0.0	0.0	0.0	2.4	0.6	0.5	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
K60073	1	S	0.2	59.4	15.2	0.0	0.0	0.0	0.0	0.0	1.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60074	2	WHS	0.1	55.8	13.5	0.0	0.0	0.0	0.0	0.0	2.7	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60075	1	WHS	0.2	61.7	13.3	0.1	0.0	0.0	0.0	0.0	3.2	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	OK	
K60076	1	S	0.0	57.7	15.3	0.4	0.0	0.0	0.0	0.0	0.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60077	1	WHS	1.2	61.9	13.5	0.0	0.0	0.0	0.0	0.0	4.0	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K60078	1	S	0.1	61.2	13.7	0.4	0.0	0.0	0.0	0.0	3.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60079	1	S	0.1	59.9	12.6	0.0	0.0	0.0	0.0	0.0	2.9	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60080	1	S	0.0	57.8	14.7	0.0	0.0	0.0	0.0	0.0	1.8	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60091	1	S	0.0	61.6	13.7	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60092	2	S	0.2	55.8	12.6	0.0	0.0	0.0	0.0	0.0	6.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60093	1	S	0.1	57.1	12.0	0.0	0.0	0.0	0.0	0.0	1.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60094	SG	S	0.0	56.8	12.1	0.8	0.0	0.0	0.0	0.0	1.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SOUR	
K60095	1	S	0.1	57.6	16.2	0.0	0.0	0.0	0.0	0.0	2.3	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60097	SG	S	0.0	55.4	13.5	0.4	0.0	0.0	0.0	0.0	5.6	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SOUR	
K60098	1	S	0.1	60.3	12.4	0.3	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60099	1	S	0.0	60.6	13.3	0.0	0.0	0.0	0.0	0.0	1.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60100	SG	S	0.3	58.5	12.9	0.2	0.0	0.0	0.0	0.0	7.3	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.2	SOUR	
K60101	SG	S	0.1	61.0	16.2	0.0	0.0	0.0	0.0	0.0	5.7	5.0	0.5	4.5	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60102	1	S	0.3	60.9	16.3	0.0	0.0	0.0	0.0	0.0	1.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60103	1	S	0.6	60.8	16.3	0.0	0.0	0.0	0.0	0.0	2.1	0.6	0.3	0.0	0.0	0.0	0.2	0.1	0.0	0.0	OK	
K60104	1	S	0.1	60.5	13.9	1.0	0.0	0.0	0.0	0.0	1.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60105	1	S	0.2	60.1	13.3	0.0	0.0	0.0	0.0	0.0	2.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60106	2	S	0.0	56.2	15.5	0.4	0.0	0.0	0.0	0.0	2.1	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K60108	1	S	1.4	58.6	13.7	0.4	0.0	0.0	0.0	0.0	3.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K60109	1	S	0.3	58.8	14.0	0.0	0.0	0.0	0.0	0.0	2.4	0.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K70001	1	S	0.1	58.8	12.5	0.0	0.0	0.0	0.0	0.0	2.7	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K70002	1	S	0.0	57.0	12.4	0.0	0.0	0.0	0.0	0.0	1.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K70003	1	S	0.1	58.7	13.4	0.2	0.0	0.0	0.0	0.0	2.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K70004	1	S	0.0	59.4	12.6	0.0	0.0	0.0	0.0	0.0	1.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K70005	1	S	0.0	59.4	12.3	0.0	0.0	0.0	0.0	0.0	2.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K70006	1	S	0.0	59.4	12.1	0.0	0.0	0.0	0.0	0.0	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K70007	1	S	0.0	60.2	12.1	0.0	0.0	0.0	0.0	0.0	1.6	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
K70008	1	S	0.0	59.9	12.5	2.0	0.0	0.0	0.0	0.0	2.0	0.7	0.5	0.0	0.0	0.1	0.0	0.1	0.0	0.0	OK	
K70009	1	S	0.0	59.0	12.9	0.0	0.0	0.0	0.0	0.0	3.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K70010	2	WHS	0.0	56.4	11.7	0.0	0.0	0.0	0.0	0.0	1.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K70021	1	S	0.0	57.6	13.0	1.3	0.0	0.0	0.1	0.0	1.3	0.3	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.4	OK	
K70022	1	S	0.0	59.9	14.2	0.0	0.0	0.0	0.0	0.0	0.9	0.3	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	OK	
K80001	3	WHS	0.0	59.0	14.8	0.4	0.0	0.0	0.0	0.0	7.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80002	3	S	0.2	58.1	14.1	0.2	0.0	0.0	0.0	0.0	7.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80003	1	S	0.0	61.1	15.2	0.0	0.0	0.0	0.0	0.0	1.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80004	X	S	0.9	X	14.0	1.0	0.0	0.0	0.0	0.0	3.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80005	2	S	0.7	60.7	14.0	0.0	0.0	0.0	0.0	0.0	5.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80006	2	S	0.1	60.4	14.4	0.9	0.0	0.0	0.0	0.0	4.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80007	1	S	0.0	60.7	14.1	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80008	SG	S	0.0	48.2	21.7	0.0	0.0	0.0	0.0	0.0	1.7	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	SOUR	
K80009	1	S	0.0	61.5	15.3	0.3	0.0	0.0	0.0	0.0	1.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80010	1	S	0.0	60.9	14.0	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.5	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
K80011	1	S	0.0	60.2	13.3	0.2	0.0	0.0	0.0	0.0	2.3	0.6	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80012	3	S	0.1	54.1	14.4	0.0	0.0	0.0	0.0	0.0	2.8	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80013	2	S	0.2	58.6	13.1	0.1	0.0	0.0	0.0	0.0	5.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80014	X	WHS	0.1	X	18.4	0.5	0.0	0.0	0.0	0.0	2.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80015	1	S	0.0	60.8	15.3	1.1	0.0	0.0	0.0	0.0	1.5	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80016	1	S	0.2	60.4	15.3	0.1	0.0	0.0	0.0	0.0	2.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80017	1	S	0.0	61.0	15.4	0.9	0.0	0.0	0.0	0.0	2.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80018	1	S	0.0	60.0	15.2	0.0	0.0	0.0	0.0	0.0	1.9	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K80019	1	S	0.1	60.9	15.0	0.0	0.0	0.0	0.0	0.0	1.9	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80020	4	WHS	0.0	52.2	18.9	0.9	0.0	0.0	0.0	0.0	1.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80027	1	S	0.0	59.6	15.8	0.0	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K80028	1	S	0.3	60.1	13.7	1.1	0.0	0.0	0.0	0.0	4.0	0.8	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.0	OK	WHS97.5% S2.5%
K90011	4	S	1.7	58.0	16.1	0.0	0.0	0.0	0.0	0.0	12.4	1.6	1.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0	OK	
K90012	4	S	0.3	59.3	13.0	0.0	0.0	0.0	0.0	0.0	10.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90016	1	S	0.0	58.7	12.1	0.9	0.0	0.0	0.0	0.0	0.9	0.4	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
K90017	3	S	0.3	54.8	16.6	0.3	0.0	0.0	0.0	0.0	6.3	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90018	2	WHS	0.1	57.7	12.0	0.7	0.0	0.0	0.0	0.0	5.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90019	1	WHS	0.0	60.7	13.9	0.5	0.0	0.0	0.0	0.0	1.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90021	1	S	0.0	60.7	13.0	0.0	0.0	0.0	0.0	0.0	1.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90032	2	S	0.1	57.6	11.1	0.0	0.0	0.0	0.0	0.0	4.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90039	2	S	0.1	56.8	15.9	0.6	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90040	1	S	0.1	58.7	15.2	0.7	0.0	0.0	0.0	0.0	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90047	1	S	0.1	58.1	12.1	0.0	0.0	0.0	0.0	0.0	4.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90048	1	S	0.1	58.4	12.5	0.0	0.0	0.0	0.0	0.0	4.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90049	2	S	0.1	58.7	12.5	0.0	0.0	0.0	0.0	0.0	4.6	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90050	1	S	0.0	58.1	11.7	0.0	0.0	0.0	0.0	0.0	1.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90052	3	S	0.0	53.0	11.9	0.5	0.0	0.0	0.0	0.0	2.6	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	Infested
K90053	2	S	0.3	57.0	13.3	0.0	0.0	0.0	0.0	0.0	4.8	1.3	0.9	0.2	0.1	0.0	0.0	0.1	0.0	0.0	OK	
K90054	1	S	0.1	58.4	13.3	0.0	0.0	0.0	0.0	0.0	3.2	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90055	1	S	0.0	57.8	11.0	0.2	0.0	0.0	0.0	0.2	0.8	0.4	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	OK	1 Bran Bug

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
K90056	1	S	0.0	57.9	10.5	0.0	0.0	0.0	0.0	0.0	1.5	1.2	0.3	0.3	0.1	0.4	0.0	0.1	0.0	0.0	OK	WHS 99.5% S 0.5% WHS 99.9% S 0.1%
K90057	1	S	0.0	58.1	11.2	0.0	0.0	0.0	0.0	0.0	1.2	0.8	0.3	0.3	0.1	0.0	0.0	0.1	0.0	0.0	OK	
K90058	1	S	0.1	58.1	13.4	0.1	0.0	0.0	0.0	0.0	3.2	1.5	1.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
K90059	1	S	0.0	57.5	13.3	0.0	0.0	0.0	0.0	0.0	3.4	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90060	4	S	1.2	55.9	13.6	0.0	0.0	0.0	0.0	0.0	11.2	3.4	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90061	1	WHS	0.1	60.6	12.6	0.8	0.0	0.0	0.0	0.0	2.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
K90100	3	WHS	0.0	50.1	13.2	0.0	0.0	0.0	0.0	0.0	4.9	3.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L300001	2	S	0.1	57.0	11.4	0.2	0.0	0.0	0.0	0.0	4.6	0.7	0.3	0.0	0.0	0.0	0.0	0.4	0.0	0.0	OK	
L300002	1	S	0.1	58.6	13.2	0.2	0.0	0.0	0.0	0.0	3.0	0.4	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	OK	
L500001	1	S	0.4	56.6	12.6	1.1	0.0	0.0	0.0	0.0	1.1	0.4	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
L500002	2	S	0.1	56.5	13.0	4.8	0.0	0.0	0.0	0.0	1.6	0.7	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.0	OK	
L500003	1	S	0.1	57.2	12.7	1.9	0.0	0.0	0.0	0.0	2.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500004	1	S	0.1	59.1	15.0	0.5	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500005	1	S	0.1	60.3	14.0	1.1	0.0	0.0	0.0	0.0	6.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500006	2	S	0.1	60.5	13.5	0.7	0.0	0.0	0.0	0.0	5.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500007	3	S	0.0	54.9	13.3	1.2	0.0	0.0	0.0	0.0	2.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500008	1	S	0.0	58.5	12.0	0.0	0.0	0.0	0.0	0.0	1.6	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500010	1	S	0.0	59.5	13.2	0.0	0.0	0.0	0.0	0.0	1.2	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500011	2	S	0.2	56.5	15.6	0.9	0.0	0.0	0.0	0.0	6.9	1.3	0.7	0.0	0.0	0.0	0.0	0.6	0.0	0.0	OK	
L500012	3	S	0.2	57.3	14.7	1.0	0.0	0.0	0.0	0.0	3.7	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.0	OK	
L500013	2	S	0.9	55.2	14.9	3.3	0.1	0.0	0.0	0.0	2.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500014	2	S	0.5	55.2	14.1	9.6	0.0	0.0	0.0	0.0	4.4	1.1	0.9	0.0	0.0	0.0	0.0	0.2	0.0	0.0	OK	
L500015	3	S	0.4	58.2	15.2	0.0	0.0	0.0	0.0	0.0	8.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500016	3	S	0.1	55.2	14.0	8.1	0.0	0.0	0.0	0.0	5.1	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500017	3	S	0.1	56.6	14.5	0.0	0.0	0.0	0.0	0.0	4.7	1.1	0.9	0.0	0.0	0.0	0.0	0.2	0.0	0.0	OK	
L500018	4	S	0.1	52.5	14.4	4.2	0.1	0.0	0.0	0.0	3.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500019	2	S	0.2	54.9	13.7	0.8	0.0	0.0	0.0	0.0	5.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500020	3	S	0.1	56.4	14.0	0.0	0.0	0.0	0.0	0.0	6.1	1.0	0.8	0.0	0.0	0.0	0.0	0.2	0.0	0.0	OK	
L500021	2	S	0.3	56.7	13.0	0.0	0.0	0.0	0.0	0.0	4.4	1.6	1.1	0.0	0.5	0.0	0.0	0.0	0.0	0.0	OK	
L500022	2	S	0.1	58.9	12.5	0.4	0.0	0.0	0.0	0.0	4.3	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500023	1	S	0.1	57.7	13.2	0.4	0.0	0.0	0.0	0.0	3.9	1.3	1.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500024	2	S	0.1	58.5	12.8	0.8	0.0	0.0	0.0	0.0	4.3	0.7	0.6	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
L500025	2	S	0.2	56.8	12.8	1.1	0.0	0.0	0.0	0.0	3.9	1.2	1.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	OK	
L500026	1	S	0.1	58.0	13.0	1.6	0.0	0.0	0.0	0.0	3.3	1.3	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500027	1	S	0.0	59.5	13.4	1.9	0.0	0.0	0.0	0.0	3.0	1.1	0.5	0.0	0.6	0.0	0.0	0.0	0.0	0.0	OK	
L500028	2	S	0.2	57.7	12.5	0.6	0.0	0.0	0.0	0.0	6.7	1.1	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500029	1	S	0.0	59.7	12.1	1.2	0.0	0.0	0.0	0.0	2.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L500030	1	S	0.1	59.4	15.4	0.0	0.0	0.0	0.0	0.0	1.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
L50009	2	S	0.1	57.7	13.6	0.7	0.0	0.0	0.0	0.0	4.4	1.3	1.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
R30001	1	S	0.0	60.9	15.8	0.1	0.0	0.0	0.0	0.0	0.5	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	11 Cockleburs
R30002	1	S	0.1	61.5	14.2	0.1	0.0	0.0	0.0	0.0	0.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R30003	1	S	0.0	58.1	12.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R30004	1	S	0.1	58.3	14.2	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R30006	1	S	0.1	61.0	14.0	0.1	0.0	0.0	0.0	0.0	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R30007	1	WHS	0.1	60.5	14.2	0.0	0.0	0.0	0.0	0.0	1.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R30008	1	S	0.0	60.5	14.1	0.1	0.0	0.0	0.0	0.0	0.8	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R40001	SG	S	0.1	58.4	13.1	0.4	0.0	0.0	0.0	0.0	3.2	0.7	0.3	0.0	0.0	0.0	0.3	0.1	0.0	0.0	OK	
R40002	2	S	0.2	57.5	13.3	0.0	0.0	0.0	0.0	0.0	5.8	0.8	0.4	0.3	0.0	0.0	0.0	0.1	0.0	0.0	OK	
R40007	1	S	0.0	61.1	12.9	0.4	0.0	0.0	0.0	0.0	3.4	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
R60001	1	S	0.1	58.8	15.9	0.0	0.0	0.0	0.0	0.0	4.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R60002	X	S	0.0	X	15.2	0.1	0.0	0.0	0.0	0.0	3.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R60003	1	S	0.2	57.3	19.1	0.0	0.0	0.0	0.0	0.0	2.9	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R60004	1	S	0.5	57.6	15.2	0.0	0.0	0.0	0.0	0.0	4.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R70001	2	S	0.0	56.7	14.3	0.0	0.0	0.0	0.0	0.0	3.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R70002	2	S	0.1	57.9	13.4	0.3	0.0	0.0	0.0	0.0	4.3	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R70003	1	S	0.2	58.6	15.7	1.4	0.0	0.0	0.0	0.0	3.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R70004	1	WHS	0.1	59.5	13.5	0.2	0.0	0.0	0.0	0.0	3.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R70005	2	S	0.1	56.2	13.9	0.0	0.0	0.0	0.0	0.0	3.6	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R70006	1	WHS	0.1	59.3	12.9	0.0	0.0	0.0	0.0	0.0	2.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R70007	1	S	0.2	57.7	12.8	0.8	0.0	0.0	0.0	0.0	3.6	0.7	0.6	0.0	0.0	0.1	0.0	0.0	0.0	0.0	OK	
R70008	1	WHS	0.1	58.5	13.4	0.0	0.0	0.0	0.0	0.0	2.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R70009	1	WHS	0.1	59.4	12.8	0.0	0.0	0.0	0.0	0.0	1.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90001	1	S	0.0	60.5	14.2	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.0	OK	
R90002	X	S	0.1	X	14.3	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90003	1	S	0.1	60.6	14.3	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
R90004	1	S	0.0	59.3	15.9	0.0	0.0	0.0	0.0	0.0	1.1	0.7	0.5	0.0	0.1	0.0	0.1	0.0	0.0	0.0	OK	
R90005	1	S	0.1	58.3	16.0	0.0	0.0	0.0	0.0	0.0	1.0	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
R90006	1	S	0.0	58.5	15.1	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90007	1	WHS	0.1	60.5	14.8	0.4	0.0	0.0	0.0	0.0	2.3	0.5	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90008	1	S	0.1	57.4	16.6	0.0	0.0	0.0	0.0	0.0	1.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90009	1	S	0.0	59.9	16.9	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90010	1	S	0.1	59.9	17.2	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90011	1	S	0.1	58.9	16.6	0.6	0.0	0.0	0.0	0.0	1.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90012	1	S	0.0	59.5	13.3	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90013	1	S	0.1	60.4	13.1	0.2	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90014	1	S	0.0	60.0	13.0	0.2	0.0	0.0	0.0	0.0	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90015	1	S	0.0	58.9	14.6	0.0	0.0	0.0	0.0	0.0	1.2	0.4	0.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0	OK	
R90016	1	S	0.1	58.4	15.3	0.0	0.0	0.0	0.0	0.0	2.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
R90017	1	S	0.1	58.3	16.4	0.3	0.0	0.0	0.0	0.0	2.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
M400011	1	S	0.1	60.3	13.9	0.0	0.0	0.0	0.0	0.0	0.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
M400013	1	S	0.2	60.6	13.5	0.0	0.0	0.0	0.0	0.0	0.8	0.3	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
N50001	1	S	0.1	60.2	15.3	0.0	0.0	0.0	0.0	0.0	3.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	WHS 95.8% S 4.2%
N50002	1	S	0.0	60.3	15.4	0.0	0.0	0.0	0.0	0.0	2.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N70001	1	S	0.0	59.7	12.4	0.0	0.0	0.0	0.0	0.0	1.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N70002	1	S	0.0	59.3	12.6	0.3	0.0	0.0	0.0	0.0	0.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N70003	1	S	0.1	59.6	12.6	0.0	0.0	0.0	0.0	0.0	1.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N70004	1	S	0.0	59.0	12.6	0.8	0.0	0.0	0.0	0.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N70005	1	S	0.1	59.2	13.1	0.2	0.0	0.0	0.0	0.0	1.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N70006	1	S	0.0	58.8	12.6	0.2	0.0	0.0	0.0	0.0	1.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N70007	1	S	0.0	59.5	12.8	0.0	0.0	0.0	0.0	0.0	3.0	0.3	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	OK	
N70008	1	S	0.0	59.0	13.6	0.0	0.0	0.0	0.0	0.0	1.4	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N70009	1	S	0.0	59.0	13.3	0.0	0.0	0.0	0.0	0.0	1.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	OK	
N70010	1	S	0.1	60.0	13.2	0.0	0.0	0.0	0.0	0.0	1.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N70011	1	S	0.1	59.5	12.3	0.0	0.0	0.0	0.0	0.0	3.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80001	1	S	0.0	58.9	15.3	0.2	0.0	0.0	0.0	0.0	0.6	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80002	1	S	0.1	57.7	14.4	0.0	0.0	0.0	0.0	0.0	2.1	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80003	2	S	0.0	56.4	14.1	0.0	0.0	0.0	0.0	0.0	3.8	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80004	1	S	0.1	60.5	14.4	0.5	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80005	1	S	0.1	61.9	15.3	0.3	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80006	1	S	0.1	58.4	16.0	0.1	0.0	0.0	0.0	0.0	0.9	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80007	1	WHS	0.0	59.8	13.7	0.0	0.0	0.0	0.0	0.0	1.4	1.1	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80008	1	S	0.0	59.0	14.5	0.0	0.0	0.0	0.0	0.0	1.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80009	1	S	0.0	58.3	15.0	1.2	0.0	0.0	0.0	0.0	0.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80010	1	WHS	0.0	60.7	15.3	0.0	0.0	0.0	0.0	0.0	2.2	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	OK	
N80011	2	WHS	0.1	58.8	12.4	0.0	0.0	0.0	0.0	0.0	4.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80012	1	S	0.0	58.9	15.3	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80018	2	S	0.1	55.6	14.9	0.0	0.0	0.0	0.0	0.0	2.4	1.2	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80019	SG	S	0.0	58.5	13.4	0.0	0.0	0.0	0.0	0.0	2.0	1.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N80020	X	S	0.0	X	13.7	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90001	1	S	0.0	60.0	15.3	0.0	0.0	0.0	0.0	0.0	1.7	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90002	1	S	0.0	60.1	15.4	0.5	0.0	0.0	0.0	0.0	2.6	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90008	1	S	0.0	59.9	15.3	0.0	0.0	0.0	0.0	0.0	2.1	0.4	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90009	1	S	0.0	60.7	15.4	0.7	0.0	0.0	0.0	0.0	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90010	3	WHS	0.2	59.6	15.8	0.1	0.0	0.0	0.0	0.0	8.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90011	1	S	0.0	57.9	16.7	0.2	0.0	0.0	0.0	0.0	3.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90012	1	S	0.0	59.4	17.9	0.0	0.0	0.0	0.0	0.0	1.7	1.5	0.3	0.1	0.9	0.0	0.0	0.2	0.0	0.0	OK	
N90013	1	WHS	0.1	57.6	14.7	0.0	0.0	0.0	0.0	0.0	2.2	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90014	1	WHS	0.1	59.0	14.7	1.3	0.0	0.0	0.0	0.0	1.4	0.7	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90015	1	S	0.0	58.6	14.4	0.0	0.0	0.0	0.0	0.0	3.2	1.3	0.8	0.3	0.1	0.1	0.0	0.0	0.0	0.0	OK	
N90016	1	S	0.0	59.0	15.3	0.2	0.0	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90017	1	S	0.0	57.6	14.9	0.0	0.0	0.0	0.0	0.0	3.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90018	2	S	0.1	55.8	20.2	0.0	0.0	0.0	0.0	0.0	0.9	0.7	0.6	0.0	0.1	0.0	0.0	0.0	0.0	0.0	OK	
N90019	1	S	0.0	60.1	15.1	0.2	0.0	0.0	0.0	0.0	0.4	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	OK	
N90020	1	S	0.1	58.4	15.4	0.7	0.0	0.0	0.0	0.0	1.5	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90031	1	WHS	0.0	60.5	15.3	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	OK	
N90032	1	S	0.0	59.7	17.7	0.0	0.0	0.0	0.0	0.0	1.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
T22001	1	S	0.1	57.0	8.7	0.0	0.0	0.0	0.0	0.0	3.5	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22002	2	S	0.1	55.8	11.4	0.0	0.0	0.0	0.0	0.0	4.7	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22003	2	S	0.1	58.0	9.0	0.0	0.0	0.0	0.0	0.0	5.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22004	1	S	0.1	58.6	9.1	0.0	0.0	0.0	0.0	0.0	1.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22005	2	S	0.2	57.0	10.1	0.0	0.0	0.0	0.0	0.0	4.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22006	4	S	0.2	55.9	9.6	0.0	0.0	0.0	0.0	0.0	12.4	4.2	4.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22007	2	S	0.1	55.8	13.0	0.2	0.0	0.0	0.0	0.0	2.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22008	1	S	0.1	56.7	12.2	0.1	0.0	0.0	0.0	0.0	2.8	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22009	1	S	0.1	56.7	12.2	0.2	0.0	0.0	0.0	0.0	2.9	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22010	1	S	0.1	57.4	13.3	0.3	0.0	0.0	0.0	0.0	1.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22011	1	S	0.1	57.2	12.8	0.1	0.0	0.0	0.0	0.0	1.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22012	1	S	0.0	57.2	12.7	0.0	0.0	0.0	0.0	0.0	1.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T22013	1	S	0.0	57.5	12.8	0.0	0.0	0.0	0.0	0.0	2.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40001	2	S	0.2	55.1	9.9	0.2	0.0	0.0	0.0	0.0	6.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40002	2	S	0.5	55.2	10.4	0.0	0.0	0.0	0.0	0.0	6.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40003	SG	S	0.2	50.0	14.6	0.0	0.0	0.0	0.0	0.0	3.4	2.4	2.3	0.0	0.0	0.0	0.1	0.0	0.0		OK	
T40004	3	S	1.8	54.0	9.3	0.0	0.0	0.0	0.0	0.0	9.6	2.2	0.9	0.0	0.2	0.0	0.0	1.1	0.0		OK	
T40005	3	S	0.1	54.7	8.5	0.2	0.0	0.0	0.0	0.0	2.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40006	2	S	0.1	55.2	10.9	0.8	0.0	0.0	0.0	0.0	1.2	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40007	1	S	0.0	57.0	9.6	0.0	0.0	0.0	0.0	0.0	1.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40008	4	S	0.1	51.1	17.5	0.0	0.0	0.0	0.0	0.0	2.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40009	SG	S	0.1	49.8	7.9	0.0	0.0	0.0	0.0	0.0	4.5	4.1	3.8	0.0	0.3	0.0	0.0	0.0	0.0		OK	
T40010	4	S	0.2	52.9	9.6	0.0	0.0	0.0	0.0	0.0	7.8	1.2	1.0	0.0	0.0	0.0	0.0	0.2	0.0		OK	
T40011	2	S	0.4	56.4	10.0	0.0	0.0	0.0	0.0	0.0	5.3	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40012	1	S	0.1	60.6	9.3	0.0	0.0	0.0	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40013	2	S	0.2	56.6	12.5	0.3	0.0	0.0	0.0	0.0	5.2	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40014	2	S	0.1	55.3	9.0	0.0	0.0	0.0	0.0	0.0	1.3	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40015	4	S	0.1	51.0	19.1	1.9	0.0	0.0	0.0	0.0	1.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40016	4	S	0.3	51.1	10.0	0.2	0.0	0.0	0.0	0.0	8.3	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40017	4	S	0.1	51.3	8.1	0.1	0.0	0.0	0.0	0.0	0.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40018	3	S	0.5	53.7	10.1	0.0	0.0	0.0	0.0	0.0	6.2	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40019	1	S	0.1	57.1	11.2	0.2	0.0	0.0	0.0	0.0	3.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40020	SG	S	0.1	48.8	11.8	0.0	0.0	0.0	0.0	0.0	2.4	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40021	2	S	2.0	55.3	11.6	0.5	0.0	0.0	0.0	0.0	8.6	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40022	1	S	0.2	57.1	10.0	0.0	0.0	0.0	0.0	0.0	2.2	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40023	3	S	0.0	53.6	10.1	0.2	0.0	0.0	0.0	0.0	4.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40024	4	S	0.2	61.1	9.2	0.0	0.0	0.0	0.0	0.0	10.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40025	SG	S	0.1	50.1	8.0	0.0	0.0	0.0	0.0	0.0	5.8	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40026	3	S	0.3	54.1	10.4	0.0	0.0	0.0	0.0	0.0	7.7	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40027	1	S	0.1	56.8	10.2	0.2	0.0	0.0	0.0	0.0	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40028	1	S	0.1	57.4	10.9	0.0	0.0	0.0	0.0	0.0	3.0	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40029	1	S	0.1	58.2	11.7	0.0	0.0	0.0	0.0	0.0	2.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40030	2	S	0.3	55.2	11.1	0.0	0.0	0.0	0.0	0.0	6.5	2.4	2.3	0.0	0.0	0.0	0.1	0.0	0.0		OK	
T40031	1	S	0.1	58.2	10.8	0.2	0.0	0.0	0.0	0.0	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40032	2	S	0.2	57.2	10.9	0.2	0.0	0.0	0.0	0.0	4.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
T40033	3	S	0.4	54.6	10.9	0.0	0.0	0.0	0.0	0.0	8.9	3.5	3.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40034	SG	S	0.1	47.5	8.9	0.1	0.0	0.0	0.0	0.0	7.0	5.7	5.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40035	3	S	0.1	54.9	10.4	0.2	0.0	0.0	0.0	0.0	4.4	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40036	2	S	0.1	55.4	10.2	0.0	0.0	0.0	0.0	0.0	5.7	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40037	3	S	0.1	55.6	10.5	0.0	0.0	0.0	0.0	0.0	1.5	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40038	2	S	0.1	56.8	12.7	0.0	0.0	0.0	0.0	0.0	2.8	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40039	1	S	0.1	56.1	9.3	0.2	0.0	0.0	0.0	0.0	1.3	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40040	3	S	0.1	53.8	8.7	0.0	0.0	0.0	0.0	0.0	5.3	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40041	SG	S	0.1	46.4	7.9	0.0	0.0	0.0	0.0	0.0	6.3	4.5	4.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40042	2	S	0.2	55.5	10.1	0.0	0.0	0.0	0.0	0.0	7.0	1.9	1.8	0.0	0.0	0.0	0.1	0.0	0.0		OK	
T40043	3	S	0.4	53.7	9.5	0.0	0.0	0.0	0.0	0.0	8.3	1.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40044	2	S	0.1	55.6	14.2	0.3	0.0	0.0	0.0	0.0	4.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40045	2	S	0.0	57.0	11.6	0.0	0.0	0.0	0.0	0.0	3.8	1.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40046	3	S	0.1	54.5	9.6	0.0	0.0	0.0	0.0	0.0	2.3	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40047	4	S	0.6	51.0	8.4	1.0	0.0	0.0	0.0	0.0	5.2	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40048	2	S	0.2	56.4	11.1	0.0	0.0	0.0	0.0	0.0	3.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40049	3	S	0.0	54.4	9.0	0.0	0.0	0.0	0.0	0.0	3.4	2.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40050	3	S	0.5	55.0	9.7	0.0	0.0	0.0	0.0	0.0	8.8	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40051	2	S	0.1	56.7	11.2	0.0	0.0	0.0	0.0	0.0	4.6	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40052	1	S	0.1	57.5	11.7	0.2	0.0	0.0	0.0	0.0	3.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40053	3	S	0.3	53.9	10.6	0.0	0.0	0.0	0.0	0.0	8.2	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40054	3	S	0.1	53.1	10.4	0.0	0.0	0.0	0.0	0.0	3.3	2.3	2.1	0.0	0.0	0.0	0.2	0.0	0.0		OK	
T40055	2	S	0.1	55.2	10.2	0.2	0.0	0.0	0.0	0.0	1.4	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T40056	2	S	0.0	55.4	10.1	0.0	0.0	0.0	0.0	0.0	6.8	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T810001	1	S	0.1	58.6	15.0	0.2	0.0	0.0	0.0	0.0	4.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T810002	2	S	0.2	56.9	14.3	0.6	0.0	0.0	0.0	0.0	4.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T810003	2	S	0.2	56.9	13.7	0.0	0.0	0.0	0.0	0.0	4.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T810004	1	S	0.2	58.8	14.3	0.0	0.0	0.0	0.0	0.0	3.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T810005	2	S	0.1	56.8	14.2	0.6	0.0	0.0	0.0	0.0	4.6	0.8	0.6	0.2	0.0	0.0	0.0	0.0	0.0		OK	
T810006	1	S	0.3	57.6	14.4	0.3	0.0	0.0	0.0	0.0	5.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T810007	2	S	0.0	55.4	13.7	0.2	0.0	0.0	0.0	0.0	4.1	1.8	1.7	0.1	0.0	0.0	0.0	0.0	0.0		OK	
T810008	1	S	0.1	57.8	13.6	0.8	0.0	0.0	0.0	0.0	6.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T810009	1	S	0.1	56.1	13.9	0.3	0.0	0.0	0.0	0.0	2.2	0.7	0.5	0.2	0.0	0.0	0.0	0.0	0.0		OK	
T810010	2	S	0.0	55.3	14.2	0.0	0.0	0.0	0.0	0.0	4.1	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T820001	1	S	0.1	58.8	14.2	0.0	0.0	0.0	0.0	0.0	2.8	0.5	0.4	0.0	0.0	0.0	0.0	0.1	0.0		OK	
T820002	1	S	0.1	59.1	14.0	0.0	0.0	0.0	0.0	0.0	1.9	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T820003	1	S	0.1	58.3	15.7	0.0	0.0	0.0	0.0	0.0	2.4	1.1	0.9	0.0	0.0	0.0	0.0	0.2	0.0		OK	
T820004	1	S	0.1	58.3	15.1	0.0	0.0	0.0	0.0	0.0	2.4	0.6	0.4	0.0	0.0	0.0	0.0	0.2	0.0		OK	
T820005	1	S	0.1	58.9	14.6	0.0	0.0	0.0	0.0	0.0	2.0	0.7	0.4	0.0	0.0	0.0	0.0	0.3	0.0		OK	
T820006	1	S	0.1	58.8	13.9	0.0	0.0	0.0	0.0	0.0	2.2	0.7	0.5	0.0	0.0	0.0	0.0	0.2	0.0		OK	
T820007	1	S	0.1	57.3	13.7	0.0	0.0	0.0	0.0	0.0	3.0	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T820008	1	S	0.1	59.4	13.3	0.0	0.0	0.0	0.0	0.0	2.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T820009	1	S	0.1	58.6	14.0	0.0	0.0	0.0	0.0	0.0	2.2	0.6	0.3	0.0	0.0	0.0	0.0	0.3	0.0		OK	
T820010	1	S	0.1	58.8	13.6	0.9	0.1	0.0	0.0	0.0	3.1	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T820021	1	S	0.1	57.4	16.6	0.0	0.0	0.0	0.0	0.0	2.5	0.5	0.2	0.0	0.0	0.0	0.0	0.3	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.	
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material					
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)							
T900025	3	S	0.1	53.0	13.2	4.0	0.0	0.0	0.0	0.0	1.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0		OK		
T900026	SG	S	0.1	50.8	13.6	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900027	X	S	0.1	X	15.4	5.5	0.0	0.0	0.0	0.0	1.2	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900028	3	S	0.1	53.3	13.6	3.4	0.0	0.0	0.0	0.0	1.1	0.8	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900029	SG	S	0.1	50.8	14.2	0.0	0.0	0.0	0.0	0.0	1.4	0.9	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900030	4	S	0.1	52.2	13.9	6.1	0.0	0.0	0.0	0.0	1.6	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900031	X	S	0.2	X	13.3	0.8	0.0	0.0	0.0	0.0	3.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900032	2	S	0.5	56.7	13.5	3.5	0.0	0.0	0.0	0.0	4.2	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0		OK	
T900033	1	S	0.1	59.1	13.8	0.6	0.0	0.0	0.0	0.0	1.9	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0		OK	
T900034	X	S	0.0	X	15.4	2.2	0.0	0.0	0.0	0.0	2.1	1.3	0.9	0.0	0.0	0.0	0.0	0.0	0.4	0.0		OK	
T900035	X	S	0.2	X	14.3	11.5	0.0	0.0	0.0	0.0	2.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0		OK	
T900036	1	S	0.2	57.7	14.6	0.7	0.0	0.0	0.0	0.0	4.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900037	X	S	0.1	X	12.9	3.5	0.0	0.0	0.0	0.0	2.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900038	4	S	0.3	56.8	14.0	13.7	0.1	0.0	0.0	0.0	2.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900039	X	S	0.1	X	15.1	1.9	0.0	0.0	0.0	0.0	2.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900040	X	S	0.1	X	13.8	2.8	0.0	0.0	0.0	0.0	1.6	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0		OK	
T900041	1	S	0.1	57.7	12.3	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0		OK	
T900042	1	S	0.0	59.1	13.2	1.6	0.0	0.0	0.0	0.0	0.7	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0		OK	
T900043	3	S	0.1	55.5	13.6	6.1	0.0	0.0	0.0	0.0	1.5	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T900044	2	S	0.1	55.8	13.1	2.3	0.0	0.0	0.0	0.0	1.7	1.0	0.8	0.0	0.0	0.0	0.0	0.0	0.2	0.0		OK	
T900045	1	S	0.1	57.0	13.2	1.6	0.0	0.0	0.0	0.0	2.1	1.4	1.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0		OK	
T900046	1	S	0.0	57.7	12.9	0.0	0.0	0.0	0.0	0.0	1.5	1.0	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T970001	1	S	0.1	58.9	12.2	0.1	0.0	0.0	0.0	0.0	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T970002	1	S	0.1	59.1	13.4	0.6	0.0	0.0	0.0	0.0	2.2	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T970003	1	S	0.1	58.9	14.1	0.2	0.0	0.0	0.0	0.0	1.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T970004	1	S	0.2	56.8	13.1	0.2	0.0	0.0	0.0	0.0	2.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T970005	1	S	0.0	60.2	12.1	0.0	0.0	0.0	0.0	0.0	3.2	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		OK	
T970009	1	S	0.1	57.6	12.4	0.0	0.0	0.0	0.0	0.0	1.6	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	
T970010	1	S	0.0	59.0	13.0	0.0	0.0	0.0	0.0	0.0	2.3	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		OK	

Sample Number	Grade	Class	Dockage (%)	TW (lb/bu)	M (%)	-- Damage --					-- Broken Kernels and Foreign Material --								Ergot	Germ	Odor	Misc.
						Total (%)	Heat (%)	Damaged Other Grains			BNFM (%)	FM (%)	Plant Parts (%)	Other Grains			Weed Seeds	Other Material				
								Corn (%)	Soybean (%)	Wheat (%)				Corn (%)	Soybean (%)	Wheat (%)						
NO TAG	1	S	0.0	61.7	16.2	0.0	0.0	0.0	0.0	0.0	1.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.0	61.6	16.1	0.5	0.0	0.0	0.0	0.0	0.8	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.0	60.1	14.8	0.0	0.0	0.0	0.0	0.0	1.3	1.0	0.7	0.0	0.0	0.1	0.0	0.2	0.0	0.0	OK	
NO TAG	1	S	0.1	58.6	14.7	0.0	0.0	0.0	0.0	0.0	1.5	0.8	0.7	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
NO TAG	2	S	0.1	58.3	13.2	0.0	0.0	0.0	0.0	0.0	4.5	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	WHS	0.1	56.2	13.1	0.4	0.0	0.0	0.0	0.0	3.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	4	WHS	0.0	52.8	14.2	0.0	0.0	0.0	0.0	0.0	0.9	0.4	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	OK	
NO TAG	1	S	0.0	58.2	14.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.0	60.7	14.6	0.0	0.0	0.0	0.0	0.0	1.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.1	59.0	14.3	0.3	0.0	0.0	0.0	0.0	1.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.0	58.9	14.4	0.0	0.0	0.0	0.0	0.0	2.8	0.9	0.7	0.0	0.2	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	WHS	0.1	60.1	13.3	0.2	0.0	0.0	0.0	0.0	1.9	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.0	58.4	15.2	0.0	0.0	0.0	0.0	0.0	1.5	1.2	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.2	58.3	15.5	0.5	0.0	0.0	0.0	0.0	3.1	0.5	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.0	60.4	13.3	0.3	0.0	0.0	0.0	0.0	1.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.0	60.2	14.5	0.0	0.0	0.0	0.0	0.0	1.1	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.1	60.6	13.8	0.0	0.0	0.0	0.0	0.0	2.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.3	57.3	13.0	0.5	0.0	0.0	0.0	0.0	3.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	3	S	0.1	54.7	16.1	0.2	0.0	0.0	0.0	0.0	2.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	2	WHS	0.2	57.3	13.4	0.0	0.0	0.0	0.0	0.0	5.8	2.4	1.5	0.0	0.1	0.8	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.1	57.7	15.8	0.2	0.0	0.0	0.0	0.0	2.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.0	58.3	13.3	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	3	S	0.2	55.4	15.6	0.7	0.0	0.0	0.0	0.0	7.4	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	WHS	0.1	59.0	13.6	0.0	0.0	0.0	0.0	0.0	4.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	1	S	0.2	59.9	12.5	0.2	0.0	0.0	0.0	0.0	3.3	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	4	S	0.2	52.0	13.4	0.3	0.0	0.0	0.0	0.0	3.1	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	2	S	0.2	57.1	12.7	0.0	0.0	0.0	0.0	0.0	3.4	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	
NO TAG	SG	S	0.5	50.0	13.4	0.0	0.0	0.0	0.0	0.0	1.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	OK	